



**GUWAHATI MUNICIPAL CORPORATION**

**NAME OF WORK: - CONSTRUCTION OF SECURITY SHED CUM TOILET BLOCK & REPAIRING WORK OF GOPINATH BORDOLOI SAMADHI (SANTI STHAL) NABAGRAHA, SILPUKHURI UNDER THE AWARD OF DDP PLAN FOR THE YEAR 2013-14.**

**Vol. I: BIDDING DOCUMENT**

**OFFICE OF THE COMMISSIONER GMC  
PANBAZAR, GUWAHATI-1.**

**OFFICE OF THE COMMISSIONER: GMC,  
PANBAZAAR, GUWAHATI-1.**

**LOCAL COMPETITIVE BIDDING**

- NAME OF THE WORK** : **CONSTRUCTION OF SECURITY SHED CUM TOILET BLOCK & REPAIRING WORK OF GOPINATH BORDOLOI SAMADHI (SANTI STHAL) NABAGRAHA, SILPUKHURI UNDER THE AWARD OF DDP PLAN FOR THE YEAR 2013-14.**
- PERIOD OF DOWNLOADING** : **14/07/2017 to 20/07/2017**
- DATE AND TIME FOR RECEIPT OF BIDS** : **21/07/2017 UP TO 1400 HOURS**
- TIME AND DATE OF OPENING OF BIDS** : **21/07/2017 AT 1430 HOURS**
- PLACE OF OPENING OF BIDS** : **OFFICE OF THE COMMISSIONER, GMC, PANBAZAAR, GUWAHATI-1**
- OFFICER INVITING BIDS** : **COMMISSIONER, GMC, PANBAZAAR, GUWAHATI-1**



**GUWAHATI MUNICIPAL CORPORATION :: CHIEF ENGINEER BRANCH :: GUWAHATI**

No.: GER/Div-II/46/15/36

Date: 5 /07/2017

**INVITATION FOR BIDS  
LOCAL COMPETITIVE BIDDING**

The Commissioner, Guwahati Municipal Corporation, Guwahati invites bids for the below mentioned works from registered Class I & II APWD Building/Electrical Contractors and will be received up to 2.00 PM of 17/07/2017. The Bids will be opened on the same day at 2:30 PM, in presence of the bidders who wish to attend or his authorized representative. Details may be downloaded from the official website of GMC, [www.gmcportal.in](http://www.gmcportal.in), with effect from 10/07/2017 to 16/07/2017.

Sl. No.	Name of the Work	Amount (Rs. In Lakh)	Time period of Completion
1	2	3	4
1	Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14.	32.79	45 days
2	Supply, Installation & commissioning of 25 KVA DG set, uniflood integral flood light along with internal, external electrification, LED lighting system at Gopinath Bordoloi Samadhi (Santi Sthal), Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14.	14.74	45 days


  
 Commissioner,  
 Guwahati Municipal Corporation  
 Guwahati

Date: 5 /07/2017

Memo No.: GER/Div-II/46/15/36 -A

Copy to: -

1. The Additional Commissioner, GMC, for information.
2. The Municipal Secretary, Guwahati Municipal Corporation, for kind appraisal of the Hon'ble Mayor and all members of the Mayor-in-Council.
3. The Chief Accounts and Audit Officer, GMC, for information.
4. The Divisional Executive Engineer, Div-I, II, III, IV, V & VI for wide circulation.
5. The Director, Information & Public Relations, Assam, for publication of the above tender notice in one issue of an English Daily Newspaper (i.e. The Assam Tribune) and one issue of two Assamese Daily Newspaper (i. e. a. Asomiya Khabar & b. Amar Axom) with a request for submission of the bills to the undersigned for payment.
6. MIS, GMC, for uploading in the GMC Portal.
7. Office File.
8. Notice board.

  
 Commissioner,  
 Guwahati Municipal Corporation  
 Guwahati



**GUWAHATI MUNICIPAL CORPORATION :: CHIEF ENGINEER BRANCH :: GUWAHATI**

No.: GER/Div-II/46/15/40 Date: 12/07/2017

**CORRIGENDUM**

In partial modification to the Invitations for Bids issued vide this office no. GER/Div-II/46/15/36 dated 05/07/2017, the dates are rescheduled as follows.

Period of downloading bid document	14/07/2017 to 20/07/2017.
Date of Submission of Bids	21/07/2017 up to 1400 Hours.
Date of Opening of Bids	21/07/2017 at 1430 Hours.

All other terms & conditions shall remain unchanged.

  
**Commissioner,  
Guwahati Municipal Corporation  
Guwahati**

Date: 12/07/2017

**Memo No.: GER/Div-II/46/15/40 -A**

Copy to: -

1. The Additional Commissioner, GMC, for information.
2. The Municipal Secretary, Guwahati Municipal Corporation, for kind appraisal of the Hon'ble Mayor and all members of the Mayor-in-Council.
3. The Chief Accounts and Audit Officer, GMC, for information.
4. The Divisional Executive Engineer, Div-I, II, III, IV, V & VI for wide circulation.
5. The Director, Information & Public Relations, Assam, for publication of the above tender notice in one issue of an English Daily Newspaper (i.e. The Assam Tribune) and one issue of two Assamese Daily Newspaper (i. e. a. Asomiya Khabar & b. Amar Axom) with a request for submission of the bills to the undersigned for payment.
6. MIS, GMC, for uploading in the GMC Portal.
7. Office File.
8. Notice board.

  
**Commissioner,  
Guwahati Municipal Corporation  
Guwahati**

**INDEX**

<b><u>SECTION</u></b>	<b><u>ITEM</u></b>	<b><u>PAGE NO.</u></b>
<b><u>SECTION.1</u></b>	<b>INSTRUCTION TO BIDDERS</b>	<b>7-22</b>
<b><u>SECTION.2</u></b>	<b>QUALIFICATION INFORMATION</b>	<b>23-26</b>
<b><u>SECTION.3</u></b>	<b>CONDITIONS OF CONTRACT (GCC &amp; SCC).</b>	<b>27-51</b>
<b><u>SECTION.4</u></b>	<b>CONTRACT DATA</b>	<b>52-55</b>
<b><u>SECTION.5</u></b>	<b>TECHNICAL SPECIFICATIONS</b>	<b>56</b>
<b><u>SECTION.6</u></b>	<b>FORM OF BID</b>	<b>57</b>
<b><u>SECTION.7</u></b>	<b>SECURITIES AND OTHER FORMS</b>	<b>58-66</b>
<b><u>SECTION.8</u></b>	<b>DOCUMENTS TO BE FURNISHED BY THE BIDDER.</b>	<b>67</b>
<b><u>SECTION.9</u></b>	<b>BILL OF QUANTITIES</b>	<b>68-123</b>

**List of work**

Sl. No.	Name of the Work	Amount (Rs. In Lakh)	Bid Security (Rs in Lakh)		Cost of Bid Document	Time period of Completion
			For General	For SC/ST/OBC/UEE		
1	3	4	5		6	7
1	Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14.	32.79	0.66	0.33	4000.00	45 days
2	Supply, Installation & commissioning of 25 KVA DG set, uniflood integral flood light along with internal, external electrification, LED lighting system at Gopinath Bordoloi Samadhi (Santi Sthal), Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14.	14.74	0.30	0.15	2000.00	45 days

## **A. GENERAL**

### **1. Scope of Bid**

- 1.1 The Commissioner, GMC, Panbazaar, Guwahati-1 (referred to as the Employer in these documents) invites bids for the construction of works (as defined in these documents and referred to as “the work”) detailed the table given in IFB. The Bidders may submit bids for any or all of the works detailed in the table given in IFB.
- 1.2 The Successful bidder will be expected to complete the works by the intended completion date specified in the Contract data.
- 1.3 Throughout this bidding document, the terms ‘bid’ and ‘tender’ and their derivatives (bidder/Tenderer, bid/tender, bidding/tendering, etc.) are synonymous.

### **2. Source of Funds**

- 2.1 The Guwahati Municipal Corporation has received funds under the award of District Development Plan for the year 2013-14 towards the cost of construction work and intends to apply the funds to cover eligible payments under the contracts for construction of works as detailed above.

### **3. Eligible Bidders**

- 3.1 This *Invitation for Bids* is open to all bidders of Class I & II category registered under *Buildings wing of APWD* as mentioned in IFB. Copy of up to date registration certificate to be enclosed.
- 3.2 All bidders shall provide in Section 2, Forms of Bid and qualification information, a statement (unless otherwise specified) that the Bidder is neither associated, nor has been associated directly or indirectly with the Consultant or any other entity that has prepared the design, specifications and other documents for the project or propose the Consultancy as Project Manager for the Contract. A firm that has been engaged by the Commissioner, GMC, Panbazaar, Guwahati-1 to provide consultancy services for the preparation or supervision of the works, and any of its affiliates shall not be eligible to bid.

### **4. Qualification of the Bidder**

- 4.1 All Bidders shall provide in Section 2, Forms of Bid and Qualification information, a preliminary description of the proposed work method and schedule, (including drawings and charts where necessary). The proposed methodology should include programme of construction backed with equipment planning and development duly supported with broad calculations and quality assurance procedures proposed to be adopted justifying their capability of execution and completion of work as per technical specifications, within stipulated period of completion.
- 4.2 **Deleted.**
- 4.3 All bidders shall include the following information and documents with their bids in Section 2.
  - i. Copies of Original documents defining the constitution or legal status, place of registration, and principal place of business; written power of attorney of the signatory of the Bid to commit the bidder;

- ii. Copy of up to date Trade License issued by Guwahati Municipal Corporation.
- iii. Proof of registration with APWD with copy of photo ID proof (photocopy of driving license/PAN Card/bank passbook with photograph etc.) Registration must be up to date.
- iv. Total monetary value of civil construction work performed during each of the last three years for works up to Rs 50.00 Lakhs/five years for works above 50.00 Lakhs (*To be certified by a Chartered Accountant*); (*Not mandatory for works up to Rs 10 Lakhs*)
- v. Experience in works of a similar nature and size for each of the last three/five years, and details of works under way or contractually committed; and clients who may be contacted for further information on those contracts; (*Not mandatory for works up to Rs 10 Lakhs*)
- vi. Major items of construction equipment proposed to carry out the contract;
- vii. Qualifications and experience of key site management and technical personnel proposed for contract;
- viii. Deleted.
- ix. Evidence of access to line(s) of credit and availability of other financial Resources facilities (25% of Contract value), certified by the Bankers (*Not more than 3 months old*) ;
- x. Undertaking that the bidder will be able to invest a minimum cash of 25% of contract value of work, during implementation of the work;
- xi. Authority to seek references from the Bidder's Bankers;
- xii. Information regarding any litigation or arbitration resulting from contracts executed by the Bidder in the last five years or currently under execution. The information shall include the names of the parties concerned, the disputed amount, cause of litigation, and matter in dispute;
- xiii. Proposals for sub Contracting components of the Works amounting to more than 10% of the Bid Price (for each, the qualifications and experience of the identified sub-contractor in the relevant field should be annexed); and
- xiv. ***Lack of any information cited above shall disqualify a bidder and no claims, whatsoever, shall be entertained from the bidder by the Employer.***
- xv. The proposed methodology and program of construction including Environmental Management Plan backed with equipment, materials and manpower planning and deployment, duly supported with broad calculations and quality control procedures proposed to be adopted, justifying their capability of execution and completion of the work as per technical specifications within the stipulated period of completion as per milestones.
- xvi. Contractor must have to submit their Annual Return documents (Income Tax) for the last three years for works up to Rs 50.00 Lakhs/five years for works above 50.00 Lakhs ;



**4.4** Bids from Joint ventures are not acceptable.

**4.5** A) To qualify for award of the contract, each bidder in its name should have on the last five years as referred to in Appendix.

- a) Achieved, in at least two financial years, a minimum annual financial turnover (in all classes of civil engineering construction works only) of 1½ times the estimated package value; this clause will not apply to works up to Rs 10.00 Lakhs.
- b) The bidder must be a profit making one for the last five years.
- c) Satisfactorily completed (not less than 50% of contract value), as a prime contractor, (or as subcontractor duly certified by the employer) at least **one similar work** of value not less than 80% of the estimated package value; (Not applicable for works of value up to Rs 10.00 Lakhs)
- d) Deleted.
- e) Deleted.

**B.** Each Bidder should demonstrate:

- a) Availability (either owned or leased) of the following key and critical equipment for this work:

Based on the Studies, carried out by the Engineer the minimum suggested major equipment to attain the completion of works in accordance with the prescribed construction schedule is shown in the Appendix-II.

The bidders should, however, undertake their own studies and furnish with their bid, a detailed construction planning and methodology supported with layout and necessary drawings and calculations (detailed) as stated in Clause 4.3 (i) above to facilitate the Employer to review their proposals. The numbers, types and capacities of each plant/equipment shall be shown in the proposals along with the cycle time for each operation for the given production capacity to match the requirements.

- b) Availability for this work of personnel with adequate experience as required; as per Appendix-III
- c) Liquid assets and/credit facilities of not less than amount indicated in Appendix-I.

*(Credit lines/letter of credit/certificate from Banks for meeting the funds requirement etc.)*

**C.** To qualify for the package of contracts made up of this contract for which bids are invited in the IFB, the bidder must demonstrate having experience and resources sufficiently to meet the qualifying criteria for the contracts.

**4.6** Sub Contractor's experience and resources shall not be taken into account in determining the bidder's compliance with the qualifying criteria except to the extent stated in 4.5 (A) above.

- 4.7** Bidders who meet the minimum qualification criteria will be qualified only if their available bid capacity is more than the total bid value. The available bid capacity will be calculated as under:

$$\text{Assessed Available Bid Capacity} = (A \times N \times 2 - B)$$

Where

A= Maximum value of Civil Engineering works executed in any one year during the last five years (updated to the price level of the year indicated in Appendix I) taking into account the completed as well as works in progress.

N= Number of years prescribed for completion of the works for which bids are invited.

B= Value (updated to the price level of the year indicated in Appendix) of existing commitments and on-going works to be completed during the period of completion of the works for which bid is invited.

*Note: The statements showing the value of existing commitments and on-going works as well as the stipulated period of completion remaining for each of the works listed should be countersigned by the Engineer-in-Charge, not below the rank of an Executive Engineer or equivalent.*

- 4.8** Even though the bidders meet the above qualifying criteria, they are subject to be disqualified if they have:

- Made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirements; and/or
- Record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failures etc.; and/or
- Participated in the previous bidding for the same/similar work and had quoted unreasonably high bid prices and could not furnish rational justification to the Employer.

## **5. One Bid per Bidder**

- 5.1** Each bidder shall submit only one bid for one package. A bidder who submits or participates in more than one Bid (other than as a sub-contractor or in cases of alternatives that have been permitted or requested) will cause all the proposals with the Bidder's participation to be disqualified.

## **6. Cost of Bidding**

- 6.1** The bidder shall bear all costs associated with the preparation and submission of this Bid, and the Commissioner, GMC, Panbazaar, Guwahati-1 will in no case be responsible and liable for those costs.

## **7. Site Visit**

- 7.1** The Bidder, at the Bidder's own responsibility and risk is encouraged to visit and examine Site of works and its surroundings and obtain all information that may be

necessary for preparing the Bid and entering into a contract for construction of the works. The cost of visiting the site shall be at the Bidder's own expense.

## **B. BIDDING DOCUMENTS**

### **8. Content of Bidding Documents**

The set of bidding documents comprises the documents listed below and agenda issued in accordance with Clause 10:

<b>Section</b>	<b>Particulars</b>	<b>Volume No.</b>
	Invitation for Bids	I
1	Instruction to Bidders	
2	Qualification Information, and other forms	
3	Conditions of Contract	
4	Contract of Data	
5	Technical Specifications	
6	Form of Bid	II
9	Bill of Quantities	
7	Securities and other forms	
10	Drawings	III
8	Documents to be furnished by bidder	IV

Table-1

One copy of each of the volumes I, II & III will be issued to the bidder. Documents to be furnished by the bidder in compliance to section 2 will be prepared by him and furnished as Volume-IV in two parts (to be submitted in A4 size paper in a bound volume) (refer clause 12).

The bidder is expected to examine carefully all instructions, conditions of Contract, contract data, forms, terms, and technical specifications, bill of quantities, forms, Appendix and drawings in the Bid document. Failure to comply with the requirements of Bid Document shall be at the bidder's own risk. Pursuant to clause 26 of ITB, which are not substantially responsive to the requirements of the Bid shall be rejected.

### **9. Clarification of Bidding Documents**

- 9.1** A prospective bidder requiring any clarification of the bidding documents may notify the Employer in writing or by cable (hereinafter "cable" includes telex and facsimile) at the Employer's address indicated in the invitation to bid. The Employer will respond to any request for clarification, which he received earlier than or during the Pre-bid meeting as indicated in Appendix-I. Copies of the Employer's response will be intimated to all purchasers of the bidding documents, including description of the enquiry but without identifying its source.

#### **Pre-bid meeting**

**9.1.1** Deleted

**9.1.2** Deleted.

9.1.3 Deleted.

9.1.4 Deleted.

9.1.5 Deleted.

## 10. Amendment of Bidding Documents

10.1 Before the deadline for submission of bids, the Employer may modify the bidding documents by issuing addenda.

10.2 Any addendum thus issued shall be a part of the bidding documents and shall be communicated in writing or by cable to all the purchasers of the bidding documents. Prospective bidders shall acknowledge receipt of each addendum in writing or by cable to the Employer. The Employer will assume no responsibility for postal delays.

10.3 To give prospective bidders reasonable time in which to take an addendum into account in preparing their bids, the Employer shall extend as necessary the deadline for submission of bids, in accordance with Sub-Clause 20.2 below.

## C. PREPARATION OF BIDS

### 11. Languages of the Bid

11.1 All documents relating to the bid shall be in the English Language.

### 12. Documents Comprising Bid

12.1 The bid submitted by the bidder shall comprise the following:

- (a) The Bid (in the format indicated in Section 2).
- (b) Bid Security;
- (d) Qualification Information Form, non refundable bid document fee, Documents; and any other materials required to be completed and submitted by bidders in accordance with these instructions. The documents listed under Sections 2, 4 and 7 of Sub-Clause 8.1 shall be filled in without exception.

12.2 Bidders bidding for this contract together with other contracts stated in the IFB to form a package will so indicate in the bid together with any discounts offered for the award of more than one contract.

### 13. Bid Prices

13.1 The contract shall be for the whole works as described in Sub-Clause 1.1 based on the priced Bill of Quantities submitted by the Bidder.

13.2 The Bidder shall fill in rates and prices and line item total (both in figures and words) for all items of the works described in the Bill of quantities along with total bid price (both in figures and words) rounded to the nearest rupee. *Items for which no rate or price is entered by the bidder shall be treated as 100% downloaded and the bid shall be rejected.* Corrections, if any, shall be made by crossing out, initialing, dating, and rewriting.

The Bidder must quote his bid price in Section-6 (form of Bid) both in figure and words, which is to be duly signed by the bidder. A Financial Bid without any

mention of bid price in the Form of Bid shall be treated as **Non-Responsive** and shall not be considered for evaluation.

- 13.3** All duties, taxes, and other levies payable by the contractor under the contract, or for any other cause shall be included in the rates, prices and total Bid Price submitted by the Bidder.

*The Bid Price must be rounded off at grand total amount arrived at after multiplication and summing up from detailed item wise rate and quantities to nearest rupee by ignoring paisa below fifty and to next rupee for amount fifty paisa or above. A Financial Bid which is not filled up as per this clause shall be rejected and shall not be considered for evaluation.*

- 13.4** The rates and prices quoted by the Bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.

- 13.5** *Abnormally low or high rates shall not be taken into consideration and shall be summarily rejected without assigning any reason thereof. Discounts offered after filling up the rates of the items shall not be taken into consideration and rates inserted against each item shall prevail.*

#### **14. Currencies of Bid and Payment**

- 14.1** The unit rates and the prices shall be quoted by the bidder entirely in Indian Rupees. All payments shall be made in Indian Rupees.

#### **15. Bid Validity**

- 15.1** Bids shall remain valid for a period not less than 90 days after the deadline date for bid submission specified in Clause 20. A bid valid for a shorter period shall be rejected by the Employer as non-responsive. In case of discrepancy in bid validity period between that given in the undertaking pursuant to Clause 12.1(iv) and Form of Bid submitted by the bidder, the later shall be deemed to stand corrected in accordance with the former and the bidder has to provide for any additional security that is required.

- 15.2** In exceptional circumstances, prior to expiry of the original time limit, the Employer may request that the bidders may extend the period of validity for a specified additional period. The request and the bidder's responses shall be made in writing or by cable. A bidder may refuse the request without forfeiting his bid security. A bidder agreeing to the request will not be required or permitted to modify his bid., but will be required to extend the validity of his bid security for a period of the extension, and in compliance with Clause 16 in all respects.

- 15.3** Deleted

- 15.4** Bid evaluation will be based on the bid prices without taking into consideration the above correction.

#### **16. Bid Security**

- 16.1** The Bidder shall furnish, as part of his Bid, a Bid security in the amount as shown in column 3 of the Table of IFB for this particular work. The bid security shall be in

favour of The Commissioner, GMC, Panbazaar, Guwahati-1 in any one of the following forms:

- a. TDR/FDR pledged in favour of the Commissioner, Guwahati Municipal Corporation, Panbazaar, Guwahati – 781001, payable at Guwahati.
  - b. Bid Security in the name of persons other than the bidder shall be summarily rejected.
- 16.2** Bank guarantees (and other instruments having fixed validity) issued as security for the bid shall be valid for **45 days** beyond the validity of the bid.
- 16.3** *Any bid not accompanied by an acceptable Bid security and not secured as indicated in sub clause 16.1 and sub clause 16.2 above shall be rejected by the Employer as non-responsive.*
- 16.4** Unless there is any challenge on the bid/bid process in any court of law, the Bid security of unsuccessful bidders will be returned within 28 days of the end of the validity period specified in Sub Clause 15.1.
- 16.5** The bid Security of the Successful Bidder will be discharged when the bidder has signed the Agreement and furnished the Performance Security.
- 16.6** The Bid security shall be forfeited
- a) If the Bidder withdraws the Bid after Bid Opening during the period of Bid Validity;
  - b) If the Bidder does not accept the correction of the Bid Price, pursuant to Clause 27; or
  - c) In the case of a successful Bidder, if the Bidder fails within the specified time limit to:
    - i. Sign the Agreement; or
    - ii. Furnish the required Performance Security.

## **17. Alternative Proposals by Bidders**

- 17.1** Bidders shall submit offers that fully comply with the requirements of the Bidding documents, including the conditions of contract (Time for completion), basic technical design as indicated in the drawing and specifications. Conditional offer or alternative offers will not be considered further in the process of tender evaluation.

## **18. Format and signing of Bid**

- 18.1** The Bidder shall prepare one original and one copy of the documents comprising the bid as described in Clause 12 of these *Instructions to Bidders*, bound with the volume containing the Form of Bid, and clearly marked "**ORIGINAL**" and "**COPY**" as appropriate. In the event of discrepancy between them, the original shall prevail. *All documents to be submitted should be in proper format & done by at least spiral binding.*
- 18.2** The original and copy of the Bid shall be typed or written in indelible ink and shall be signed (in **Blue Ink** only) by a person or persons duly authorized to sign on behalf of the Bidder, pursuant to Sub-Clauses 4.3. All pages of the bid where entries or amendments have been made shall be initialled by the person or persons signing the

bid. *Each and every signature must be dated. Full Name of the bidder shall be mentioned at least in the Contractor's Bid Form.*

- 18.3** The Bid shall contain no alterations or additions, except those to comply with instructions issued by the Employer, or as necessary to correct errors made by the bidder, in which case such corrections shall be initialled by the person or persons signing the bid.
- 18.4** The Bidder shall furnish information as described in the Form of Bid on commissions or gratuities, if any, paid or to be paid to agents relating to this Bid, and to contract execution if the Bidder is awarded the contract.

### **D.SUBMISSION OF BIDS**

#### **19. Sealing and Marking of Bids**

19.1 The Bidder shall seal the original and copy of the Bid in separate envelopes, duly marking the envelopes as "**ORIGINAL**" and "**COPY**". These envelopes (called as inner envelopes) shall then be put inside one outer envelope.

19.2 The **inner and outer** envelopes shall

- a) be addressed to the Employer at the following address:

The Commissioner, Guwahati Municipal Corporation, Panbazaar, Guwahati – 781001, and

- b) Bear the following identification:

- Bid for \_\_\_\_\_;

-Package No. \_\_\_\_\_

- Bid Reference No. \_\_\_\_\_

- DO NOT OPEN BEFORE \_\_\_\_\_

19.3 In addition to the identification required in Sub-Clause 19.2, the inner envelopes shall indicate the name and address of the bidder to enable the bid to be returned unopened in case it is declared late, pursuant to Clause 21. If the inner envelopes are not marked as per Clause 19.2 above, the bids shall not be opened.

19.4 If the outer envelope is not sealed and marked as above, the Employer will assume no responsibility for the misplacement or premature opening of the bid.

#### **20. Deadline for Submission of Bids**

20.1 Bids must be received by the Employer at the address specified above no later than 1400 hours on July 21<sup>st</sup>, 2017. In the event of the specified date for the submission of bids declared a holiday for the Employer, the Bids will be received up to the appointed time on the next working day.

20.2 The Employer may extend the deadline for submission of bids by issuing amendment in accordance with Clause 10, in which case all rights and obligations of the Employer and the bidders previously subject to the original deadline will then be subject to the new deadline.

## **21. Late Bids**

**21.1** Any Bid received late by the Employer after the deadline prescribed in Clause 20 will be returned unopened to the bidder.

## **22. Modifications and Withdrawal of Bids**

**22.1** Bidders may withdraw their bids by giving notice in writing before the deadline prescribed in Clause 20 or pursuant to Clause 23.

**22.2** Each Bidder's withdrawal notice shall be prepared, sealed, marked, and delivered in accordance to Clause 18 & 19, with the outer and inner envelopes additionally marked "**WITHDRAWAL**", as appropriate.

**22.3** Deleted.

**22.4** Withdrawal of a Bid between the deadline for submission of bids and the expiration of the original period of bid validity specified in Clause 15.1 above or as extended to Clause 15.2 may result in the forfeiture of Bid Security pursuant to Clause 16.6.

## **E.BID OPENING AND EVALUATION**

### **23. Bid Opening**

**23.1** The Employer will open all the Bids received (except those received late), including modifications made pursuant to Clause 22, in the presence of the Bidders or their representatives who choose to attend at 1430 hours on July 21<sup>st</sup>, 2017. In the event of the specified date of Bid opening being declared a holiday for the Employer, the Bids will be opened at the appointed time and location on the next working day.

**23.2** Envelopes marked "**WITHDRAWAL**" shall be opened and read out first. Bids for which an acceptable notice of withdrawal has been submitted pursuant to Clause 22 shall not be opened.

**23.3** The Bidders' names, the Bid prices, the total amount of each Bid and of any alternative Bid (if alternatives have been requested or permitted), any discounts, Bid modifications and withdrawals, the presence or absence of Bid security, and such other details as the Employer may consider appropriate, will be announced by the Employer at the opening. No bid shall be rejected at bid opening except for the late bids pursuant to Clause 21. Bids [and modifications] sent pursuant to Clause 22 that are not opened and read out at bid opening will not be considered for further evaluation regardless of the circumstances. Late and withdrawn bids will be returned un-opened to bidders.

**23.4** The Employer shall prepare minutes of the Bid opening, including the information disclosed to those present in accordance with Sub-Clause 23.3.

### **24. Process to be Confidential**

**24.1** Information relating to the examination, clarification, evaluation and comparison of Bids and recommendations for the award of a contract shall not be disclosed to Bidders or any other person officially concerned with such process until the award to the successful Bidder has been announced. Any effort by a Bidder to influence the



Employer's processing of Bids or award decision may result in the rejection of his Bid.

## **25. Clarification of Financial Bids**

- 25.1** To assist in the examination, evaluation, and comparison of Bids, the Employer may, at his discretion asks any Bidder for clarification of his bid, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, but no change in the price or substance of the Bid shall be sought, offered, or permitted except as required to confirm the correction of arithmetic errors discovered by the Employer in the evaluation of the Bids in accordance with Clause 27.
- 25.2** Subject to sub-clause 25.1, no Bidders shall contact the Employer on any matter relating to his bid from the time of the bid opening to the time the contract is awarded. If the Bidders wish to bring additional information to the notice of the Employer, it should do so in writing.
- 25.3** Any effort by the Bidders to influence the Employer's bid evaluation, bid comparisons or contract award decisions may result in the rejection of the Bidder's bid.

## **26. Examination of Bids and Determinations of Responsiveness**

- 26.1** During the detailed evaluation of "Technical Bids", the Employer will determine whether each Bid (a) meets the eligibility criteria defined in Clause 3 and 4; (b) has been properly signed; (c) is accompanied by the required securities and; (d) is substantially responsive to the requirements of the Bidding Documents. During the detailed evaluation of the "Financial Bid", the responsiveness of the bids will be further determined with respect to the remaining bid conditions, i.e., priced bill of quantities, technical specification, and drawings.
- 26.2** A substantially responsive "Financial Bid" is one, which conforms to all the terms, conditions, and specifications of bidding documents, without material deviation or reservation. A material deviation or reservation is one (a) which affects in any substantial way the scope, quality, or performance of the works; (b) which limits in any substantial way, inconsistent with the Bidding documents, the Employer's right or the Bidder's obligations under the contract; or (c) whose rectification would affect unfairly the competitive position of other Bidders presenting substantially responsive Bids.
- 26.3** If a "Financial Bid" is not substantially responsive, it will be rejected by the Employer, and shall not subsequently be made responsive by correction or withdrawals of the non-conforming deviation or reservation.

## **27. Correction of Errors**

- 27.1** "Financial Bids", determined to be substantially responsive will be checked by the Employer as follows:
- a) Where there is a discrepancy between the rates in figures and in words, the rate in words will govern; and
  - b) Where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.

**27.2** The amount stated in the “Financial Bid” will be corrected by the Employer in accordance with the above procedure and the bid amount adjusted with the concurrence of the Bidder in the following manner:

- a) If the Bid prices increases as a result of this correction, the amount as stated in the bid will be the ‘bid price’ and the increase will be treated as rebate;
- b) If the Bid price decreases as a result of this correction, the decreased amount as stated in the bid will be the ‘bid price’.

Such adjusted bid price shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount the Bid will be rejected, and the Bid security may be forfeited in accordance with Sub-Clause 16.6(b).

**28. Deleted**

**29. Evaluation and Comparison of Financial Bids**

**29.1** The Employer will evaluate and compare only the Bids determined to be substantially responsive in accordance with Sub-Clause 26.2.

**29.2** In evaluating the Bids the Employer will determine for each Bid the evaluated Bid Price by adjusting the Bid price as follows:

- a) Basis for evaluation of financial bids will be the latest APWD Schedule of rates current in the state.
- b) Making any correction for errors pursuant to Clause 27; or
- c) Making an appropriate adjustments for any other acceptable variations, deviations; and
- d) Making appropriate adjustments to reflect discounts or other price modifications offered in accordance with Sub-Clause 23.6.
- e) Rounding the Bid Price to the nearest rupee.

**29.3** The Employer reserves the right to accept or reject any variation or deviation. Variations and Deviations and other factors, which are in excess of the requirements of the Bidding documents or otherwise results in unsolicited benefits for the Employer, shall not be taken into account in Bid evaluation.

**29.4** The estimated affect of the price adjustment conditions under Clause 47 of the *Conditions of Contract*, during the period of implementation of the contract, will not be taken into account in Bid evaluation.

**29.5** If the Bid of the successful Bidder is seriously unbalanced in relation to the Department’s estimate of the cost of work to be performed under the contract, the Employer shall require the Bidder to produce detailed price analysis for any or all item of the Bill of Quantities, to demonstrate the internal consistency of those prices with the construction methods and schedule proposed. After evaluation of the price analysis, the Employer may require that the amount of the performance security set forth in Clause 34 be increased at the expense of the successful Bidder to a level

sufficient to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract.

**29.6** *A bid which is unrealistically priced low/high, and which cannot be substantiated satisfactorily by the bidder, shall be rejected as non-responsive.*

**30.** Deleted

## **F. AWARD OF CONTRACT**

**31. Award Criteria**

**31.1** Subject to Clause 32, the Employer will award the Contract to the Bidder whose Bids has been determined

- i. To be substantially responsive to the Bidding documents both in technical & financial aspects of the bid.
- ii. To be within the available Bid capacity adjusted to account for his quoted bid price.
- iii. The work shall be awarded at the lowest responsive bid price.
- iv. The Employer is not in a compulsion to award the work to the lowest bidder.

In no case, the contract shall be awarded to any bidder whose available bid capacity is less than the evaluated bid price, even if the said bid is the lowest evaluated bid. The contract will in such case be awarded to the next lowest bidder at his evaluated bid.

**31.2** Deleted

**32. Employer's right to accept any Bid and to reject any or all Bids**

**32.1** Notwithstanding Clause 31, the Employer reserves the right to accept or reject any Bid, and to cancel the Bidding process and reject all bids, at any time prior to the awards of contract, without thereby incurring any liability to the affected Bidder or Bidders or any obligations to inform the affected Bidder or Bidders of the grounds for the Employer's actions.

**33. Notification of Award and signing of Agreement**

**33.1** The Bidders whose Bid has been accepted will be notified of the award by the Employer prior to expiration of the Bid validity period by cable, telex, or facsimile confirmed by registered letter. This letter (hereinafter and in the Condition of Contract called the "Letter of Acceptance") will state the sum that the Employer will pay the Contractor in consideration of the execution, completion and maintenance of the works by the Contractor as prescribed by the Contract (hereinafter and in the Contract called the "Contract Price").

**33.2** The notification of award will constitute the formation of the Contract, subject only to the furnishing of a performance security in accordance with the provisions of Clause 34.

**33.3** The agreement will incorporate all arrangements between the Employer and the successful Bidder. Within 14 days of receipt of the Letter of Acceptance, the

successful Bidder will sign the agreement and deliver it to the Employer, for acceptance of the same.

- 33.4** Upon the furnishing of the successful Bidder of the Performance Security, the Employer will promptly notify the other Bidders that their Bids have been unsuccessful.

**34. Performance Security**

- 34.1** Within 7 days of receipt of the Letter of Acceptance, the successful Bidder shall deliver to the Employer, a performance security in any of the form given below for an amount equivalent to 5% (Five p.c.) of the Contract price plus additional security for unbalanced Bids in accordance with Clause 29.5 of ITB Clause 52 of Conditions of Contract:

- A bank guarantee in the form given in Section 7; or
- TDR/FDR pledged in favour of the Commissioner, Guwahati Municipal Corporation, Panbazaar, Guwahati – 781001, payable at Guwahati.

- 34.2** If the performance security is provided by the successful Bidder in the form of a Bank Guarantee, it shall be issued at the Bidder's option, by a Nationalized Indian bank, prepared in non-judicial stamp paper of specified value.

- 34.3** Failure of the successful Bidder to comply with the requirements of Sub-Clause 34.1 shall constitute sufficient grounds for cancellation of the award and forfeiture of the Bid Security.

**35. Advance Payment and Security**

- 35.1** Deleted

**36. Dispute Review Experts**

- 36.1** The Employer proposes that [name of proposed Dispute Review Expert in Appendix I] be appointed as Disputes Review Expert under the Contract, at a daily fee plus reimbursable expenses. If the Bidders disagree with this proposals, the Bidders should so state in the Bids.

**37. Corrupt or Fraudulent Practices**

- 37.1** The Employer will reject a proposal for award if it determine that the Bidder recommended for award has engaged in corrupt or fraudulent in competing for the contract in question and will declare the firm ineligible, either indefinitely or for a stated period of time, to be awarded a contract with CPWD/APWD and any other agencies, if it at any determines that the firm has engaged in corrupt or fraudulent practices in competing for the contractor, or in execution.

- 37.2** Furthermore, Bidders shall be aware of the provision stated in Sub-Clause 23.2 and Sub-Clause 59.2 of the Condition of Contract.

**APPENDIX - I**  
**(PRIME QUALIFICATION INFORMATION)**

1. Name of the Employer is: The Commissioner, GMC, Panbazaar, Guwahati-1. [Cl.1.1]
2. The total Volume of Civil Engineering Construction work performed in the last five years:
  - i. 2012---2013
  - ii. 2013---2014
  - iii. 2014---2015
  - iv. 2015---2016
  - v. 2016---2017
3. The annual financial turn over amount is 1½ times the estimated package value. [Cl.4.5 A (a)]
4. Value of completed civil works of similar nature is ((80% of the Contract Price)\*50%). [Cl.4.5.A (c)]
5. Liquid assets and/or availability of credit facilities are 25% of the Contract price. [Cl.4.5B(c)]
6. Price level of the financial year 2016-17.
8. The Technical Bids will be opened at the Office of the Commissioner, GMC, Panbazaar, Guwahati-1 (Chief Engineer Branch) on 21/07/2017 at 1430 Hours onwards.
9. Address of the Employer  
Guwahati Municipal Corporation, Panbazaar, Guwahati-1.
10. Identification: Bid for “*Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14.*”, Guwahati.
  - i. Bid reference No. GER/DIV-II/46/15/36, Dated Guwahati the 5<sup>th</sup> July, 2017 & GER/DIV-II/46/15/40 dated 12/07/2017.
  - ii. Do not open before 1430 Hours of 21/07/2015
  - iii. The bid should be submitted latest by 1400 Hours on 21/07/2017
  - iv. Performance Security to be deposited in the form of FDR/BG/NSC in favour of the Commissioner, Guwahati Municipal Corporation, Panbazaar, Guwahati-1.
11. The name of Dispute Review Expert – (to be decided mutually)
12. Updating factors for updating work value of single building project executed during last five years.

Year before	Multiply factor
One	1.1
Two	1.21
Three	1.33
Four	1.46
Five	1.61

**APPENDIX – II****LIST OF KEY PLANT & EQUIPMENT TO BE DEPLOYED ON CONTRACT WORK**

[Reference Cl.4.5 (B) (a)]

<b>Type of Equipment</b>	<b>Maximum age as on 31.01.2017 (Years)</b>	<b>Nos. Required</b>
<b>1</b>	<b>2</b>	<b>3</b>
Cube Testing Machine	1	1
Concrete Hammer	5	1
Concrete Mixer Machine	5	1
Water Tanker	5	1
Concrete Drilling Machine	5	1
Concrete Vibrator	5	1
Welding Machine	5	1
Water Pump	5	2
Generator	3	1
Truck/Tipper	5	2

Table – 2

**APPENDIX – III****List of Key Personnel to be deployed on Contract Work**

[Reference Cl.4.5 (B) (b)]

<b>Sl. No.</b>	<b>Key Personnel</b>	<b>Minimum Qualification &amp; Experience</b>	<b>Nos. Required</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>
1.	Project Manager	B.E. Civil + 5 Yrs Exp. Or Dip. Civil + 7 Yrs Exp.	1
2.	Site Engineer	B.E. Civil + 2 Yrs Exp. Or Dip. Civil + 5 Yrs Exp.	1
3.	Supervisor	B.A.	1

Table-3

**N.B:-** Necessary certificates in support of Qualification and experience of the above mentioned employee along with their consent letter should also be furnished.

## SECTION: 2

### QUALIFICATION INFORMATION

The information to be filled in by the Bidder in the following pages will be used for purposes of post qualification as provided for in Clause 4 of the Instruction to Bidders. This information will not be incorporated in the Contract.

#### 1. For Individual Bidders

##### 1.1 Constitution or legal status of Bidder [*Attach Copy*]

Place of Registration:

Principal Place of Business:

Power of Attorney of Signatory of Bid [*Attach*]

##### 1.2 Total value of Civil Engineering construction

Work performed in the last Three/Five years	2012 – 2013
(In Rs. Lakhs)	2013– 2014
<b>(Attach Certificate from</b>	2014 – 2015
<b>Chartered Accountant)</b>	2015 – 2016
	2016 – 2017

**1.3** Work performed as prime contractor, work performed in the past as a nominated sub contractor will also be considered provided the sub- contract involved execution of all main items of work described in the bid document, provided further that all other qualification criteria are satisfied (in the same name) on works of a similar nature over the last five years.

Name of Work	Name of the Employer	Description of Work	Contract No.	Value of Contract (Rs in Lakhs)	Date of Issue of work order	Stipulated period of completion	Actual Date of Completion (Attach Certificate from Engineer-In-Charge)	Remarks explaining reason for delay & work completed
1	2	3	4	5	6	7	8	9

Table-4

(Use separate sheet using landscape orientation) (*Attach certificates from Engineer-in-charge not below the rank of Executive Engineer*)

**1.3.1** Quantities of work executed as prime contractor, work performed in the past as a nominated sub-contractor, will also be considered provided the sub-contract involved execution of all main items of work described in the bid document, provided further

that all other qualification criteria are satisfied (in the same name and style ) in the last five years.

Year	Name of the Work	Name of the Employer	Quantity of Work Performed (Cum) Remarks		Steel Reinforcement	Remarks (indicate contract Ref) (Attach Certificate from Engineer- In-Charge)
			Cement Concrete (including RCC & PCC)	Brick Work		
1	2	3	4	5	6	7
2012-13						
2013-14						
2014-15						
2015-16						
2016-17						

Table-5

*\*Attach certificate(s) from the Engineer(s)-in-Charge not below the rank of Executive Engineer.*

**1.4 Information on Bid Capacity (works for which bids have been submitted and works which are yet to be completed) as on date of this bid.**

**(A) Existing Commitments and on-going works:**

Description of Works	Place & State	Contract No.	Name & Address of Employer	Value of Contract (Rs.)	Stipulated Period of Completion	Value of works remaining to be completed (Rs.)	Anticipated date of completion
1	2	3	4	5	6	7	8

Table-6

*\* (Attach certificates from Engineer-in-charge not below the rank of Executive Engineer) (Use separate sheet in landscape orientation)*

**(B) Works for which bids are already submitted:**

Description of Works	Place & State	Name & Address of Employer	Estimated Value of Works (Rs)	Stipulated Period of Completion	Date when decision is expected	Remarks if any
1	2	3	4	5	6	7

Table-7 (Use separate sheet in landscape orientation)



**1.5** Availability of key items of Contractor's Equipment essential for carrying out the Works [Ref. Clause 4.5(B) (a)]. The Bidder should list all the information requested below. Refer also to Sub Clauses 4.3 (d) of the Instruction to Bidders.

Item of Equipment	Requirement		Availability Proposals			Remarks (from whom to be purchased)
	No.	Capacity	Owned/ Leased to be Procured	Nos./ Capacity	Age/Condition	
1	2	3	4	5	6	7
Cube Testing Machine	1					
Concrete Hammer	1					
Concrete Mixer Machine	1					
Water Tanker	1					
Concrete Drilling Machine	1					
Concrete Vibrator	1					
Welding Machine	1					
Water Pump	2					
Generator	1					
Truck/Tipper	2					

Table-8

**1.6** Qualifications and experience of key personnel required for administration and execution of the Contract [Ref. Clause 4.5(B) (b)]. Attach biographical data. Refer also to Sub-Clause 4.3(v) of instructions to Bidders and Sub- Clause 9.1 of the Conditions of Contract.

Position	Name	Qualification	Total Year of Experience	Years of Experience in the Proposed position
1	2	3	4	5
Project manager				
Site Engineer				
Supervisor				

Table-9

**1.7** Proposed sub-contracts and firms involved. [Refer ITB Clauses 4.3 (xi)].

Sections of the Works	Value of Sub-Contract	Sub-Contractor (Name & Address)	Experience in Similar Work
1	2	3	4

Table 10

- 1.8** Contractor must have to submit their Annual Return documents (Income Tax) for the last three years for works up to Rs 50.00 Lakhs/five years for works above 50.00 Lakhs.
- 1.9** Evidence of access to financial resources to meet the qualification requirements: cash in hand, lines of credit, etc. List them below and attach copies of support documents.
- 1.10** Name, address, and telephone, telex and fax numbers of the bidder's bankers who may provide references if contacted by the Employer.
- 1.11** Information on litigation history in which the Bidder is involved.

Order Party	Employer	Cause of Dispute	Amount Involved	Remark showing present status
1	2	3	4	5

Table-11

- 1.12** Statement of compliance under the requirements of Sub Clause 3.2 of the instructions to Bidders.
- 1.13** Proposed work method and schedule. The Bidder should attach descriptions, drawings and charts as necessary to comply with the requirements of the Bidding Documents. [Refer ITB Clause 4.1 & 4.3 (xii)].
- 1.14** Programme.
- 1.15** Quality Assurance Programme.
- 2. Additional Requirements.**
- 2.1.** Bidders should provide any additional information required to fulfill the requirements of Clause 4 of Information to Bidders, if applicable.
- I. Affidavit.
- II. Undertaking.
- III. Authority.

**SECTION: 3**  
**CONDITIONS OF CONTRACT**

**GENERAL CONDITIONS OF CONTRACT (G.C.C)**  
**A. GENERAL**

**1. Definitions**

- 1.1** Terms which are defined in the Contract Data are not also defined in the Conditions of Contract but keep their defined meanings. Capital initials are used to identify defined terms.

The **Adjudicator** will be a Dispute Review Board jointly appointed by the Employer and the Contractor to resolve disputes as provided for in Clauses 24 and 25. The name of the Adjudicator is defined in the Contract Data.

**Bill of Quantities** means the priced and completed Bill of Quantities forming part of the Bid.

**Compensation Events** are those defined in Clause 44 hereunder.

The **Completion date** is the date of completion of the Works as certified by the Engineer in accordance with Sub Clause 55.1.

The **Contract** is the contract between the Employer and the Contractor to execute, complete and maintain the Works. It consists of the documents listed in Clause 2.3 below.

The **Contract Data** defines the “documents and other information” which comprise the Contract.

The **Contractor** is a person or corporate body whose Bid to carry out the Works has been accepted by the Employer.

The **Contractor’s Bid** is the completed Bidding document submitted by the Contractor to the Employer and includes Technical and Financial bids.

The **Contract Price** is the price stated in the Letter of Acceptance and thereafter as adjusted in accordance with the provisions of the Contract.

**Days** are calendar days; **months** are calendar months

A **Defects Liability Period** is the period named in the Contract Data and calculated from the Completion Date.

The **Employer** is the Commissioner, GMC, Panbazaar, Guwahati-1.

The “Engineer” is the Chief Engineer, Guwahati Municipal Corporation, Panbazaar, Guwahati-1, who is responsible of supervising the Contractor, administering the Contract, certifying payments due to the Contractor issuing and valuing Variations to the Contract, awarding extensions of time, and valuing the Compensation Events.

**Equipment** is the Contractor’s machinery and vehicles brought temporarily to the Site to construct the works.

The **Initial Contract Price** is the Contract Price listed in the Employer's Letter of Acceptance.

The **Intended Completion Date** is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is specified in the Contract Data. The Intended Completion Date may be revised only by the Engineer by issuing an extension of time.

**Materials** are all supplies, including consumables, used by the contractor for incorporation in the works.

**Plant** is any integral part of the Works that is to have a mechanical, electrical, electronic or chemical or biological function.

The **Site** is the area defined as such in the Contract Data.

**Site Investigation Reports** are those, which were included in the Bidding documents and are factual interpretative reports about the sub-surface conditions at the site.

**Specification** means the Specification of the Works included in the Contract and any modification or addition made or approved by the Engineer.

The **Start Date** is given in the Contract Data. It is the date when the Contractor shall commence execution of the works. It does not necessarily coincide with any of the Site Possession Dates.

A **Subcontractor** is a person or corporate body who has a Contract with the Contractor to carry out a part of the work in the Contract, which includes work on the Site.

**Temporary Works** are works designed, constructed, installed, and removed by the Contractor, which are needed for construction or installation of the Works.

A **Variation** is an instruction given by the Engineer, which varies the Works.

The **Works** are what the Contract requires the Contractor to construct, install, and turn over to the Employer, as defined in the Contract Data.

## 2. Interpretation

- 2.1 In interpreting these Conditions of Contract, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Works have their normal meaning under the language of the Contract unless specifically defined. The Engineer will provide instructions clarifying queries about the Conditions of Contract.
- 2.2 If Sectional completion is specified in the Contract Data, references in the conditions of Contract to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion date for the whole of the Works).
- 2.3 The documents forming the contract shall be interpreted in the following order priority:

1. Agreement
2. Letter of Acceptance, notice to proceed with the works
3. Contractor's Bid
4. Contract Data
5. Conditions of Contract including Special Conditions of Contract
6. Specifications
7. Drawings
8. Bill of Quantities and
9. Any other document listed in the Contract in the Contract Data as forming part of the Contract.

### **3. Language and Law**

- 3.1** The language of the Contract and the law governing the Contract are stated in the Contract Data.

### **4. Engineer's Decisions**

- 4.1** Except where otherwise specifically stated, the Engineer will decide contractual matters between the Employer and the Contractor in the role representing the Employer.

### **5. Delegation**

- 5.1** The Engineer may delegate any of his duties and responsibilities to other people except to the Adjudicate after notifying the Contractor and may cancel any delegation after notifying the Contractor.

### **6. Communications**

- 6.1** Communication between parties which are referred to in the conditions is effective only when in writing. A notice shall be effective only when it is delivered (in terms of Indian Contract Act).

### **7. Sub-Contracting**

- 7.1** The Contractor may sub-contract any portion of work, up to a limit specified in Contract Data, with the approval of the Chief Engineer, Guwahati Municipal Corporation, but may not assign the Contract without the approval of the Employer in writing. Sub-contracting does not alter the Contractor's obligations.

### **8. Other Contractors**

- 8.1** The Contractor shall cooperate and share the site with other contractors, public authorities, utilities, and the Employer, between the dates given in the Schedule of other Contractors. The Contractor shall as referred to in the Contract Data, also provide facilities and services for them as described in the Schedule. The Employer may modify the Schedule of other Contractors and shall notify the Contractor of any such modification.

## **9. Personnel**

**9.1** The Contractor shall employ the key personnel named in the Schedule of Key Personnel as referred to in the Contract Data to carry out the functions stated in the Schedule or other personnel approved by the Engineer. The Engineer will approve any proposed replacement of key personnel only if their qualifications, abilities, and relevant experience are substantially equal to or better than those of the personnel listed in the Schedule.

**9.2** If the Engineer asks the Contractor to remove a person who is a member of the Contractor's staff or his work force stating the reasons the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the work in the Contract.

## **10. Employer's and Contractor's Risks**

**10.1** The Employer carries the risks which this Contract states are Contractor's risks, and the Contractor carries the risks, which this Contract state are Contractor's risks.

## **11. Employer's Risks**

**11.1** The Employer, is responsible for the excepted risks which are (a) in so far as they directly affect the execution of the works in India, the risks of war, hostilities, invasion, act of foreign enemies, rebellion, revolution, insurrection or military or usurped power, civil war, riot commotion or disorder (unless restricted to the Contractor's Employees), and contamination from any nuclear fuel or nuclear waste or radioactive toxic explosive, or (b) a cause due solely to the design of the works, other than Contractor's design.

## **12. Contractor's Risks**

**12.1** All risks of loss of or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract other than the excepted risks are the responsibility of the Contractor.

## **13. Insurance**

**13.1** Deleted

**13.2** Deleted

**13.3** Deleted

## **14. Site Investigation Reports**

**14.1** The Contractor, in preparing the Bid, shall rely on any site Investigation Reports referred to in the Contract Data, supplemented by any information available to the Bidder.

## **15. Queries about the Contract Data**

**15.1** The Engineer will clarify queries on the Contract Data.

**16. Contractor to Construct the Works**

**16.1** The Contractor shall construct and install the Works in accordance with the specification and Drawings.

**17. The Works to be completed by the Intended Completion Date**

**17.1** The Contractor may commence execution of the Works on the Start Date and shall carry out the Works in accordance with the programmed submitted by the Contractor, as updated with the approval of the Engineer, and complete them by the Intended Completion date.

**18. Approval by the Engineer**

**18.1** The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Engineer, who is to approve them if they comply with the Specifications and Drawings.

**18.2** The Contractor shall be responsible for design of Temporary Works.

**18.3** The Engineer's approval shall not alter the Contractor's responsibility for design of the Temporary Works.

**18.4** The Contractor shall obtain approval of third parties to the design of the Temporary Works where required.

**18.5** All Drawings prepared by the Contractor for the execution of the temporary or permanent Works, are subject to prior approval by the Engineer before their use.

**19. Safety**

The Contractor shall be responsible of the safety of all activities on the Site.

**20. Discoveries**

**20.1** Anything of historical or other interest or of significant value unexpectedly discovered on the Site is the property of the Employer. The Contractor is to notify the Engineer of such discoveries and carry out the Engineer's instructions for dealing with them.

**21. Possession of the Site**

**21.1** The Employer shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date stated in the Contract Date the Employer, is deemed to have delayed the start of the relevant activities and this will be Compensation Event.

**22. Access to the Site**

**22.1** The Contractor shall allow the Engineer and any person authorized by the Engineer access to the Site, to any place where work in connection with the Contract is being carried out or is intended to be carried out and to any place where materials or plant are being manufactured/fabricated/assembled for the works.

**23. Instructions**

- 23.1** The Contractor shall carry out all instructions of the Engineer pertaining to works, which comply with the applicable laws where the Site is located.
- 23.2** The Contractor shall permit the Employer, to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors appointed by the Employer, if so required by the Employer.

**24. Disputes**

- 24.1** If the Contractor believes that a decision taken by the Engineer was either outside the authority given to the Engineer by the Contract or that the decision was wrongly taken, the decision shall be referred to the Dispute Review Board within 14 days of the notification of the Engineer's decision.

**25. Procedures for Disputes**

- 25.1** The Dispute Review Board shall be constituted with three members, one from Employer, one from Contractor and the other to be nominated jointly by the above two members to give a decision in writing within 28 days of receipt of a notification of a dispute.
- 25.2** The Dispute Review Board shall be paid daily at the rate specified in the Contract Data together with reimbursable expenses of types specified in the Contract Data and the cost shall be divided equally between the Employer, and the Contractor, whatever decision is reached by the Dispute Review Board. Either party may give notice to the other to refer a decision of the Dispute Review Board to an Arbitrator within 28 days of the Dispute Review Board's written decision. If neither party refers the dispute to arbitration within the next 28 days, the Dispute Review Board's decision will be final and binding.
- 25.3** The arbitration shall be conducted in accordance with the arbitration procedure stated in the Special Conditions of Contract (SCC).

**26. The Replacement of Dispute Review Expert**

- 26.1** Should the Dispute Review Expert resign or die, or should the Employer and the Contractor agree that the Dispute Review Expert is not fulfilling his functions in accordance with the provisions of the Contract; a new Dispute Review Expert will be jointly appointed by the Employer, and the Contractor. In case of disagreement between the Employer and the Contractor, within 30 days, the Dispute Review Expert shall be designated by the Appointing Authority designated in the Contract Data at the request of either party, within 14 days of receipt of such request.

**B.TIME CONTROL****27. Programme**

- 27.1** Within the time stated in the Contract Data the Contractor shall submit to the Engineer for approval a Programme showing the general methods, arrangements, order, timing for all the activities in the Works along with monthly cash flow forecast.



**27.2** An update of the Programme shall be a programme showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work including any changes to the sequence of the activities.

**27.3** The Contractor shall submit to the Engineer, for approval, an updated Programme at intervals no longer than the period stated in the Contract Data. If the Contractor does not submit an updated Programme within this period, the Engineer may withhold the amount stated in the Contract Data from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Programme has been submitted.

## **28. Extension of the Intended Completion Date**

**28.1** The Engineer shall extend the Intended Completion Date if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work and which would cause the Contractor to incur additional cost.

**28.2** The Engineer shall decide whether and by how much to extend the Intended Completion Date within 35 days of the Contractor asking the Engineer for decision upon the effect of Compensation Event or Variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date.

**28.3** The Engineer shall within 14 days of receiving full justification from the contract for extension of Intended Completion Date refer to the Employer his decision. The Employer shall in not more than 21 days communicate to the Engineer the acceptance or otherwise of the Engineer's decision.

## **29. Deleted**

## **30. Delays Ordered by the Engineer**

**30.1** The Engineer may instruct the Contractor to delay the start or progress of any activity within the Works.

## **31. Management Meetings**

**31.1** Either the Engineer or the Contractor may require the other to attend a management meeting. The business of a management meeting shall be to review the plans for remaining work and to deal with matters raised in accordance with the early warning procedure.

**31.2** The Engineer shall record the business of management meetings and is to provide copies of his record to those attending the meeting and to the Employer. The responsibility of the parties of actions to be taken is to be decided by the Engineer either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.

**32. Early Warning**

- 32.1** The Contractor is to warn the Engineer at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work increase the Contract Price or delay the execution of Works. The Engineer may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate is to be provided by the Contractor as soon as reasonably possible.
- 32.2** The Contractor shall cooperate with the Engineer in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Engineer.

**C. QUALITY CONTROL****33. Identifying Defects**

- 33.1** The Engineer shall check the Contractor's work and notify the Contractor of any defects that are found. Such Checking shall not affect the contractor's responsibilities. The Engineer may instruct the Contractor to search for a Defect and to uncover and test any work that the Engineer considers may have a Defect.

**34. Tests**

- 34.1** If the Engineer instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples.

**35. Correction of Defects**

- 35.1** The Engineer shall give notice to the Contractor of any Defects before the end of the Defects Liability Period, which begins at Completion and is defined in the Contract Data. The Defects Liability Period shall be extended for as long as Defects remain to be corrected.
- 35.2** Every time notice of a Defect is given, the Contractor shall correct the notified Defect within the length of time specified by the Engineer's notice.

**36. Uncorrected Defects**

- 36.1** If the Contractor has not corrected a Defect within the time specified in the Engineer's notice, the Engineer will assess the cost of having the Defect corrected, and the Contractor will pay this amount.

**D. COST CONTROL****37. Bill of Quantities**

- 37.1** The Bill of Quantities shall contain items for the construction, installation, testing, and commissioning work to be done by the Contractor.
- 37.2** The Bill of Quantities is used to calculate the Contract Price. The Contractor is paid for the quantity of the work done at the rate in the Bill of Quantities for each item.

### **38. Changes in the Quantities**

- 38.1** If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 percent provided the change is attributed to the Department i.e., either the BOQ is prepared by the department or variation is due to change/modification ordered by the Department and the same exceeds 1% of initial Contract Price, the Engineer shall adjust the rate to allow for the change, duly considering,
- a) Justification for rate adjustment as furnished by the contractor,
  - b) Economies resulting from increase in quantities by way of reduced plant, equipment, and overhead costs,
  - c) Entitlement of contractor to compensation events where such events are caused by any additional work
- 38.2** The Engineer shall not adjust rates from changes in quantities by way of reduced plant, equipment, and overhead costs,
- 38.3** If requested by the Engineer, the Contractor shall provide the Engineer with a detailed cost break down of any rate in the Bill of Quantities.

### **39. Variations**

- 39.1** All Variations shall be included in updated Programme produced by the Contractor.
- 39.2** The Engineer shall find out and evaluate all the probable variations in the early period of the contract and submit the same to the Employer.

### **40. Payments for Variations**

- 40.1** The Contractor shall provide the Engineer with a quotation (with breakdown of unit rates) for carrying out the Variation when requested to do so by the Engineer. The Engineer shall assess the quotation, which shall be given within seven days of the request or within any longer period stated by the Engineer and before the Variation is ordered. The Engineer shall send the rate so assessed to the Employer for approval.
- 40.2** If the work in the Variation corresponds with an item description in the Bill of Quantities and if, in the opinion of Engineer, the quantity of work above the limit stated in Sub Clause 38.1 or the; timing of its execution do not cause the cost per unit of quantity to change, the rate in the Bill of Quantities shall be used to calculate the value of the Variation. If the cost per unit of quantities changes, or if the nature or timing of the work in the Variation does not correspond with items in the Bill of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of work.
- 40.3** If the Contractor's quotation is unreasonable, the Engineer may order the Variation and make a change to the Contract Price, which shall be based on Engineer's own forecaster of the effects of the Variation on the Contractor's cost.
- 40.4** If the Engineer decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, the Engineer shall allow the contractor to proceed with the work using materials having IS marks/approved brand as specified in the APWD SOR obtained from approved dealers of the company. The

Engineer shall collect the quotation for him and assess the cost/rate of the item considering all aspects and submit the same to the Employer for approval.

**40.5** The Contractor shall not be entitled to additional payment for costs, which could have been avoided by giving early warning.

#### **41. Cash Flow Forecasts**

**41.1** When the Programme is updated, the contractor is to provide the Engineer with an updated cash flow forecast.

#### **42. Payment Certificates**

**42.1** The Contractor shall submit to the Engineer monthly statements of the estimated value of the work completed less the cumulative amount certified previously.

**42.2** The Engineer shall check the Contractor's monthly statement within 14 days and certify the amount to be paid to the Contractor after taking into account any credit or debit for the month in question in respect of materials for the works in the relevant amounts and under conditions set forth in sub-clause 51(4) of the Contract Data (Secured advance). The payment will be made according to the availability of fund.

**42.3** The value of work executed shall be determined by the Engineer.

**42.4** The value of work executed shall comprise the value of the quantities of the items in the Bill of Quantities completed.

**42.5** The value of work executed shall include the variation of variations and Compensation Events.

**42.6** The Engineer may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.

#### **43. Payments**

**43.1** Payments shall be adjusted for deductions for advance payments, retention, other recoveries in terms of the contract and taxes at source, as applicable under the law. The Employer shall pay the contractor the amounts certified by the Engineer within a reasonable time subject to the availability of fund. The Engineer/Employer shall not delay the payment unreasonably (i.e., without valid reasons), if fund is available.

**43.2** If an amount certified is increased in a later certificate as a result of an award by the Adjudicator or an Arbitrator, the contractor shall be paid interest upon the delayed payment as set out in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.

**43.3** Items of the Works for which no rate or price has been entered in will not be paid for by the Employer and shall be deemed covered by other rates and prices in the Contract.

**43.4** Payment will be made as and when fund is made available by the concerned department.

#### **44. Compensation Events**

**44.1** The following are Compensation Events unless they are caused by the Contractor:

- a) The Employer does not give access to a part of the Site by the Site Possession Date stated in the Contract Data.
- b) The Employer modifies the Schedule of other contractors in a way, which affects the work of the contractor under the contract.
- c) The Engineer orders a delay or does not issue drawings, specifications or instructions required for execution of works on time.
- d) Deleted.
- e) The Engineer does not approve of a subcontract to be let, within 15 days.
- f) Deleted.
- g) The Engineer gives an instruction for dealing with an unforeseen condition, caused by the Employer, or additional work required for safety or other reasons.
- h) Other contractors, public authorities, utilities or the Employer does not work within the dates and other constraints stated in the contract, and they cause delay or extra cost to the Contractor.
- i) Deleted.
- j) The effect on the Contractor of any of the Employer's risks.
- k) The Engineer unreasonably delays issuing a Certificate of Completion.
- l) Other Compensation Events listed in the Contract Data or mentioned in the Contract.

**44.2** If compensation Event would cause additional cost or would prevent the work being completed before the Intended Completion Time, the Date, the Contract price shall be increased and/or the Intended Completion Date is extended. The Engineer shall decide whether and by how much the Contract Price shall be extended.

**44.3** As soon as information demonstrating the effect of each Compensation Event upon the Contractor, it is to be assessed by the Engineer and the Contract Price shall be adjusted accordingly. If the Contractor's forecast is deemed unreasonable, the Engineer shall adjust the Contract Price based on Engineer's own forecast. The Engineer will assume that the Contractor will react competently and promptly to the event.

**44.4** The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor not having given early warning or not having cooperated with the Engineer.

## **45. Tax**

**45.1** The rates quoted by the Contractor shall be deemed to be inclusive of the sales and other taxes that the Contractor will have to pay for the performance of this Contract. The Employer will perform such duties in regard to the deduction of such taxes at sources as per applicable law.

**46. Currencies**

**46.1** All payments shall be made in Indian Rupees.

**47. Price Adjustment**

**47.1** Deleted.

**48. Retention**

**48.1** The Employer shall retain from each payment due to the Contractor the proportion stated in the Contract Data until Completion of the whole of the Works.

**48.2** On Completion of whole of the Works half the total amount retained is repaid to the Contractor and half when the Defects Liability Period has passed and the Engineer has certified that all Defects notified by the Engineer to the Contractor before the end of this period have been corrected.

**48.3** On Completion of the whole works, the contractor may substitute retention money with an “on demand” Bank guarantee.

**49. Liquidated Damages**

**49.1** The Contractor shall pay liquidated damages to the Employer at the rate per day stated in the Contract data for each day that the Completion Date is later than the Intended Completion Date (for the whole of the works or the milestone as stated in the contract data). The total amount of liquidated damages shall not exceed the amount defined in the Contract Data. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages does not affect the Contractor’s liabilities.

**49.2** If the Intended Completion Date is extended after liquidated damages have been paid, the Engineer shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the over payment calculated from the date of payment to the date of repayment at the rates specified in Sub Clause 43.1.

**49.3** If the contractor fails to comply with the time for completion as stipulated in the tender, then the contractor shall pay to the employer the relevant sum stated in the Contract Data as Liquidated damages for such default and not as penalty for everyday or part of day which shall elapse between relevant time for completion and the date stated in the taking over certificate of the whole of the works on the relevant section, subject to the limit stated in the contract data.

The employer may without prejudice to any other method of recovery deduct the amount of such damages from any monies due or to be due to the contractor. The payment or deduction of such damages shall not relieve the contractor from his obligation to complete the works or from any other his obligations and liabilities under the contract.

**49.4** If, before the Time for Completion of the whole of the Works or, if applicable, any section, a Taking – Over Certificate has been issued for any part of the Works or of a Section, the liquidated damages for delay in completion of the remainder of the Works or of that Section shall, for any period of delay after the date stated in such Taking-

Over Certificate, and in the absence of alternative provisions in the Contract, be reduced in the proportion which the value of the part so certified bears to the value of the whole of the Works or Section, as applicable. The provisions of this Sub-Clause shall only apply to the rate of liquidated damages and shall not affect the limit thereof.

**50. Bonus**

50.1 Deleted.

**51. Advance Payment**

51.1 Deleted.

51.2 Deleted.

51.3 Deleted

51.4 Secured Advance

Deleted

**52. Securities**

52.1 The Performance Security (including additional security for unbalanced bids) shall be provided to the Employer no later than the date specified in the Letter of Acceptance and shall be issued in an amount and form and by a bank or surety acceptable to the Employer, and denominated in Indian Rupees. The Performance Security shall be valid until a date 28 days from the date of expiry of Defects Liability Period and the additional security for unbalanced bids shall be valid until a date 28 days from the date of issue of the certificate of completion.

53. Deleted.

**54. Cost of Repairs**

54.1 Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's acts or omissions.

**E. FINISHING THE CONTRACT**

**55. Completion**

55.1 The Contractor shall request the Engineer to issue a Certificate of Completion of the Works and the Engineer will do so upon deciding that the Work is completed.

**56. Taking Over**

56.1 The Employer shall take over the Site and the Works within seven days of the Engineer issuing a certificate of Completion.

**57. Final Account**

57.1 The Contractor shall supply to the Engineer a detailed account of the total amount that the contractor considers payable under the Contract before that end of the Defects Liability Period. The Engineer shall issue a Defect Liability Certificate and certify any

final payment that is due to the Contractor within 56 days of receiving the Contractor's account if it is correct and complete. If it is not, the Engineer shall issue within 56 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Engineer shall decide on the amount payable to the Contractor and issue a payment certificate, within 56 days of receiving the Contractor's revised account.

## **58. Operating and Maintenance Manuals**

**58.1** If "as built" Drawings and and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the contract Data.

**58.2** If the Contractor does not supply the Drawings and/or manuals by the dates stated in the Contract Data, or they do not receive the Engineer's approval, the Engineer shall withhold the amount stated in the Contract Data from payments due to the Contractor.

## **59. Termination**

**59.1** The Employer or the contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.

**59.2** Fundamental breaches of contract include, but shall not be limited to the following:

- a) The Contractor stops work for 28 days when no stoppage of work is shown on the current Programme and the stoppage has not been authorized by the Engineer.
- b) The Engineer instructs the Contractor to delay the progress of the Works and the instruction is not withdrawn within 28 days
- c) The Employer or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
- d) A payment certified by the Engineer is not paid by the Employer to the Contractor within 56 days of the date of the Engineer's certificate.
- e) The Engineer gives notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Engineer.
- f) The Contractor does not maintain a security, which is required;
- g) The Contractor has delayed the completion of works by the number of days for which the maximum amount of liquidated damages can be paid as defined in the Contract data; and
- h) If the Contractor, in the judgment of the Employer has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

For the purpose of this paragraph: "corrupt practice means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution. "Fraudulent practice" means a misrepresentation of facts in order to establish bid prices at artificial non-competitive levels and to deprive the Borrower, and includes collusive practice among Bidders prior to or after bid submission designed to establish bid prices at artificial non-



competitive levels and to deprive the Borrower of the benefits of free and open competition.”

- 59.3 When either party to the Contractor gives notice of a breach of contract to the Engineer for a cause other than those listed under Sub Clause 59.2 above, the Engineer shall decide whether the breach is fundamental or not.
- 59.4 Notwithstanding the above, the Employer may terminate the Contract for convenience.
- 59.5 If the Contract is terminated the Contractor shall stop work immediately, make the Site safe and secure and leave the Site as soon as reasonably possible.

## **60. Payment upon Termination**

- 60.1 If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Engineer shall issue a certificate for the value of the work done less advance payments received up to the date of the issue of the certificate, less other recoveries due in terms of the contract, less taxes due to be deducted at source as per applicable law and less the percentage to apply to the work not completed as indicated in the Contract Data. Additional Liquidated Damages shall not apply. If the total amount due to the Employer exceeds any payment due to the Contractor the difference shall be a debt payable to the Employer.
- 60.2 If the contract is terminated at the Employer’s convenience or because of a fundamental breach of Contract by the Employer, the Engineer shall issue a certificate for the value of the work done, the cost of balance material brought by the contractor and available at site, the reasonable cost of removal of Equipment, repatriation, of the Contractor’s personnel employed solely on the Works, and the Contractor’s costs of protecting and securing the Works and less advance payments received up to the date certificate, less other recoveries due in terms of the contract and less taxes due to be deducted at source as per applicable law.

## **61. Property**

- 61.1 All materials on the Site, Plant, Equipment, Temporary Works and Works are deemed to be the property of the Employer, if the Contract is terminated because of a Contractor’s defaulted.

## **62. Release from Performance**

- 62.1 If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Employer or the contractor the Engineer shall certify that the Contract has been frustrated. The contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which commitment was made.

## **E.SPECIAL CONDITIONS OF CONTRACT (SCC)**

### **1. GENERAL**

**1.1.** In case of an irreconcilable conflict between general conditions of contract, Special conditions of contract, scope of work, specifications, drawings, schedule of rates, prevail to the extent of such irreconcilable conflict in order of precedence

- i. Detailed Letter of Award.
- ii. Fax/Letter of intent
- iii. Special conditions of contract.
- iv. Scope of Work
- v. Job/Particular Specifications
- vi. Drawings
- vii. Technical /Material Specifications
- viii. General conditions of contract
- ix. Indian Standards
- x. Other applicable standards
- xi. Assam Public Works Department (APWD) Specifications

**1.2** It will be Bidder's responsibility to bring to the notice of the Employer any irreconcilable conflict in various parts of contract documents before starting the work(s), of making supply with reference to which the conflict exists.

**1.3** In absence of any specifications for any materials, design or work(s), the same shall be performed/supplied/executed in accordance with the instructions/directions of the engineer-in-charge, which will be binding on the contractor.

### **2. SITE INFORMATION**

**2.1** The Project site is situated at Gopinath Bordoloi Samadhi Sthal, Nabagraha, Silpukhuri, Guwahati, Assam.

**2.2** The intending Bidder shall be deemed to have visited the site and familiarized themselves with site conditions before submitting their tenders at their own cost and responsibility.

### **3. SCOPE OF WORK**

**3.1** The scope of work shall include inter-alia, the carrying out of any/all works, and providing any and all facilities, as required, for completing all the works as per terms and conditions of contract documents.

**3.2** No materials shall be supplied by the Department. Bidder will have to procure all materials, Labour, T&P and any other arrangements for proper execution of the work and to be of the best quality and workmanship in all respect as per relevant IS code of practices and APWD general specification.

#### **4. CEMENT**

- 4.1** The Contractor will have to submit their design mix for different grades of concrete, keeping in view the requirements stipulated in specific gravity of materials brought to site as analyzed in the laboratories. The design shall be based upon absolute volume method and theoretical consumption of cement shall be worked on this basis. For other than concrete items, the coefficient for consumption of cement shall be adopted as per APWD practice and relevant IS codes. Cement required for the work shall be procured by the Contractor only from manufacturer or their authorized dealer directly to ensure quality to their product. Cement of brand conforming to BIS specification can only be used.
- 4.2** The Contractor shall maintain a goods store for storing cement. The flooring of the storage house, the clearance of cement bags from the sidewalls etc shall be as instructed by the Engineer-In-charge or his authorized representatives.
- 4.3** The cement store shall be open for supervision and verification by the Engineer-in-charge or his authorized representatives at any time when he feels the need to do so along with the Contractor's representatives.

#### **5. ADDITIONAL CLAUSE**

The following provision should also be the Criteria of the execution of the work:

- 5.1.** TATA/SAIL/SAI makes reinforcement.
- 5.2** Steel Grade Fe 500 N/mm<sup>2</sup> (Super ductile).
- 5.3** No brick bats (broken bricks) should be used in floor soling.
- 5.4** The defaulting contractor shall be debarred from participating in future bids.
- 5.5** Contractor must have site camp with site laboratory facilities for quality control.
- 5.6** If the bidder make mistake in filling and submitting the bidding documents the bid will be considered as non responsive.

#### **6. REINFORCEMENT BARS**

- 6.1** Reinforcement bars to be used should be in conformity with relevant IS Code of practice. Steel reinforcement required for the work shall be procured from manufacturer or their authorized dealer directly to ensure proper quality of steel. Steel manufactured by SAIL/TATA/SAI can only be used. Ribbed Tor steels and TMT steel bars are to be used in case of building construction.

#### **7. TIME SCHEDULE**

- 7.1** Time is the essence of the Contract. The work shall be executed strictly as per the Time-Schedule attached separately in the Tender document.

#### **8. PROJECT SCHEDULING AND MONITORING**

- 8.1** The following Schedules/documents/reports shall be prepared and submitted by the Contractor for review/approval at various stages of the Contract.

#### **9. ALONG WITH TENDER**

- a) Time Schedule

The Bidder is required to submit a Project Time Schedule as stated in Clause along with the Tender. The Schedule shall cover all aspects like Planning, Designing, Execution, Sub-Ordering and Delivery, Sub-Contracting and within completion time indicated in the Tender Document. The Department interface activities shall be clearly identified with their latest required dates. Department reserves the right to disqualify the Tender if the above Schedule submitted by the Tenderer is not in line with the overall Project requirements.

b) Scheduling and Monitoring System

The Bidder should describe their system of Project Scheduling and Monitoring, the extent of Computerization Level of Detailing, Track Methodology etc with the name of Computer Packages and sample outputs.

## 10. AFTER THE AWARD OF CONTRACT

a) Overall Project Schedule

The Contractor shall submit within 2 (Two) weeks of Letter of Intent, a sufficiently detailed overall Project Schedule (in Microsoft Project) indicating the interrelationship/interdependence between various events and tasks.

The Project Schedule will be reviewed and approved by the Engineer and the comments if any shall be incorporated in the network before issuing the same for implementation. The Project Schedule thus finalized shall form part of the Contract Document and the same shall not be revised without prior permission from the Department during the entire period of the contract.

b) The Contractor shall also submit one quality assurance plan and work programme showing completion of the work in Microsoft (MS) Project with events and Tasks.

c) Progress Measurement Methodology

The Contractor is required to submit within two weeks of award of work, the methodology of progress measurement of planning, designing, execution, sub-ordering and delivery, sub-contracting, and commissioning of works and the basis of computation of overall services/physical progress informed. The Employer reserves the right to modify the methodology in part or in full.

d) The Bidder should prepare detailed functional schedule in line with network for functional monitoring and control and submit scheduled progress curves for each function viz., Planning, Designing, Execution, Ordering, Delivery and Commissioning.

## 11. PROJECT REVIEW MEETINGS

The Bidder shall present the programme and status at various review meetings as required.

A. Monthly Review Meeting:

Level of Participation: Senior officer, GMC, Panbazaar and Contractor or his authorized representatives.

**Agenda:**

- a) Progress status/statistics.
- b) Completion Outlook.
- c) Major Hold Ups/Slippages.
- d) Assistance Required.
- e) Critical Issues.
- f) Employer's Query/Approval.
- g) Progress Updating.

**11.1 PROGRESS REPORTS**

This report shall be submitted on a monthly basis within ten calendar days from cut-off date as agreed upon, covering overall scenario of the work. The report shall include but not be limited, to the following:

- a) Brief Introduction of the Work.
- b) Activities Executed/Achievements during the month.
- c) Schedule v/s actual cumulative percentage progress and progress curves for sub-contracting and overall and quantum wise status of purchase orders against schedule.
- d) Areas of Concern/Problem/Hold Ups, Impact and action plans.
- e) Resources deployment status.
- f) Annexure giving summary for materials requirements and deliveries, sub-contracting and construction.

**12. PRICE SCHEDULE WITH PRICE BID.**

**12.1** The rates of price bid shall be read in conjunction of special conditions of contract, General Conditions of contract, Scope of Work, Scope of Supply, Technical Specifications, Drawings and any other document forming a part of this contract.

**12.2** All expenses towards mobilization at site and demobilization including bringing in equipment, work force, materials, dismantling the equipment, cleaning the site etc. shall be deemed to be included in the rates quoted and no separate payment on account of such expenses shall be entertained.

**13. PRICE ESCALATION/ADJUSTMENT**

The rates and price quoted by the contractor shall be fixed for the duration of the contract and shall not be subjected to adjustment on any account unless specifically stated in relevant tender clause.

**14. MEASUREMENT OF WORK**

In addition to the provisions of Clause of the General Conditions of Contract and associated provisions thereof the following provisions shall applicable:

**14.1** Payment will be made on the basis of joint measurements, taken by contractor and certified by Engineer-In-Charge. Measurement shall be based on the basis of approved drawings for construction to the extent that the work conforms to the drawings and details are adequate.

- 14.2** Wherever work is executed based on instruction of Engineer-In-Charge or details are not adequate in the drawings, physical measurement shall be taken by the contractor in the presence of authorized representatives of Engineer-In-Charge.
- 14.3** Measurement of weight shall be in Metric Tonne, correct to the nearest kilogram, linear measurements shall be in metres, correct to the nearest centimetre.
- 14.4** Measurements shall be taken over finished surface in all cases.

**15. TERMS OF PAYMENT**

All interim payments to the contractor will be made by the Employer on the basis of price bid Rates of Items as the case may be. The Employer reserves the rights to alter the percentage breakup for price Bid items rate submitted by the contractor where found reasonable and necessary, which shall be binding on contractor.

**16. INCOME TAX**

Income tax at the prevailing rate as applicable from time to time shall be deducted from the Contractor's Bills as per Income tax Act, and quoted rates shall be deemed to include the same.

**17. TAXES, DUTIES AND OTHER LEVIES**

Without prejudice to stipulations in general conditions of contract, the Bidder should quote prices inclusive of all taxes, duties, sales tax including VAT on works contract and other levies.

**18. LABOUR**

If the contractor is covered under the contractor Labour (regulation and Abolition) Act he shall obtain a license from licensing authority (i.e. office of the Labour Commissioner, Govt. of Assam) by payment of necessary prescribed fees and deposit, if any, before starting the work under the contract. Such fee/ deposit shall be borne by the contractor.

The Contractor shall, if required by the Engineer, deliver to the Engineer a return in detail, in such form and at such intervals as the Engineer may prescribe, showing the staff and the numbers of the several classes of labour from time to time employed by the contractor on the Site and such other information as the Engineer may require.

The Contractor shall, unless otherwise provided in the Contract, make his own arrangements of the engagement of all staff and labour, local or other, and for their payment, housing, feeding and transport.

**19. COMPLIANCE WITH LABOUR REGULATIONS;**

During continuance of the contract, the Contractor and his sub-contractors shall abide at all times by all existing labour enactments and rules made hereunder, regulations, notifications and bye laws of the State or Central Government or local authority and any other labour law (including rules), regulations, bye laws that may be passed or notification that may be issued under any labour law in future either by the State or the Central Government or the local authority. Salient features of some of the major labour laws that are applicable to construction industry are given below. The Contractor shall keep the Employer indemnified in case any action is taken against the Employer by the

competent authority on account of contravention of any of the provisions of any Act or rules made there under, regulations or notifications including amendments. If the Employer is caused to pay or reimburse, such amounts as may be necessary to cause or observe, or for non-observance of the provisions stipulated in the notifications/bye laws/Acts/Rules/regulations including amendments, if any, on the part of the Contractor, the Engineer/Employer shall have the right to deduct any money due to the Contractor including his amount of performance security. The Employer/Engineer shall also have right to recover from the Contractor any sum required or estimated to be required for making good the loss or damage suffered by the Employer.

The Employees of the Contractor and the Sub-contractor in no case shall be treated as the employees of the Employer at any point of time.

**SALIENT FEATURES OF SOME MAJOR LABOUR LAWS APPLICABLE TO ESTABLISHMENTS ENGAGED IN BUILDING OTHER CONSTRUCTION WORK.**

- a) Workmen Compensation Act 1923:- The Act provides for compensation in case of injury by accident arising out of and during the course of employment.
- b) Payment of Gratuity Act 1972:- Gratuity payable to an employee under the Act on satisfaction of certain conditions on separation if an employee has completed 5 years service or more on death, the rate of 15 days wages for every completed year of service. The Act is applicable to all establishments employing 10 or more employees.
- c) Employees P.F. and Miscellaneous Provision Act 1952:- The Act Provides for monthly contribution by the employer plus workers @ 10% or 8.33%. The benefits payable under the Act are:
  - i) Pension or family on retirement or death, as the case may be.
  - ii) Deposit linked insurance on the death in harness of the worker.
  - iii) Payment of P.F. accumulation on retirement/death, etc.
- d) Maternity benefit Act 1951:- The Act provides for leave and some other benefits to women employees in case of confinement or miscarriage etc.
- e) Contract Labour Regulation and Abolition Act 1970:- The Act provides for certain welfare measures to be provided by the Contractor to contract labour and in case the Contractor fails to provide, the same are required to be provided, by the principal Employer by Law. The Principal Employer is required to take Certificate of Registration and the Contractor is required to take license from the designated Officer. The act is applicable to the establishments or Contractor of Principal Employer, if they employ 20 or more contract labour.
- f) Minimum Wages Act 1948:- The Employer is supposed to pay not less than the Minimum Wages fixed by appropriate Government as per provisions of the Act, if the employment is a scheduled employment. Construction of Buildings, Roads, and Runways are scheduled employments.
- g) Payment of Wages Act 1936:- It lays down as to by what date the wages are to be paid, when it will be paid and what deductions can be made from the wages of the workers.

- h) Equal Remuneration Act 1979:- The Act provides for payment of equal wages for work nature to Male and Female employees in the matters of transfers, training and promotions etc.
- i) Payment of Bonus Act 1956:- The Act is applicable to all establishments employing 20 or more employees. The Act provides for payments of annual bonus subject to a minimum of 8.33% of wages and maximum of 20% of wages to employees drawing Rs 3500/- or less. The bonus to be paid to employees getting Rs. 2500/- per month or above up to Rs. 3500/- per month shall be worked out by taking wages as Rs 2500/- per month only. The Act does not apply to certain establishments. The newly set up establishments are exempted for five years in certain circumstances. Some of the State Governments have reduced the employment size from 20 to 10 for the purpose of applicability of this Act.
- j) Industrial Disputes Act: - The Act lays down the machinery and procedure for resolution of Industrial disputes, in what situations a strike or lock-out becomes illegal and what are the requirements for laying off or retrenching the employees or closing down the establishments.
- k) Industrial Employment (Standing Orders) Act 1946:- It is applicable to all establishments employing 100 or more workmen (employment size reduced by some of the States and Central Government to 50). The Act provides for laying down rules governing the conditions of employment by the Employer on matters provided in the Act and gets the same certified by the designated Authority.
- l) Trade Unions Act 1926:- The Act lays down the procedures for registration of trade unions of workmen and employees. The trade unions registered under the Act have been given certain immunities from civil and criminal liabilities.
- m) Child Labour (prohibition & Regulation) Act 1986:- The Act prohibits employment of children below 14 years of age in certain occupations and processes and provides for regulation of employment in all other occupations and processes. Employment of Child Labour is prohibited in Building and Construction Industry.
- n) Inter-State Migrant workmen's (Regulation of Employment & Conditions of Service) Act 1979:- The Act is applicable to an establishment, which employs 5, or more interstate migrant workmen through an intermediary (who has recruited workmen in one state for employment in the establishment situated in another state). The Inter State migrant workmen, in an establishment to which this Act becomes applicable, are required to be provided certain facilities such as housing, medical aid, travelling expenses from home up to the establishment and back etc.
- o) The Building and Other Construction workers (Regulation of Employment and Conditions of Service) Act 1996 and the Cess Act of 1996:- All the Establishments who carry on any building or other construction work employs 10 or more workers are covered under this Act. All such establishments are required to pay cess at the rate not exceeding 2% of the cost of construction as may be modified by the Government. The Employer of the establishments is required to provide safety measures at the Building or construction works and other welfare measures, such as Canteens, First Aid facilities, Ambulance, Housing accommodations for workers near the work place etc. The Employer to whom the Act applies has to obtain a registration certificate from the Registering Officer appointed by the Government.



- p) Factories Act 1948:- The Act lays down the procedure for approval of plans before setting up a factory, health and safety provisions, welfare provisions, working hours, annual earned leave and rendering information regarding accidents or dangerous occurrences to designated authorities. It is able to premises employing 10 persons or more with aid of power or 20 or more persons without aid of power engaged in manufacturing process.

## **21. ARBITRATION (GCC Clause 25.3)**

The Procedure for arbitration will be as follows:

### **21.1**

- a) In case of Dispute or differences arising between the Employer and a domestic contractor resulting to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Arbitration and Conciliation Act, 1996. The parties shall make efforts to agree on a sole arbitrator and only if such an attempt does not succeed and the Arbitral Tribunal consisting 3 arbitrator one each appointed by the Employer and the Contractor and the third arbitrator to be chosen by the two Arbitrators so appointed by the parties to act as Presiding Arbitrator shall be considered. In case of failure of the two arbitrators appointed by the parties to reach upon a consensus within a period of 30 days from the appointment of the arbitrator appointed subsequently, the Presiding Arbitrator shall be appointed jointly by the Employer and the Contractor.
- b) The Arbitration Tribunal shall consist of three Arbitrators one each to be appointed by the Employer and the Contractor. The third Arbitrator shall be chosen by the two Arbitrators so appointed by the parties, and shall act a presiding arbitrator. In case of failure of the two arbitrators appointed by both the parties to reach upon consensus within a period of 30 days from the appointment of the arbitrator appointed subsequently , the Presiding Arbitrator shall be appointed jointly by both the Employer and the Contractor
- c) Deleted.
- d) Arbitration proceedings shall be held in Guwahati, and the language of the Arbitration proceedings and that of all documents and communications between the parties shall be in English.
- e) The decision of majority of arbitrators shall be final and binding upon both parties. The cost and expenses of Arbitration proceedings will be paid as determined by the arbitral tribunal. However, the expenses incurred by each party in connection with the preparation, presentation etc. of its proceedings as also the fees expenses paid to the arbitrator appointed by such party or on its behalf shall be borne by its party itself.
- f) Performance under the contract shall continue during the arbitration proceedings and payments due to the contractor by the owners shall not be withheld, unless they are subject matter of the arbitration proceedings.

## **22. JURISDICTION**

- 22.1** In the event of court cases, Jurisdiction for Settlement of any Disputes concerning this agreement shall be at the courts situated in Guwahati.

**23. STATUTORY APPROVALS**

The approval from any authority required as per statutory rules and regulations of Central/State Government shall be the Contractor's Responsibility unless otherwise specified in the tender document.

The application of behalf of the Department for submission to relevant authorities along with copies of required certificates complete in all respects shall be prepared and submitted by the contractor well ahead of time so that the actual construction/commissioning of the works is not delayed for want of the approval/inspection by concerned authorities. The inspection of the works by the authorities shall be arranged by the contractor and necessary coordination of liaison work in this respect shall be the responsibility of the contractor. However, statutory fees paid, if any, for all inspections and approvals by such authorities shall be reimbursed at the actual by the department, to the contractor on production of the documentary evidence. If any fee is to be paid to ASEB or GMDA for any permission, then the payment will be made by the firm and the same will be reimbursed by the department.

Any Changes/addition required to be made to meet the requirements of the statutory authorities shall be carried by the contractor free of charge. The inspection and acceptance of the work by statutory authorities shall however, not absolve the contractor from any of his responsibilities under this contract.

**24. STANDARDS**

Materials shall be supplied in brand new conditions and work shall be carried out in conformity with specifications herein and Indian Standard Codes.

The work shall also conform to the regulations laid down by the local authorities.

Approval of statutory authorities for layout and other requirements must be obtained by the contractor before commencement of work.

**25. WATER AND POWER**

Arrangement of water and electric power required by the contractor for the works shall be made by him at own cost. Department will however recommend to the State Electricity board for giving the connection and power to the contractor. However the Department will bear no responsibility in this respect.

**26. LAND FOR RESIDENTIAL ACCOMODATION**

Contractor makes his own arrangement for the engagement of labour at site so far as the contract otherwise provide in respect of housing, feeding and payment thereof.

**27. RECRUITMENT OF PERSONNEL**

The Contractor shall not recruit any personnel of any category from those who are already employed by other agencies working within the state.

**28. UTILISATION OF LOCAL RESOURCES**

The Contractor shall maximize the employment of local labour, skilled and/or unskilled, to the extent available. In case of any part or parts of the work is/are sub-contracted, the

contractor shall ascertain availability of and endeavor to employ the local sub-contractors.

The Contractor shall, however, be responsible for maintain quality of works and adherence to time schedule as per the requirements specified in the agreement.

## **29. COORDINATION WITH OTHER AGENCIES**

The work shall be carried out in such a manner that the work of other agencies working out at the site is not hampered due to any action of the contractor. The Contractor will be responsible for ensuring proper coordination with other agencies. In the event of any dispute between the contractor and any other agency employed at or about then job site arising out of or related the performance of work, the decision of Engineer-In-Charge shall be final and binding on the Contractor.

## **30. URGENCY OF WORK**

The work being of very urgent nature it shall be carried out with all efforts by the contractor to complete it in all respects within the stipulated time of completion. The progress of the work as shown in work programme shall be continued, by the contractor even if any dispute arises between the contractor and the department on any matter connected with the work and contractor approaches legal authority for settlement of the dispute, on being not satisfied with the decision of the Deptt. On the matter of dispute the continuation of progress of the work should not be hampered in any case by both parties and order given by legal authority on matter of dispute shall be binding on the parties.

## **31. REPORT OF ACCIDENTS**

The Contractor shall forthwith report of the occurrence of any accident at or about the site or in connection with the execution of the work, report in details such an accident to the Engineer-In-Charge and competent authority wherever such a report is required by law.

**SECTION: 4**  
**CONTRACT DATA**

**Clause  
Reference  
With  
respect to  
section 3**

**Items marked ‘N/A’ do not apply in this contract**

1. The Employer is the **Commissioner, GMC, Panbazaar, Guwahati-1** [Cl.1.1]
2. The Engineer is the **Chief Engineer, GMC.**
3. The Dispute Review Expert appointed by the Employer is: [Cl.1.1]
  - \*Name: (To be intimated later)
  - \*Address: -----
4. The Defects Liability Period is 365 days from the date of completion. [Cl.1.1]
5. The Start date shall be **7 Days** from the date of issue of the Notice to proceed with the work. [Cl.1.1]
6. The Intended Completion Date for the whole of the works is 45 (**Forty Five**) days after start of work with the following milestones: [Cl.1.1, 17 & 28]
  - 7. **Milestone dates:**

Physical Works to be completed	Period from the start date
Milestone 1 - 45%	20 days.
Milestone 2 - 100%	45 days.
8. The Site is located at **Gopinath Bordoloi Samadhi Sthal , Nabagraha, Silpukhuri, Guwahati in Kamrup Metro District, Assam** [Cl.1.1]
9. The name and identification number of the Contract is: “*Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14.*”, invited vide No. GER/Div-II/46/15/36 Dated Guwahati the 5<sup>th</sup> July, 2017 & GER/Div-II/46/15/40 Dated Guwahati the 12<sup>th</sup> July, 2017. [Cl.1.1]
10. The works consist of the following: [Cl.1.1]
  - (A) Building Works:
  - (C) Other Items

Any other items as required for fulfilling all contractual obligations as per

- the Bid documents. [Cl.3.1]
11. The law which applies to the Contract is the law of Union of India & Govt. of Assam. [Cl.3.1]
12. The Languages of the Contract documents is English [Cl.7.1]
13. Limit of subcontracting 10% of the Initial Contract Price [Cl.9]
14. The Schedule of Key Personnel: As per Appendix.-II to Section I [Cl.13]
15. Deleted [Cl.14]
16. Site investigation report [Cl.21]
17. The Site Possession Dates shall be **within 7(seven) days from the date of Notice to proceed with the work.** [Cl.25]
18. Fees and types of reimbursable expenses to be paid to the Dispute Review Board are (To be inserted later) [Cl.26]
19. Appointing Authority for the Dispute Review Expert is the Employer and the Contractor. [Cl.27.1]
20. The period for submission of the programme for approval of Engineer shall be 21 days from the issue of Letter of acceptance. [Cl.27.3]
21. The Period between programme updates shall be **20** days.
22. Deleted [Cl.44]
23. The following events shall also be Compensation Events:  
Substantially adverse ground conditions encountered during the course of execution of work not provided for in the bidding document.
- i. Removal of Underground utilities detected subsequently.
  - ii. Removal of unsuitable material like Marsh, debris dumps, etc not caused by the contractor.
  - iii. Presence of historical, archaeological or religious structures, monuments interfering with the works
  - iv. Restriction of access to ground imposed by civil, judicial, or military authority.
24. The currency of the Contract is **Indian Rupees.** [Cl.46]
25. Deleted. [Cl.47]
26. The proportion of payments retained (retention money) shall be 5% from each bill subject to a maximum of 5% of final contract price. [Cl.48]

- |  |   |              |
|--|---|--------------|
| Amount of liquidated damages for delay in completion of works  | Milestone 1 → Rs. _____ per day<br><br>Milestone 2 → Rs. _____ per day        | [Cl.49]      |
| 27. Maximum limit of liquidated damages for delay in completion of work.   | 10 percent of the Initial Contract Price rounded off to the nearest thousand. | [Cl.49]      |
| 28. Deleted.   |   | [Cl.50]      |
| 29. Deleted.   |   | [Cl.50]      |
| 30. The amounts of the advance payment are:  |   | [Cl.51 & 52] |
| Deleted  |   |              |
| 31. Deleted.   |   |              |
| 32. Repayment of secured advance;  |   | [Cl.51.4]    |
| Deleted  |   |              |
| 33. The Securities shall be for following minimum amounts equivalent as a percentage of the Contract Price. Performance Security for 5 ( <b>Five percent</b> ) of contract price plus Rs..... (To be decided after evaluation of the bid) as additional security in terms of ITB clause 29.5. The standard form of Performance Security acceptable to the Employer shall be an <b>unconditional Bank Guarantee</b> of the type as presented in Section 8 of the Bidding Documents. |   | [Cl.52]      |
| 34. The Schedule of Operating and Maintenance Manuals at the time of Installation.   |   | [Cl.58]      |
| 35. Deleted  |   | [Cl.58]      |
| 36. Deleted  |   | [Cl.58]      |
| 37. The following events shall also be fundamental breach of contract: “The Contractor has contravened Sub-clause 7.1 and Clause 9 of GCC.”  |   | [Cl.59.2]    |
| 38. The Percentage to apply to the value of the work not completed representing the Employer’s additional cost for completing the Works shall be 20 percent.   |   |              |

**SECTION: 5**  
**TECHNICAL SPECIFICATION**

**Technical Specification:**

1. The Technical Specifications as stated in APWD Schedule of Rates for Building (Civil) works for 2013-14 and relevant IS codes will be followed.
2. The Technical Specification as stated in APWD Schedule of Rates for Sanitary & Water supply works for 2013-14 and relevant IS codes will be followed.
3. The Technical Specifications as stated in APWD Schedule of Rates for Electrical Works for 2013-14 and relevant IS Codes will be followed.

**SECTION: 6**  
**FORM OF BID**

***Description of the Work: Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14.***

To

The Commissioner, GMC, Panbazaar, Guwahati-1

1. We offer to Execute the Works describe above and remedy any defects therein in conformity with the conditions of Contract, specifications, drawings, Bill of Quantities and Addenda for the sum (s) of Rs.....  
(In Figures) (Rupees.....)  
(In Letters) only.
2. We undertake, if our Bid is accepted, to commence the Works as soon as in reasonably possible after the receipt of the Engineer's notice to commence and to complete the whole of the Works comprised in the Contract within the time stated in the document.
3. We agree to abide by this Bid for the period of 90 days from the date fixed for receiving the same, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
4. Unless and until a format Agreement is prepared and executed this Bid, together with your written acceptance thereof, shall constitute a binding contract between us.
5. We understand that you are not bound to accept the lowest or any tender you may receive.

Dated this \_\_\_\_\_ day of \_\_\_\_\_/2017

Signature \_\_\_\_\_ in the capacity of \_\_\_\_\_

duly authorized to sign bids for and on behalf of \_\_\_\_\_

(in block capitals or typed) \_\_\_\_\_

Address \_\_\_\_\_

Witness \_\_\_\_\_

Address \_\_\_\_\_



**SECTION: 7**  
**SECURITIES AND OTHER FORMS**  
**PERFORMANCE BANK GUARANTEE**

To,

\_\_\_\_\_ [name of Employer]  
\_\_\_\_\_ [address of Employer]

**WHEREAS** \_\_\_\_\_ [Name and address of Contractor]  
(Hereafter called “the Contractor”) has undertaken, in pursuance of Contract no. \_\_\_\_\_  
Dated \_\_\_\_\_ to execute \_\_\_\_\_ [Name of Contract and brief description  
of Works] (hereinafter called “the Contract”).

**AND WHEREAS** it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligation in accordance with the Contract;

**AND WHEREAS** we have agreed to give the Contractor such a Bank Guarantee:

**NOW THEREFORE** we hereby affirm that we are the Guarantor and responsible to you on behalf of the Contractor, up to a total of \_\_\_\_\_ [amount of guarantee]\* \_\_\_\_\_ [in words], such sum being payable in types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil argument, any sum or sums within the limits of \_\_\_\_\_ [amount of guarantee] as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed there under or of any of the Contract documents which may be made between your hand and the Contractor shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid until 28 days from the date of expiry of the Defect Liability Period.

Signature and Seal of the guarantor \_\_\_\_\_

Name of Bank \_\_\_\_\_

Address \_\_\_\_\_

Date \_\_\_\_\_

**Letter of Acceptance**  
(Letterhead paper of the Employer)

\_\_\_\_\_ (Date)

To:

\_\_\_\_\_ (Name and address of the Contractor)  
\_\_\_\_\_  
\_\_\_\_\_

Dear Sirs,

This is to notify you that your dated \_\_\_\_\_ for execution of the \_\_\_\_\_ (name of the contract and identification number, as given in the Instructions to Bidders) for the Contract Price of Rupees \_\_\_\_\_ (\_\_\_\_\_) (amount in words and figures), as corrected and modified in accordance with the Instructions to Bidders<sup>1</sup> is hereby accepted by our Agency.

You are hereby requested to furnish Performance Security, in the form detailed in Para 34.1 of ITB for an amount equivalent to Rs. \_\_\_\_\_ within 15 days of the receipt of this letter of acceptance valid up to 28 days from the date of expiry of Defects Liability Period i.e. up to \_\_\_\_\_ and sign the contract, failing which action as stated in Para 34.3 of ITB will be taken.

Yours faithfully,

The Commissioner,  
Guwahati Municipal Corporation  
Guwahati-1

<sup>1</sup>

Delete “corrected” and or “and modified” if only one of these actions applies. Delete as corrected and modified in accordance with the Instructions to Bidders, if corrections or modifications have not been affected.

<sup>2</sup>

To be used only if the Contractor disagrees in the Bid with the Adjudicator proposed by the Employer in the “Instructions to Bidders”.

**Issue of Notice to proceed with the work**

\_\_\_\_\_ (Date)

To,

\_\_\_\_\_ (Name and address of the Contractor)

\_\_\_\_\_  
\_\_\_\_\_

Dear Sirs,

Pursuant to your furnishing the requisite security as stipulated in ITB clause 34.1  
and signing of the construction of \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_ at a Bid of Rs. \_\_\_\_\_.

You are hereby instructed to proceed with the execution of the said works in  
accordance with the contract documents.

Yours faithfully,

(Signature, name and title of signatory  
authorized to sign on behalf of Employer)

## Agreement Form

Agreement No. \_\_\_\_\_

This agreement, made the \_\_\_\_\_ day of \_\_\_\_\_, between the \_\_\_\_\_ [hereinafter called "the Employer"] and \_\_\_\_\_ (name and address of contractor) hereinafter called "the Contractor" of the other part.

Whereas the Employer is desirous that the Contractor execute \_\_\_\_\_ ( name and identification number of Contract) (hereinafter called "the Works") and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein, at a cost of Rs. \_\_\_\_\_

NOW THIS AGREEMENT WITNESSETH as follows:

- 1) In this Agreement, words and expression shall have the same meanings as are respectively assigned to them in the Conditions hereinafter referred to and they shall be deemed to form and be read and construed as part of this Agreement.
- 2) In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all aspects with the provisions of the Contract.
- 3) The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying the defects wherein Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
- 4) The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.
  - i. Letter of Acceptance;
  - ii. Notice to proceed with the works;
  - iii. Contractor's Bid;

- iv. Contract Data;
- v. Conditions of contract (including Special Conditions of Contract);
- vi. Specifications;
- vii. Drawings;
- viii. Bill of Quantities; and
- ix. Any other document listed in the Contract Data as forming part of the contract.
- x. Joint Venture Agreement.

In witnessed whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

The Common Seal of \_\_\_\_\_ was hereunto affixed in the presence of:

Signed, Sealed and Delivered by the said \_\_\_\_\_

in the presence of:

Binding Signature of Employer \_\_\_\_\_

Binding Signature of Contractor \_\_\_\_\_

**UNDERTAKING**

(For validity of the Bid)

I, the undersigned do hereby undertake that our firm M/s \_\_\_\_\_  
\_\_\_\_\_ agree to abide by this bid for a period \_\_\_\_\_  
\_\_\_\_\_ 90 days for the date fixed for receiving the same and it shall  
be binding on us and may be accepted at any time before the expiration of that period.

\_\_\_\_\_

(Signed by an Authorized Officer of the firm)

Title of Officer

Name of Firm

**UNDERTAKING**

I, the undersigned do hereby undertake that our firm M/s \_\_\_\_\_  
\_\_\_\_\_ would invest minimum cash up to 25% of the value of the work during  
implementation of the contract

---

(Signed by an Authorized Officer of the firm)

Title of Officer

Name of Firm

DATE

**SAMPLE FORMAT FOR EVIDENCE OF ACCESS TO OR  
AVAILABILITY OF CREDIT FACILITIES**

**BANK CERTIFICATE**

This is to certify that M/s

.....  
.....is a reputed company with a good financial standing.

If the contract for the work, namely Construction

.....  
.....

..... is awarded to above firm,  
we shall be able to provide overdraft/credit facilities to the extent of  
Rs.....

.....to meet their working capital requirements for executing the  
above during the contract period.

\_\_\_\_\_

(Signature)

Name of the Bank  
Senior Bank Manager  
Address of the Bank



**AFFIDAVIT**

1. I, the undersigned, do hereby certify that all the statements made in the required attachments are true and correct.
2. The undersigned also hereby certifies that neither our firm M/s ..... have abandoned any worked by CPWD/State PWD in India nor awarded to us for such works have been rescinded, during the last five years prior to the date of this bid.
3. The undersigned hereby authorize(s) and requested any Bank, person, firm or corporation to furnish pertinent information deemed necessary and requested by the Department to verify this statement or regarding my (our) competence and general reputation.
4. The undersigned understand and agrees that further qualifying information may be requested, and agrees to furnish any such information at the request of the Department/Project implementing agency.

\_\_\_\_\_  
(Signed by an Authorized Officer of the Firm)

\_\_\_\_\_  
Title of Officer

(Signed by an Authorized Officer of the Firm)

\_\_\_\_\_  
Title of Officer

\_\_\_\_\_  
Name of Firm

\_\_\_\_\_  
Date

**(Note: This affidavit should invariably be made in non-judicial stamp paper of specified value)**

**Authority**

I/We Sri/M/s ..... do hereby authorize the Employer i.e. The Commissioner, GMC, Panbazaar, Guwahati-1, to obtain clarification on any information furnished by me/us in support of Qualification Information as an when required from the Authority/Department/Bank etc.

Signature of the Bidder.....  
Name in Block Letter.....  
Address.....  
.....

**SECTION: 8**  
**DOCUMENTS TO BE FURNISHED BY THE BIDDER**

**DOCUMENTS COMPRISING THE BID**

The Bid to be submitted by the Bidders as Volume-IV of the BID DOCUMENTS refers Clause 8.1 shall be of comprising the followings:

- i. Bid Security in form specified in SECTION-7
- ii. Qualification information and supporting documents as specified in SECTION-2.
- iii. Certificates, Undertakings, Affidavit as specified in SECTION-2.
- iv. Undertakings that the Bid shall remain valid for the period specified in Clause 15.1 of ITB.
- v. Undertakings that the Bidder will invest a minimum of 25% of the Bid value for the work.
- vi. Form of Bid as specified in SECTION-6
- vii. Priced Bill of Quantities for items specified in Section 9.

Each Part will be separately sealed and marked in accordance with the sealing and marking Clause 10 and signed at every page by the **Bidder or by the Power of Attorney holder**.

**SECTION: 9**  
**BILL OF QUANTITIE**

Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14.

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>1.</b>		<b>Security shed cum Toilet Block</b>					
<b>1.0</b>		<b>EARTH WORK</b>					
1.1	1.4	Raising low site around the building with approved soil obtained from outside by truck carriage including breaking clods, dressing etc. complete including paying necessary land compensation, municipal gate fees, if any monopoly duty etc. (profile measurement to be taken and 12.5% deduction for shrinkage to be made from total quantity etc. complete as directed and specified, including forest royalty within a distance of 8.00Km. (Forest royalty shall be reimbursed on production of necessary certificate from the forest authority duly countersigned by D.F.O. concerned).i) Within Guwahati municipality area.	Cum	92.75			
1.01	1.10	Earth work in excavation for foundation trenches of walls, retaining walls, footings of columns, steps and septic tank etc. including refilling (return filling) the quantity as necessary after completing of work, breaking clods in return filling, dressing, watering and ramming etc. and removal of surplus earth with all lead and lifts as directed and specified in the following classification of soils including bailing out water where necessary as directed and specified. ( Upto a depth of 2m below the existing ground level ) In ordinary soil.	Cum	17.54			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
1.02	1.30	Earth/Sand filling in plinth in layer not more than 150 mm thick including necessary carriage,watering,ramming etc. complete as directed and specified including payment of land compensation, Forest Royalty, Sales Tax and other duties and taxes as may be necessary ( With river sand or silt predominantly non plastic by truck carriage including loading and unloading )	Cum	15.79			
<b>P.C.C WORKS</b>							
2	2.1.1	Plain Cement concrete Works with coarse aggregate of size 13 mm to 32mm in foundation of steps, footing of column and plinth beam as directed and specified including curing complete (shuttering where necessary shall be measured and paid separately) in prop. 1 cement:3 Sand :6 Coarse aggregate by volume.	cum	1.55			
<b>D.P.C WORKS</b>							
3	2.1.3	Providing and laying 25mm thick damp proof course with cement concrete in prop 1:1.5:3 with graded stone agg. of 10mm down nominal size including providing approved damp proof admixture in proportion as recommended by the manufacturer including curing etc. complete as directed.	Sq.m.	4.72			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>R.C.C WORKS</b>							
4	2.2.1	In substructure up to plinth level Foundation, footing, columns with base tie and plinth beam, pile cap, base slab, retaining walls, walls of septic tank, inspection pit and the like and other works not less than 100mm thick up to plinth level.N) Without using admixture, plasticiser a)M15 grade concrete or prop 1:2:4	cum	3.19			
4.1	2.2.1	In super structure from plinth level up to 1st floor level (ii) Columns, pillars, posts, struts, suspended floor, roof, landing, shelf and support, balcony, lintel, sill band, beam, girder, bressumer, cantilever, staircase (except spiral staircase and landing ) including preparing the top surface and finishing of nosing.N) Without using admixture, plasticiser a)M15 grade concrete or prop 1:2:4	cum	10.98			
<b>FORMWORKS</b>							
5	3.1.1	Providing form work of ordinary timber planking so as to give a rough finish including centering, shuttering, strutting and propping etc. height of propping and centering below supporting floor to ceiling not exceeding 4.0 m and removal of the same for in-situ reinforced concrete and plain concrete work.					

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
5.1	3.1.1.1	Foundation, footings, bases of columns, pile cap, raft and mass concrete works etc. Using 25mm thick plank	Sqm	5.76			
5.2	3.1.1.2	Sides of tie beams, grade beams etc. at or below ground level. Using 25mm thick plank	Sqm	19.40			
5.3	3.1.1.3	Columns, Pillars, Posts & Strut, Square, Rectangular polygonal in plan or any shape like Tee/L etc. having plane vertical face. Using 25mm thick plank	Sqm	33.65			
5.4	3.1.1.4	Sides and Soffits of Beams, beam haunchings, cantilever girders, bressumers, lintels and horizontal ties. For depth not exceeding 1.0M. Using 25mm thick plank	Sqm	34.49			



Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)	
					In Figure	In Words		
5.5	3.1.1.5	Flat Surfaces such as soffits of suspended floors, roofs, landings, cantilever slabs, chajjas, balconies and the like. a) Floors etc. upto 200mm in thickness. Using 25mm thick plank	Sqm	55.79				
		<b>BRICKWORKS</b>						
6.	4.1.1	Providing brick soling in foundation and under floor with stone/ best quality picked jhama brick, sand packed and laid to level and in panel after preparing the subgrade as directed including all labour and materials and if necessary dewatering, complete. (a).Brick on flat soling.	Sqm	33.92				
6.01	4.1.4	Brick work in cement mortar with 1st class brick including racking out joints and dewatering if necessary, and curing complete as directed (I) in substructure upto plinth level including dewatering if necessary ( in prop. 1:4 )	Cum	6.44				

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
6.02	4.1.8	1st class brick nogged wall in cement mortar including racking out joints and curing complete as directed in super structure above plinth up to 1st floor level (protruding M.S rod/Tor steel of column to be embedded in cement mortar and will be measured and paid separately) (A)112 mm thick (a). In cement mortar in proportion 1:4.(1 cement:4 sand)	Sqm	106.25			
<b>FLOORING AND TILES WORKS</b>							
7	5.1.5	65 mm thick cement concrete floor consisting of 53 mm under layer of cement concrete in prop. 1:3:6 (1cement : 3 coarse sand : 6 coarse aggregate of 25mm and down) and 12 mm thick wearing coarse of cement sand plastering in prop. 1:2 laid in panels and finished with a floating coat of neat cement finish (using cement slurry for bond @ 2.75 kg. per square metre of floor area) including curing etc. complete as directed.	Sqm	26.32			
7.01	5.11.1	Providing Antiskid tiles of approved quality size, shape not less than 8mm on floor, skirting over a cement mortar bed 15mm thick of 1:3(1cement:3 coarse sand) approved make fix with Fix-A-Tile (Choksey/Sika/Pedelite/Rouf)/white cement completed at all level as specified and directed.	Sqm	26.32			
		Normal range (sizes 300mmx300mm & above) a)Orient made					

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
7.02	5.7.1.2	Providing polished ceramic wall tiles of approved quality, size, shape and thickness not less than 8mm on walls and skirtings over cement mortar bed 10 mm thick in prop. 1:3 (1 cement : 3 coarse sand ) including cutting where necessary finished with flush pointing with Fix-A-Tile (Choksey / Sika / Pedelite / Rouf) /white cement slurry mixed with approved pigment to match shade of tiles complete at all levels as specified and directed. (Cement plastering to be measured and paid separately). (Coloured pigment should be in conformity with colour of tiles and as approved and directed by the Department). (Walls means both interior and exterior walls).					
		a)Normal range Somany/Orient/Nitco/Asian Make (i)(Sizes 200 mm x 200mm and above)	Sqm	67.24			
<b>PLASTERING AND POINTING WORKS</b>							
8.00	6.2.2	15 mm thick Cement plaster in single coat on single or half brick wall for interior plastering up to 1st floor level including arises, internal rounded angles, chamfers and / or rounded angles not exceeding 80mm in girth and finished even and smooth including curing complete as directed. A) On rough side B) b) In cement mortar 1:4	Sqm	116.71			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
8.01	6.2.3	15 mm thick Cement plaster in single coat on single or half brick wall for interior plastering up to 1st floor level including arises, internal rounded angles, chamfers and / or rounded angles not exceeding 80mm in girth and finished even and smooth including curing complete as directed. A) On Fair side B) b) In cement mortar 1:4	Sqm	82.82			
8.02	6.2.5	Extra over item no 6.2.1 to 6.2.5 for plastering on ceiling and soffits of stairs up to 1st floor level (instead of plastering on walls) including curing complete as directed.	Sqm	70.29			
<b>WOODWORKS</b>							
9.00	9.1.2	Providing wood work in frame (chowkaths) of doors, windows, cleastory window and other similar works wrought, framed and fixed in position in contact with C.C or brick masonry wall including supplying, fitting and fixing with m.S. hold fast (40mmx3mmx250mm) as per design embeded in cement concrete block in proportion 1:2:4 and with two coats of kiricide oiling to the timber faces in contact with C.C and masonry as directed and specified. (b). With 1st class timber (Bonsum/Sundi))	Cum	0.22			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
9.01	9.12.1	Providing and fixing flush door shutters solid core construction with frame of 1st class hard wood with cross band and face veneered ply wood face panels conforming to relevent I.S code including oxidised iron butt hinges (100mm x 75mm x 3.5mm) 6 nos with necessary wood screws. b) Non decorative type and block board core. (ii)35 mm thick	Sqm	3.51			
<b>WINDOWS AND VENTILATORS</b>							
10.00	11.1.1	Providing, fitting and fixing anodised aluminium windows and ventilators of standard sections without horizontal glazing bars joints mitred and welded (manufactured to relevant IS specifications) fitted with 6mm x 3.15mm lugs 100mm long embedded in CC bl (b)Fixed windows and ventilators iv)5mm frosted glass	Sqm	1.68			
10.01	11.1.2	Providing, fitting and fixing anodised aluminium sliding windows and ventilators of standard sections OF Approved brand (hindalco/nalco/balco/jindal/other equivalet primary producer)without horizontal glazing bars, joints mitred and welded (manufactured to relevant IS specifications) and providing and fixing handles, angle cleat, rub (a)2 Track sliding window (ii)5mm frosted glass	Sqm	4.85			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>IRON AND STEEL WORKS</b>							
11.01	18.1.1	Supplying, fitting and fixing in position reinforcement bars conforming to relevant I.S. Code for R.C.C. work/ R.B. walling including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete (upto 1st floor level). b) TMT Bar (i) TATA/SAIL	Qtl	14.45			
11.02		Supplying, fitting and fixing in position reinforcement bars conforming to relevant I.S. Code for R.C.C. work/ R.B. walling including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete (upto 1st floor level). b) TMT Bar (i) Other ISI marked	Qtl	1.71			
11.03	10.2	Providing, fitting and fixing M.S. grill of required pattern for windows/ clerestory windows/ opening with M.S. flats at required spacing in frame all round, square or round M.S. bars with round headed bolts and nuts or screws. I. Plain grill (a). Fixed to Brickwork/P.C.C./R.C.C	kg	77.70			
11.03	18.4.1	Providing and fixing in position collapsible M.S. shutters with vertical channels 20mmx10mmx2mm braced with flat iron diagonals 20mmx5mm size with top and bottom rails of T-iron 40mmx40mmx6mm with 38mm dia steel pulleys complete with bolts and nuts, locking arrangements, stoppers, handles including applying a priming coat of red lead paint.	Sqm	3.78			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>PAINTING WORKS</b>							
12.00	13.2.3 (A)	Applying one coat of cement primer of approved brand and manufacture on new wall surface after thoroughly	Sqm	258.00			
12.01	13.2.3 (B)	Finishing wall with water proofing cement paint of approved brand and manufacture and of required shade on new wall surface (two coats) to give an even shade after thoroughly brooming the surfaces to remove all dirt and remains of loose powdered materials.	Sqm	258.00			
12.02	13.6.4	Applying priming coat over new wood based surfaces up to 100mm in girth/width after and including preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter , sand papering and knotting. (a). With ready mixed paint , Wood primer (pink)	Sqm	12.48			
12.03	13.6.5	Painting two coats (excluding priming coat) on new wood and wood based surface with enamel paint of approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) to give an even shade including cleaning the surfaces of all dirt, dust and other foreign matter sand papering and stopping. (i).Surfaces over 100mm in width or girth. a). General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).	Sqm	12.48			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
12.04	13.7.2	Applying primary coat over new steel and other metal surface over 100m in width or girth after preparing the surface by thoroughly cleaning oil, grease, dirt and other foreign matter and scoured with wire brushes, fine steels, wood scrapers and sand paper. a). With ready mixed "red-lead/ red oxide" primer.	Sqm	12.00			
12.05	13.7.4	Painting two coats (excluding priming coat) on new steel and other metal surface with enamel paint of approved brand and manufacture(Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) to give an even shade including cleaning the surface of all dirt, dust and other foreign matter. (i).Surfaces over 100mm in width or girth. a). General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).	Sqm	12.00			
<b>PLINTH PROTECTION WORKS/DRAIN</b>							
13	19.20	Providing plinth protection with bricks flat laid in cement mortar 1:4 and finished with 15 mm thick cement plaster in prop 1:2 with a floating coat of neat cement finish.	Sq. m.	16.56			
13.01	19.40	Providing drain with brick work in cement mortar in proportion 1:5 with half brick thick side walls and 100mm thick C.C (1:3:6) base over one brick flat soling including 15mm thick cement plastering in prop. 1:3 finished with a floating coat of cement slurry as directed with necessary shuttering for sides and earth work in excavation of foundation trenches and refilling the sides after completion of work etc. as specified. I) 300mm wide and average 150mm deep with bed slope 1 in 150 with initial depth of 100 mm	Rm	27.60			



Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>ANTI TERMITE WORKS</b>							
14	26.1.3	Pre construction anti - termite treatment by applying in the entire levelled area after plinth filling and before laying floor by applying the emulsion @ 5 (five) litres per square meter of the surface to be spread with light rodding so as to ensure proper absorption by the filled up earth (supplying of necessary tools and accessories by the contractor) as per the direction of the Department complete.	Sq.m	26.32			
		a) with aqueous emulsion having concentration 1:19 with chloropirophose solution (trichel or euivalent) and water, i.e. 1% solution.					
<b>ALUMINIUM FITTINGS</b>							
15	15.2.1	Supplying, fitting, fixing anodised aluminium fittings of approved make, reasonably smooth, free from sharp edges and corners, flaws and other defects and with counter sunk holes for screws including necessary aluminium screws etc. complete.( anodised to bright natural matt & satin finished )					
		a) Sliding door bolts 300mm x 16mm	Each	2			
		b) Tower bolt  150mm x 10mm	Each	8			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		c)Door/window handle					
		150mm	Each	4			
		m)Mortice Lock					
		100mm(Godrej) with handle (6 lever)	Each	2			
						A=	
16		Internal Electrification=9% of A					

Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>1.</b>		<b>SEPTIC TANK</b>					
<b>1.0</b>		<b>EARTH WORK</b>					
1.1	1.4	Earth work in excavation for foundation trenches of walls, retaining walls, footings of columns, steps and septic tank etc. including refilling (return filling) the quantity as necessary after completing of work, breaking clods in return filling, dressing, watering and ramming etc. and removal of surplus earth with all lead and lifts as directed and specified in the following classification of soils including bailing out water where necessary as directed and specified. ( Upto a depth of 2m below the existing ground level ) In ordinary soil.	Cum	12.67			
		<b>P.C.C WORKS</b>					
2	2.2.1	Plain Cement concrete Works with coarse aggregate of size 13 mm to 32mm in foundation of steps, footing of column and plinth beam as directed and specified including curing complete (shuttering where necessary shall be measured and paid separately) in prop. 1 cement:3 Sand :6 Coarse aggregate by volume.	Cum	1.26			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		<b>R.C.C WORKS</b>					
3	2.2.1	In substructure up to plinth level Foundation, footing, columns with base tie and plinth beam, pile cap, base slab, retaining walls, walls of septic tank, inspection pit and the like and other works not less than 100mm thick up to plinth level. N) Without using admixture, plasticizer a)M15 grade concrete or prop 1:2:4	Cum	0.046			
3.01	2.2.1	In super structure from plinth level up to 1st floor level (ii) Columns, pillars, posts, struts, suspended floor, roof, landing, shelf and support, balcony, lintel, sill band, beam, girder, bressumer, cantilever, staircase (except spiral staircase and landing ) including preparing the top surface and finishing of nosing. N) Without using admixture, plasticizer a)M15 grade concrete or prop 1:2:4	Cum	0.45			
		<b>FORMWORKS</b>					
4.00	3.1.1	Providing form work of ordinary timber planking so as to give a rough finish including centering, shuttering, strutting and propping etc. height of propping and centering below supporting floor to ceiling not exceeding 4.0 m and removal of the same for in-situ reinforced concrete and plain concrete work.					

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
	3.1.1.1	Foundation, footings, bases of columns, pile cap, raft and mass concrete works etc. Using 25mm thick plank	Sqm	1.13			
4.01	3.1.1.2	Sides and Soffits of Beams, beam haunchings, cantilever girders, bressumers, lintels and horizontal ties. For depth not exceeding 1.0M. Using 25mm thick plank	Sqm	1.36			
4.02	3.1.1.5	Flat Surfaces such as soffits of suspended floors, roofs, landings, cantilever slabs, chajjas, balconies and the like. Using 25mm thick plank	sqm	3.51			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		<b>BRICKWORKS</b>					
5	4.1.1	Providing brick soling in foundation and under floor with stone/ best quality picked jhama brick, sand packed and laid to level and in panel after preparing the subgrade as directed including all labour and materials and if necessary dewatering, complete. (a).Brick on flat soling.	sqm	7.04			
5.01	4.1.4	Brick work in cement mortar with 1st class brick including racking out joints and dewatering if necessary, and curing complete as directed (I) in substructure upto plinth level including dewatering if necessary ( in prop. 1:4 )	Cum	4.64			
5.02	4.1.8	1st class brick nogged wall in cement mortar including racking out joints and curing complete as directed in super structure above plinth up to 1st floor level (protruding M.S rod/Tor steel of column to be embedded in cement mortar and will be measured and paid separately) (A)112 mm thick (a). In cement mortar in proportion 1:4.(1 cement:4 sand)	Sqm	2.43			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		<b>PLASTERING AND POINTING WORKS</b>					
6	6.2.2	15 mm thick Cement plaster in single coat on single or half brick wall for interior plastering up to 1st floor level including arises, internal rounded angles,chamfers and / or rounded angles not exceeding 80mm in girth and finished even and smooth including curing complete as directed. (b). In cement mortar 1:4 A) On rough side b) In cement mortar 1:4	Sqm	18.27			
6.01	6.2.3	15 mm thick Cement plaster in single coat on single or half brick wall for interior plastering up to 1st floor level including arises, internal rounded angles,chamfers and / or rounded angles not exceeding 80mm in girth and finished even and smooth including curing complete as directed. (b). In cement mortar 1:4 A) On Fair side b) In cement mortar 1:4	Sqm	2.88			
		<b>IRON AND STEEL WORKS</b>					
7.00	18.1.1	Supplying, fitting and fixing in position reinforcement bars conforming to relevant I.S. Code for R.C.C. work/ R.B. walling including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete (upto 1st floor level). b) TMT Bar (i) TATA/SAIL	Qtl	0.56			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		<b>SOAK PIT AND INSPECTION CHAMBER</b>					
8.00	1.30.1	Construction of filter bed in soak pit including earth work in excavation of soil and then filling up of the trench with brick bats/Charcoal covered with earth over a layer of A.C. plain sheet above brick bat filling complete as directed. (sizes of soak pit may vary depending on the sizes and capacities of the septic tank as well as the number of users as mentioned in the table.	Cum	2.00			
9.00	1.30.2	Construction of inspection pit inside measurement 450mm x 450mm x 450mm flush with 100mm diameter HCl/ PVC pipes and cement concrete base in proportion 1:3:6 over flat brick soling, 12cm brick wall in cement mortar in proportion 1:4 finished with 13mm cement plaster in proportion 1:2 in side wall and floor. 450mm x 450mm air tight C.I. inspection pit cover and frame complete including supplying of materials, necessary excavation of pit as directed.	L/S	1			



Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>1.</b>	<b>SANITARY INSTALLATION AND WATER SUPPLY</b>						
<b>1.0</b>	<b>SANITARY WORKS</b>						
1	1.1.1	Providing fitting and fixing vitreous water closet squatting pan (Indian type W.C Orissa pattern) of size 580 x 440 mm with 100 mm SCI 'P' or 'S' trap, 10 litre low level PVC flushing cistern of matching colour with manually controlled device (handle lever) of Parry ware/ Hindware / Cera make with all fittings and fixtures complete including cutting and making good the walls and floors wherever required.	Each	2			
		(a) White					
2	1.13	Providing vitrious china wash basin of size with CI/ MS brackets, 32mm CP brass waste coupling of standard pattern ,C.P brass chain with plug, PVC waste pipe including painting of fittings and brackets, cutting and making good the walls wherever required.(Pillar cock, stop cocks, waste couping are to be paid separately)	Each	1			
	1.13.2	Basin (without pedestral) B) Hindustan Make a) white i) Alto 510x400 (Cat. No. 10091)					

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
3	1.80	<p>Providing fitting and fixing vitreous china flat back type lipped front urinal basin of with automatic flushing cistern of similar colour and standard flush pipe and CP brass spreader with brass unions, etc. complete including painting of fittings and brackets, cutting and making good the walls &amp; floors wherever required.</p> <p>A) parryware make a) White ( ii)Niagara (Cat No. C0504)</p>	Each	3			
3.01	1.18	<p>Providing fitting and fixing Mirror with plastic frame of size 500x400mm complete as directed and specified.</p>	Each	1			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
3.02	1.22	Providing, fitting and fixing recessed soap tray of Hindware make complete as specified and directed. ( i)(a) Continental (Cat No. CAN -1331N)	Each	3			
4.01	1.24	Providing fitting and fixing Chrome Plated (CP) Towel rail of Jaquar make complete as directed and specified. (b )Sona make (450mm long) (ii) Towel rail Diplomat 450 mm long (cat. No. TR-0605)	Each	1			
5	1.37.1	Supplying fitting and fixing PVC pipes of 6Kgf/cm2 (Supreme/Prince) or ISI approved including joining , fitting and fixing with clamps etc. as necessary complete at all levels including below G.L. as directed and specified.					
5.01		(a) In exposed faces or trenches					
		(ii)110mm dia.	Rm	12.00			
		(ii)75mm dia.	Rm	16.00			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
5.02	1.37.2	Supplying fitting and fixing 87.5 degree PVC bend of (Supreme/Prince) or ISI approved including joining , fitting and fixing etc. as necessary complete at all levels including below G.L. as directed and specified.					
		(a) In exposed faces or trenches					
		(ii)110mm dia.	Each	3			
		(ii)75mm dia.	Each	4			
5.03	1.37.5	Supplying fitting and fixing PVC Plain single tee of (Supreme/ Prince) or ISI approved including joining, fitting and fixing etc. as necessary complete at all levels including below G.L. as directed and specified.					
		(a) In exposed faces or trenches					
		(ii)110mm dia.	Each	1			
		(ii)75mm dia.	Each	2			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
5.04	1.37.11	Supplying fitting and fixing PVC cross 'T' plain of (Supreme/Prince) or ISI approved including joining , fitting and fixing etc. as necessary complete at all levels including below G.L. as directed and specified.					
		(a) In exposed faces or trenches					
		(ii)110mm x110mm	Each	1			
		(ii)75mm x75mm	Each	1			
5.05	1.37.18	Supplying fitting and fixing PVC cleaning pipe of (Supreme/Prince) or ISI approved including joining , fitting and fixing etc. in exposed surface or trenches as necessary complete at all levels including below G.L. as directed and specified.					
		<b>(ii)110mm dia.</b>	Each	2			
		<b>(ii)75mm dia.</b>	Each	3			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
6.00	1.39	Providing fitting and fixing PVC cowl of ISI make complete as directed and specified. iv) 75mm dia PVC cowl of ISI make	Nos	2			
6.01	1.42	Providing fitting & fixing C.P. Grating to the floors complete as directed and specified. c)110mm dia	Each	3			
		WATER SUPPLY WORKS					
7	3.1.1	Supplying fitting and fixing G.I. Pipes of following sizes, with all necessary 'R' brand or similar approved G.I. Fittings such as bend, tee, elbow, reducer, nipple, plug, long screw fitting, H.W. clamps etc.complete at all levels including below G.L. as directed and specified.					
		(A) Exposed on walls					
		d) 25 mm dia					
		i) Using Tata (medium)	RM	15			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		f) 15 mm dia					
		i) Using Tata (medium)	RM	14			
7.01	3.2.1	Supplying fitting and fixing C.P. bib cock 15mm dia of approved brand directed and specified. (G.I. & C.P pipes will be measured separately)					
		(l)Essco make (Delux/Sumthing spl./Tropical)					
		(a) Bib cock short body	Each	2			
7.02	3.3.2	Supplying fitting and fixing chrome plated ( C. P) stop - cock of approved size as mentioned below as directed and specified.(G.I. & C.P pipes will be measured and paid separately)					
		(l) jaquar (a) Continental/Clarion (ii) 15 mm dia (Angular stop cock)	Each	4			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
7.03	3.5.1	Supplying and fitting fixing C.P. pillar cock of 15mm dia of approved brand as specified and directed.					
		(I)SONA make					
		( a )Light Type	Each	2			
8	5.4.2	Supplying and placing plastic cylindrical vertical claused top (PCVC) tank of Sintex / Polycon / Patton make over the staggng with manhole cover with locking and cleaning arrangement including providing pads of size as required for inlet and outlet pipes completed as directed					
		1000 litre capacity					
		(a) Sintex make	Each	1			



Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>1.</b>		<b>Renovation of Fountain Area</b>					
<b>1.0</b>		<b>EARTH WORK</b>					
1.1	2.4	Dismantiing of existing structures like culverts,bridges,retaining walls and other structure comprising of masonry cement concrete wood work,steel work including T&P and scaffolding wherever necessary sorting the dismantled material,disposal of unserviceable material and stacking the serviceable material with all lift and stacking the serviceable material with all lift and lead of 1000 metres) i)Lime/Cement Concrete ii)By Mechanical Means for items No,202 (b) & © Prestressed/Reinforced cement concrete grade M-20 & above	Cum	0.337			
		<b>EARTHWORK</b>					
2	1.3	Earth/ sand filling in plinth in layers not more than 150mm thick including necessary carriage, watering, ramming etc. complete as directed and specified including payment of land compensation, forest royalty, sales tax and other duties and taxes as may be necessary.					
		( C )With silt (predominantly non plastic) by truck carriage including loading and unloading.	Cum	15.88			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		SAND GRAVEL WORK					
3	1.6	Supplying and filling sand gravel in foundation trenches of column footings over slushy soil including local carriage of materials within 8 km pumping out of water, ramming etc. complete for strengthening the bearing capacity of the soil as directed and specified including payment of forest royalty and sales tax and other duties and taxes as may be necessary.	Cum	3.80			
		LANDSCAPING					
4	12.4	Supplying and laying of selected grass turves ( size 60 cmx 30cm) after preparing the land by removing of all unwanted debris ( rubbles,pebbles,plant roots etc.) mixing of organic manure leveling the surface and initial maintenance by proper and periodic rolling mowing and irrigation etc,( as specified ) for a period of six months from the dated of laying of grass including the application of recommended dose of fertilizers (N:P:K) mixture as specified and directed by the department (b) By carpet Grass ( Axonopus affinis)	Sqm	12.50			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		<b>POT PLANTING</b>					
5.00	20.50	Supplying and planting of palms with required size of pot including filling the pot to the top surface with appropriate soil media made of garden soil,river sand,cow dung leaf mould fertilizer pesticides as per specification and necessary maintenance for a period of 4 months from the date of planing completed as specified and directed .(Mixing of different ingredients of soil media to be made in presence of Deptt. office /Specialist concerned)					
		B. with Erica palm(Butterfly palm)/Kentia palm					
		ii) Using earthen potof 60 cm dia	Each	6			

Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>1.</b>		<b>Ramp Boundray wall &amp; R.C.C. Wall at Nabagraha Samadhi sthall</b>					
<b>1.0</b>		<b>SITE CLEARANCE</b>					
1.1	1.1.1	Cutting of Trees, including cutting of trunks,branches and removal of stumps,roots,stacking of serviceable material with all lifts and up to ahead of 1000 mtrs and earth filling I the depression/pit iv) Girth above 1800mm	Each	1			
		<b>Dismantling Work</b>					
2	2.4	Dismantling of existing structures like culverts,bridges,retaining walls and other structure comprising of masonry,cement concrete,wood work,steel work,including T & P and scaffolding wherever necessary,sorting the dismantled material,disposal of unserviceble material and stacking the serviceable material with all lift and lead of 1000metres					
		iii) Dismantling brick/ Tile Work	cum	5.04			
		( B ) In Cement mortar					

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
3	3.13	Excavation for Structures (Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling the excavated earth to the extent required and utilizing the remaining earth locally for road work.) ii)Ordinary rock A) Manual means (Depth up to 3m) without dewatering	Cum	49.19			
		ii)Ordinary rock (not requiring blasting)					
		A) Manual means with dewtering					
		<b>BRICK WORK</b>					
4	17.56	Providing brick soling in earthen shoulder with stone/best quality jhama brick, sand packed and laid to true line and level and in panel after preparing the subgrade including earthwork in excavation as directed including all labour and materials and if necessary dewatering, complete. a)Brick on flat soling	Sqm	75.49			
	4.18 (B)	112 mm thick 1st class brick nogged wall in cement mortar including racking out joints and curing complete as directed in super structure above plinth up to 1st floor level (protruding M.S rod/Tor steel of column to be embedded in cement mortar and will be measured and paid separately) (a). In cement mortar in proportion 1:4.(1 cement:4 sand)	Cum	13.50			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		<b>STONE MASONRY WORK</b>					
5	12.7	Stone masonry work in cement mortar 1:3 in foundation complete as per drawing and Technical Specifications					
		A)Square Rubble coursed rubble masonry	Cum	20.41			
		<b>P.C.C. WORK</b>					
6	12.4	P.C.C 1:2:3 in Foundation (Plain cement concrete 1:3:6 nominal mix in Foundation with crushed stone aggregate 40mm nominal size mechanically mixed ,placed in foundation and compacted by vibration including curing for 14 days.)	Cum	3.06			
		<b>PLASTERING AND POINTING WORKS</b>					
7	13.3	Plastering with cement mortar(1:3) on brick work in sub-structure as per Technical Specifications i)Boundary Wall ii)Ramp Wall	Sqm	49.90			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		<b>R.C.C WORK</b>					
8	14.1	Furnishing and placing Reinforced/Prestressed cement concrete, in super-structure as per drawing and technical specification including steel shuttering formwork. E.)R.C.C. Grade M25 Case -I ) Using Concrete Mixture	Cum	15.25			
9	12.40	Supplying fitting fitting and placing uncoated TMT bar reinforcement in foundation completed as per drawing and technical specifications	MT	2.11			
		<b>STEEL WORK</b>					
	17.12 (B)	Supplying, fitting and fixing double leaf heavy duty iron gate, frame made from 40mm x 40mm x 6mm M.S. angle and with M.S. flat of 40mm x 6mm size as per approved design. Necessary locking arrangement for temporary closing the gate and 2nos.( minimum) strong iron hinges of M.S bars and flat of same sizes on each leaf to be embedded in C.C brick pillars as necessary including a red oxide painting to all iron works as directed and specified.(Separate payment will be made for posts).	Qtls	3.80			

Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>1.</b>		<b>Construction of Road Side R.C.C Drain cum foot path</b>					
<b>1.0</b>		<b>Dismantling of Structures</b>					
1.01	2.4	Dismantling of existing structures like culverts,bridges,retaining walls and other structure comprising of masonry cement concrete wood work, steel work including T&P and scaffolding wherever necessary sorting the dismantled material, disposal of unserviceable material and stacking the serviceable material with all lift and lead of 1000 metres) iii) Dismantling stone Masonary Rubble Stone masonry in cement mortar	Cum	35.77			
		<b>EARTHWORK</b>					
2	12.1	Earth work in excavation of foundation of structures as per drawing and technical specification, including setting out, construction of shoring and bracing, removal of stumps and other deleterious matter, dressing of sides and bottom, backfilling with approved material. I)In Ordinary Soil A) Manual Means Without Dewatering (i) upto 3m depth	Cum	117.00			



Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		<b>STONE MASONARY WORK</b>					
3	15.9	Dry rubble flooring,Construction of dry rubbl Flooring at cross drainage works for relatively less important works	Cum	5.85			
		<b>P.C.C WORKS</b>					
4	12.4	P.C.C 1:2:3 in Foundation (Plain cement concrete 1:3:6 nominal mix in Foundation with crushed stone aggregate 40mm nominal size mechanically mixed ,placed in foundation and compacted by vibration including curing for 14 days.)	Cum	3.90			
		<b>IRON AND STEEL WORKS</b>					
5	13.6	Supplying fitting and placing TMT bar reinforcement in sub-structure completed as per drawing and technical specifications with other make ISI marked TMT rebar.	MT	2.98			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		<b>R.C.C WORKS</b>					
6	13.5 ( e )	Plain/Reinforced cement concrete, in sub structure complete as per drawing and technical specification and including steel shuttering formwork. E.)R.C.C. Grade M20 ( N ) Case -I ) Using Concrete Mixture	Cum	24.30			
7	13.8	Providing weep holes in brick masonry/Plain/Reinforced concrete abutment wing wall/return wall with 100mm dia AC pipe ,extending through the full width of the structure with slope of 1V:20H towards drawing force. Complete as per drawing and Technical specification	Each	60.00			
8	13.6b	Back filling behind abutment, wing wall and return wall complete as per drawing and Technical specification	Cum	9.00			

Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>1.</b>		<b>Providing Textured Pain Work</b>					
1.01	13.10.3	Providing and applying Spectrum aggregate textured wall coating in branded name of SPETRUM with its all tools, plants and machineries and scaffolding etc. as per manufacturer's guideline and specification of the product. a) Spectrum Natura plast.	Sqm	199.50			

Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>1.</b>		<b>Murals painting at Samadhi Santi Sthal</b>					
1.01	As per Market rate	Painting of Murals made of fiber glass with water proofing weather coat smooth anti-fungal exterior painting of approved brand after cleaning and Dearing the surface including necessary repairing where required complete as directed ( Minimum two coats) size 5X8ft	Nos	23			

Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
1.		Wall Painting					
1.01	13.4.3	Wall painting (one coat) with acrylic emulsion paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) on old wall surface to give an even shade after thoroughly brushing the surfaces free from mortar droppings and other foreign matter and sand papered smooth.(a). Acrylic Emulsion Paint approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) L/s 150	Sqm	167			

Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>1.</b>		<b>Lump sum Works</b>					
1	As per market	Landscaping Work & Plantation Supplying and laying of selected grass turves (size 60 cmx 30cm) after preparing the land by removing of all unwanted debris (rubbles, pebbles, plant roots etc.) mixing of organic manure leveling the surface and initial maintenance by proper and periodic rolling mowing and irrigation etc,( as specified ) for a period of six months from the dated of laying of grass including the application of recommended dose of fertilizers (N:P:K) mixture as specified and directed by the department By Bahpotia grass and Doob grass	Sqm	122			
2	As per market	Santi Sthal maintenance equipment. 1)A gas powered edger 69CC capacity- 1 set 2) Gardening Tools (Rake, Hand Trowel, Pruners, Forks and Spades,DutchHoe,PruningSaw,Shears,GardenHose,Wheelbarrow,Loppers,Edger) all are in standard size. – 3 sets 3)Leaf Blower – 2 sets 4)Fertilizer (Organic, Solid)– 100 kg 5)Safety Gears(Safety goggles ,gloves, hearing protection, gardening apron) – 3 sets	L/S				
3	As per market rate	<b><u>Bust</u></b> A) Bust of Gopi Nath Bordoloi (Stone Material) Height of bust 0.90metre B) With Concrete Pedestal ( Using Granite) 4 FT Height (1mX1m)	L/S				

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
4	As per market rate	<p><b><u>Green Patches &amp; Trees</u></b>  Supplying and planting of palms with required size of pot including filling the pot to the top surface with appropriate soil media made of garden soil,riversand,cow dung leaf mould fertilizer pesticides as per specification and necessary maintenance for a period of 4 months from the date of planing completed as specified and directed .(Mixing of different ingredients of soil media to be made in presence of Deptt. office /Specialist concerned)</p> <p>C) With Fan Plam/Finger palm  iii) Using Concrete pot of 60cm dia</p>	Nos	22			
	As per market rate	<p>Supplying and planting of suitable plant materials for preparation protective/external hedge (50cm wide) including the preparation of ground by mixing organic manure and fertilizers as per specification and necessary maintenance for a period of one year from the date of planting complete as specified and directed</p> <p>A) <b>ADOPTING SINGLE ROW PLANTING METHOD</b>  i)<b>WithDuranta</b></p>	Rm	18			

Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
1.		<b>Providing Outdoor Floor Tiles</b>					
1	7.3.2	Providing Transporting to site,laying,fitting and fixing at all levels tiles for following purpose of SUNROCK-Hi-CTS tiles of high density cement concrete designer coloured tiles made of 100% pure white cement tested as per IS-1237 -1980 of approved quality ,size shape of thickness 5mm to 50mm to be anchored by adhesive cement and copper wire anchoring including cutting where necessary finished with flush pointing with polymer modified cementations tile joint filler of ROOF RAINBOW TILE MATE-140 white cement slurry mixed with approved pigment to match shade of tiles complete as specified and directed .( Coloured pigment should be in conformity with color of tiles and as approved and directed by the department.(Cloud,Wave,Old Rock ,English Stone) L/s 100	Sqm	150			



Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		<b>Floor Polishing</b>					
2	Rate as per market	Applying wax-polish on previously on previously polished concrete/Tiles/marble floor with wax polish of approved brand and manufacture to give an even surface including cleaning the surface of all dirt,dust and other foreign matter. L/S 200.00	Sqm	200			
		<b>Grill Paint Work</b>					
3	13.7.1	Synthetic enamel paint, aluminum paint/bituminous paint on steel and other metal surfaces. i) Removing old paint from steel and other metal surface and making the surface even. b) With paint remover.	Sqm	100			

Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
1.		Cleaning of Ash from Ash Tank and Disposal of Lifted Ash from Samadhi premises					
1	1(A/R)	a) Cleaning & desilting of Ash underground Ash Tank drain by engaging labour by using bucket,	Cum	132.48			
2	2(A/R)	a) Cleaning & removal of Ash by engaging JCB with tipper trucks including loading and unloading to the suitable disposal site as directed by the authority.	Cum	132.48			
3	1.3	Earth filling after shifting of char coal & Ash	Cum	175			

Name of Work: - Construction of Security shed cum Toilet Block & Repairing work of Gopinath Bordoloi Samadhi (Santi Sthal) Nabagraha, Silpukhuri under the award of DDP Plan for the year 2013-14

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>1.</b>		<b>Diesel Generator</b>					
<b>1.0</b>		<b>EARTH WORK</b>					
1.1	1.10	Earth work in excavation for foundation trenches of walls, retaining walls, footings of columns, steps and septic tank etc. including refilling (return filling) the quantity as necessary after completing of work, breaking clods in return filling, dressing, watering and ramming etc. and removal of surplus earth with all lead and lifts as directed and specified in the following classification of soils including bailing out water where necessary as directed and specified. ( Upto a depth of 2m below the existing ground level ) In ordinary soil.	Cum	16.76			
1.2	1.3	Earth/Sand filling in plinth in layer not more than 150 mm thick including necessary carriage, watering, ramming etc. complete as directed and specified including payment of land compensation, Forest Royalty, Sales Tax and other duties and taxes as may be necessary ( With river sand or silt predominantly non plastic by truck carriage including loading and unloading )	Cum	17.25			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>P.C.C WORKS</b>							
2	2.1.1	Plain Cement concrete Works with coarse aggregate of size 13 mm to 32mm in foundation of steps, footing of column and plinth beam as directed and specified including curing complete (shuttering where necessary shall be measured and paid separately) in prop. 1 cement: 3 Sand: 6 Coarse aggregate by volume.	cum	0.97			
<b>D.P.C WORKS</b>							
3	2.1.3	Providing and laying 25mm thick damp proof course with cement concrete in prop 1:1.5:3 with graded stone agg. of 10mm down nominal size including providing approved damp proof admixture in proportion as recommended by the manufacturer including curing etc. complete as directed.	Sqm	2.65			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
<b>R.C.C WORKS</b>							
4	2.2.1	In substructure up to plinth level Foundation, footing, columns with base tie and plinth beam, pile cap, base slab, retaining walls, walls of septic tank, inspection pit and the like and other works not less than 100mm thick up to plinth leveling) Without using admixture, plasticizer a)M15 grade concrete or prop 1:2:4	cum	3.05			
4.1	2.2.1	In super structure from plinth level up to 1st floor level (ii) Columns, pillars, posts, struts, suspended floor, roof, landing, shelf and support, balcony, lintel, sill band, beam, girder, bressumer, cantilever, staircase (except spiral staircase and landing ) including preparing the top surface and finishing of nosing.N) Without using admixture, plasticiser a)M15 grade concrete or prop 1:2:4	cum	8.09			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
		<b>FORMWORKS</b>					
5	3.1.1	Providing form work of ordinary timber planking so as to give a rough finish including centering, shuttering, strutting and propping etc. height of propping and centering below supporting floor to ceiling not exceeding 4.0 m and removal of the same for in-situ reinforced concrete and plain concrete work.					
5.1	3.1.1.1	Foundation, footings, bases of columns, pile cap, raft and mass concrete works etc. Using 25mm thick plank	Sqm	5.76			
5.2	3.1.1.2	Sides of tie beams, grade beams etc. at or below ground level. Using 25mm thick plank	Sqm	11.52			
5.3	3.1.1.3	Columns, Pillars, Posts & Strut, Square, Rectangular polygonal in plan or any shape like Tee/L etc. having plane vertical face. Using 25mm thick plank	Sqm	26.24			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
5.4	3.1.1.4	Sides and Soffits of Beams, beam hunching, cantilever girders, bressumers, lintels and horizontal ties. For depth not exceeding 1.0M. Using 25mm thick plank	Sqm	19.86			
5.5	3.1.1.5	Flat surfaces such as soffits of suspended floors, roofs, landings, cantilever slabs, chajjas, balconies, and the like a) Floors etc. Upto 200mm in thickness. Using 25mm thick plank	Sqm	35.88			
		<b>Brick Works</b>					
6.	4.1.1	Providing brick soling in foundation and under floor with stone/ best quality picked jhama brick, sand packed and laid to level and in panel after preparing the sub grade as directed including all labour and materials and if necessary dewatering, complete. (a).Brick on flat soling.	Sqm	45.51			
6.01	4.1.4	Brick work in cement mortar with 1st class brick including racking out joints and dewatering if necessary, and curing complete as directed (I) in substructure upto plinth level including dewatering if necessary ( in prop. 1:4 )	Cum	2.58			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
6.02	4.1.8	1st class brick ragged wall in cement mortar including racking out joints and curing complete as directed in super structure above plinth up to 1st floor level (protruding M.S rod/Tor steel of column to be embedded in cement mortar and will be measured and paid separately) (A)112 mm thick (a). In cement mortar in proportion 1:4.(1 cement:4 sand)	Sqm	53.69			
<b>PLASTERING AND POINTING WORKS</b>							
7.00	6.2.2	15 mm thick Cement plaster in single coat on single or half brick wall for interior plastering up to 1st floor level including arises, internal rounded angles,chamfers and / or rounded angles not exceeding 80mm in girth and finished even and smooth including curing complete as directed. A) On rough side B) b) In cement mortar 1:4	Sqm	90.17			
7.01	6.2.3	15 mm thick Cement plaster in single coat on single or half brick wall for interior plastering up to 1st floor level including arises, internal rounded angles,chamfers and / or rounded angles not exceeding 80mm in girth and finished even and smooth including curing complete as directed.  (b). In cement mortar 1:4	Sqm	76.16			



Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
7.02	6.2.5	Extra over item no 6.2.1 to 6.2.5 for plastering on ceiling and soffits of stairs up to 1st floor level (instead of plastering on walls) including curing complete as directed.	Sqm	44.25			
<b>IRON AND STEEL WORKS</b>							
8.00	18.1.1	Supplying, fitting and fixing in position reinforcement bars conforming to relevant I.S. Code for R.C.C. work/ R.B. walling including straightening, cleaning, cutting and bending to proper shapes and length as per details, supplying and binding with 20G annealed black wire and placing in position with proper blocks, supports, chairs, spacers etc. complete (upto 1st floor level). b) TMT Bar (i) TATA/SAIL	Qtl	11.25			
8.01	10.20	Providing, fitting and fixing M.S. grill of required pattern for windows/ clerestory windows/ opening with M.S. flats at required spacing in frame all round, square or round M.S.bars with round headed bolts and nuts or screws. I. Plain grill (a). Fixed to Brickwork/P.C.C/R.C.C	kg	54.00			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
8.02	18.41	Providing and fixing in position collapsible M.S. shutters with vertical channels 20mmx10mmx2mm braced with flat iron diagonals 20mmx5mm size with top and bottom rails of T-iron 40mmx40mmx6mm with 38mm dia steel pulleys complete with bolts and nuts, locking arrangements, stoppers, handles including applying a priming coat of red lead pain	Sqm	7.25			
		<b>PAINTING WORKS</b>					
9.00	13.2.3 (A)	Applying one coat of cement primer of approved brand and manufacture on new wall surface after thoroughly	Sqm	242.00			
9.01	13.2.3 (B)	Finishing wall with water proofing cement paint of approved brand and manufacture and of required shade on new wall surface (two coats) to give an even shade after thoroughly brooming the surfaces to remove all dirt and remains of loose powdered materials.	Sqm	242.00			

Sl. NO.	SOR Item No	Items	Unit	Qty	Rate (In Rs)		Total Amount (In Rs)
					In Figure	In Words	
9.02	13.6.4	Applying priming coat over new wood based surfaces up to 100mm in girth/width after and including preparing the surface by thoroughly cleaning oil, grease, dirt sands other foreign matter, sand papering and knotting. (a). With ready mixed paint , Wood primer (pink)	Sqm	7			
9.03	13.6.5	Painting two coats (excluding priming coat) on new wood and wood based surface with enamel paint of approved brand and manufacture (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac) to give an even shade including cleaning the surfaces of all dirt, dust and other foreign matter sand papering and stopping. (i).Surfaces over 100mm in width or girth. A). General purpose (Asian paint/ Berger paint/ ICI paint/ J & N paint/ Nerolac).	Sqm	7			
<b>Total Rs</b>							