

**GUWAHATI MUNICIPAL CORPORATION
WATER WORKS :: PANBAZAR
GUWAHATI-781001**



DETAILED QUOTATION NOTICE & DOCUMENTS

NAME OF WORK:- Annual quotation for supply of spare parts for machineries for the year 2017-2018.

Issued against document fee payment receipt no.

Name of quotationer:

Issue Date:

Issued To:

Full Postal Address:
.....
.....

Fax No. : **Tel No.** :

Mobile No. : **E-mail** :

Reference of cost of Tender Document:

Receipt no-- **Date-**

OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION
Water Works ::: Panbazar ::: Guwahati-1.

NATIONAL COMPETITIVE QUOTATION

NAME OF WORK:- **Annual quotation for supply of spare parts for machineries for the year 2017-2018.**

<u>SCHEDULE FOR QUOTATION PROCEDURE</u>	
SALE OF QUOTATION DOCUMENTS	FROM 11.09.2017 TO 21.09.2017
SUBMISSION OF QUOTATION	UP TO 2.00 P.M. OF 22.09.2017
OPENING OF QUOTATION	22.09.2017 AT 3:00 P.M.
PLACE OF OPENING OF QUOTATION	CONFERRANCE HALL, GUWAHATI MUNICIPAL CORPORATION, PANBAZAR, GUWAHATI-01, UNDER CHIEF ENGINEER, GMC.
EVALUATION OF QUOTATION	FROM 23.09.2017

OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION
Water Works ::: Panbazar ::: Guwahati – 01.

No.GWS/167/2017/100

Date: 08/09/2017

NOTICE INVITING QUOTATION

Separate sealed quotations are invited from manufacturer / authorized dealer / firms / reputed supplier/ contractor for the following works under Water Works, Guwahati Municipal Corporation for the year 2017-2018. Quotation will be received up to **2:00 P.M. on 22.09.2017** and will be opened on the same date after one hour of closing time in **the** Conference Hall, Guwahati Municipal Corporation, Panbazar, Guwahati-01, under Chief Engineer, GMC, in presence of the quotationer or their authorized representative who would like to be present.

Detailed quotation documents and other terms & conditions etc. may be obtained from the **office of Water Works, Guwahati Municipal Corporation**, against payment of **Rs.1,000.00 (Rupees One Thousand)** only as non-refundable **documents fee** in cash during the office hours in all working days **w.e.f. 11.09.2017 to 21.09.2017** and can also be seen and downloaded from Guwahati Municipal Corporations website <http://gmcpportal.in>. For downloaded quotation document, **document fee of Rs.1,000/- (Rupees One Thousand)** only is to be deposited to **the Cashier, G.M.C.**, during submission of quotation.

Sl. No.	Name of work	Approximate annual requirement	Earnest money (in Rs.)
1.	Supply of spare parts for machineries for the year 2017-2018.	As per necessity	20,000.00
2.	Supply of G.I. / G.M & Hardware materials for the year 2017-2018	As per necessity	20,000.00
3.	Repairing of machineries for the year 2017-2018	As per necessity	20,000.00
4.	Supply of Rubber Hose Pipe, M.S. PIPE & D.I. pipes for the year 2017-2018	As per necessity	20,000.00
5.	For providing a Country Boat for Kamakhya Water Supply Scheme for the year 2017-2018.	As per necessity	20,000.00

/
Commissioner,
Guwahati Municipal Corporation,
Guwahati.

Date: - 8/9/17

Memo No, GWS/ 167/2017/100-a
Copy to: -

1. The Municipal Secretary G.M.C. for appraisal of Hon'ble Mayor, GMC & member's mayor in Council
2. The Addl. Commissioner, GMC, for information.
3. The Joint Commissioner, GMC, for information.
4. The Chief Engineer- I & II, GMC, for information.
5. The C.A. & A.O. G.M.C. for information.
6. M.S. Specialist, PMC. He is requested to upload the above NIQ with detail quotation document on the G.M.C.'s web site www.gmcpportal.in immediately.
7. The Director of Information & Public Relation, Assam, Dispur Last Gate, Guwahati, for publication of the above NIQ in one English & one Assamese daily news paper preferably on the following daily news paper. (a) The Assam Tribune, (b) The Sentinel & (c) Amar Asom.
8. Notice Board Head office/ Water Works/ Uzanbazar Office.
9. Head Cashier, G.M.C. for information.
10. File.

/
Commissioner,
Guwahati Municipal Corporation,
Guwahati.

OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION
Water Works ::: Panbazar ::: Guwahati-01.

DETAILED QUOTATION NOTICE

Sealed quotation is invited from manufacturer / authorized dealer / firms / reputed supplier etc. for **supply of spare parts for machineries** for use under Water Works, Guwahati Municipal Corporation for the year 2017-2018. Quotation will be received up to **2:00 P:M on 22.09.2017** and will be opened on the same date after one hour of closing time in **the** Conference Hall, Guwahati Municipal Corporation, Panbazar, Guwahati-01, under Chief Engineer, GMC, in presence of the quotationer or their authorized representative who would like to be present.


Name of the Work: Annual bid for supply of spare parts for machineries for the year 2017-2018.

Earnest Money: Rs.20,000.00 (*Rupees Twenty Thousand*) Only.

Terms & conditions:

- (1) Quotation must be accompanied with an Earnest Money of **Rs.20,000.00 (*Rupees Twenty Thousand*) Only** in the form of **Demand Draft / Banker's Cheque / Call Deposit Receipt** of any recognized bank only, duly pledged in the name of **the Commissioner, Guwahati Municipal Corporation, valid for one year. Without earnest money quotation will be invalid.**
- (2) The name of the work must be subscribed on the cover containing the quotation.
- (3) quotation once submitted cannot be withdrawn.
- (4) The rate quoted will be valid **up to one year. The approved supplier must supply the material at approved rate** within this period. If the supplier fails to supply the ordered item, the Earnest Money will be forfeited and he shall be blacklisted for all future quotation process under G.M.C.
- (5) Every page of the quotation must be signed by the quotationer with seal and any correction must be initiated.
- (6) The rate should be quoted both in words and figures clearly and any correction must be initiated.
- (7) Rate must be quoted including GST as per latest rule 2017 and GST already paid should be shown separately showing the proper code no. of item/items. No any other extra cost will be accepted on the quoted rate.
- (8) The quoted rate should be inclusive of the cost for carriage, loading, unloading and staking of the materials at the site as directed by the Engineer in-charge.
- (9) The GMC authority reserves the right to reject all or any quotation without assigning any reason thereof and does not bind itself to accept the lowest rate.
- (10) Quotationer must have a valid trade license (up-to date) from GMC.
- (11) Materials must be supplied as per the specification or sample.
- (12) Any materials rejected by the Engineer in-charge due to bad quality or other reason, must be replaced by the supplier at his own cost.
- (13) The quotationer must furnish their full postal address / contact numbers with the quotation. All correspondence onwards will be made by G.M.C. through ordinary post / special messenger. Change of address should be intimated immediately.

- (14) GST/ Income Tax at the applicable rate will be deducted from the bill as per Govt. latest circular issued from the Commissioner of Taxes time to time, at source.
- (15) Quotationer must have a PAN Card, photocopy of which to be submitted with the quotation.
- (16) Quotationer must have a GST registration certificate, photocopy of which must be enclosed with the quotation.
- (17) The Quotationer must submit the Annual turnover / balance sheet of last 3 (three) years 2014-2015, 2015-2016, 2016-2017 along with the quotation.
- (18) A solvency certificate from the bankers should be submitted with quotation.
- (19) The lowest quoted price amongst the qualified quotationers shall be considered as the preferred quotationers subject to the price quote of the quotationers being nearest to the minimum benchmark price fixed by the evolution committee formed for evaluating the quotation. Any price quote lower than the minimum benchmark price fixed by the evaluation committee shall not be considered for selection. This minimum benchmark price shall not be disclosed. This minimum benchmark price shall be fixed by the evaluation committee after submission of the quotations by the last date of submission but before opening of tender to maintain transparency.
Though preference will be given to experienced and financially sound contractors, timely executing of work will be examined and on the basis of his earlier performance preference will be given.
- (20) The GMC authority reserves the right to reject all or any bid without assigning any reason thereof and does not bind itself to accept the lowest rate.
- (21) The Corporation shall have the right to accept the quotation in whole or in part.
- (22) The supplier will be bound to supply the materials within stipulated time as and when intimated by the Engineer concerned or getting written requisition by the G.M.C.
- (23) If the opening date of the quotation falls on holiday or the office remains closed on the opening date, due to any reason, the quotation will be opened on the next working day at the same time.
- (24) Canvassing directly or indirectly in any form in connection with the quotation strictly prohibited and offers submitted by anyone who resort canvassing are liable for rejection.
- (25) In case of any dispute, decision of the Commissioner GMC will be final.



Commissioner,
Guwahati Municipal Corporation,
Guwahati.

Date: -

Memo No. GWS/

Copy to: -

1. The Joint Commissioner, G.M.C., for information.
2. The Chief Engineer- I & II, GMC, for information.
3. The In-Charge, Water Works, GMC, for information.
4. The C.A. & A.O., G.M.C., for information.
5. Concerned File / Notice Board.


Commissioner,
Guwahati Municipal Corporation,
Guwahati.

RATE SHEET
Supply of Spare Parts for Machineries

Sl. No.	Item & Specification	Unit	Rate (In Rs.)(Including GST)	Rate (In words)
1.	V-Contact bar for O.C.B. of MEI / Kilburn make starter			
	(i) 150 H.P. – 200 H.P.	Each		
	(ii) 210 H.P. – 250 H.P.	Each		
	(iii) 275 H.P. – 400 H.P.	Each		
2	Carbon Brass for slip ring motor of Kirloskar / Compton / GEC motor.			
	(i) 150 H.P. – 200 H.P.	Each		
	(ii) 210 H.P. – 250 H.P.	Each		
	(iii) 275 H.P. – 400 H.P.	Each		
3	Moving contact roller for starter drum of MEI / Kilburn make starter.	Each		
4	Contact finger for MEI/Kilburn type O.C.B. (M.C./V.C.)			
	(i) 40 H.P. – 100 H.P.	Each		
	(ii) 110 H.P. – 220 H.P.	Each		
	(iii) 250 H.P. – 400 H.P.	Each		
5	Moving contact point for MEI / Kilburn type O.C.B.			
	(i) 40 H.P. – 100 H.P.	Each		
	(ii) 110 H.P. – 220 H.P.	Each		
	(iii) 250 H.P. – 400 H.P.	Each		
6	Relay contact or for star delta starter -			
	<i>A. For line connection.</i>			
	(i) 5 H.P. – 10 H.P.	Each		
	(ii) 15 H.P. – 30 H.P.	Each		
	(iii) 40 H.P.- 60 H.P.	Each		
	<i>B. For Star Connection.</i>			
	(i) 5 H.P. – 10 H.P.	Each		
	(ii) 15 H.P. – 30 H.P.	Each		
	(iii) 40 H.P.- 60 H.P.	Each		
	<i>C. For delta connection with overload system.</i>			
	(i) 5 H.P. – 10 H.P.	Each		
	(ii) 15 H.P. – 30 H.P.	Each		
	(iii) 40 H.P.- 60 H.P.	Each		

7	Timer switch for star delta starter.			
	(i) 5 H.P. – 10 H.P.	Each		
	(ii) 15 H.P. – 30 H.P.	Each		
	(iii) 40 H.P.- 60 H.P.	Each		
8	No volt coil			
	a) For star delta starter	Each		
	i. 5 H.P. – 20 H.P.			
	ii. 25 H.P. – 50 H.P.	Each		
	b) For O.S.R. type starter (O.C.B.)	Each		
	i. 60 H.P. – 100 H.P.			
ii. 110 H.P. – 220 H.P.	Each			
iii. 240 H.P. – 400 H.P.	Each			
9	H.T. Barrel with metal parts.	Each		
10	H.T. Fuse			
	i) 15 Amp – 20 Amp	Each		
	ii) 25 Amp – 40 Amp	Each		
11	H.T. Metal parts skipper for hooking the barrel of heavy duty			
	i) Lower parts.	Each		
	ii) Upper parts	Each		
12	Over load coil for MEI / Kilburn type O.C.B.			
	i) 40 H.P. – 100 H.P.	Set of 3 pieces		
	ii) 110 H.P. – 200 H.P.	Set of 3 pieces		
	iii) 220 H.P. – 400 H.P.	Set of 3 pieces		
13	No volt coil assembly for MEI / Kilburn type O.C.B.			
	i) 40 H.P. – 100 H.P.	Each		
	ii.) 110 H.P. – 200 H.P.	Each		
	iii.) 220 H.P. – 400 H.P.	Each		
14	L / V contact point for O.C.B. of MEI / Kilburn make starter.			
	(i) 50 H.P. – 150 H.P.	Each		
	(ii) 180 H.P. – 400 H.P.	Each		
15	Flat contact point for starter drum of MEI / Kilburn make starter.			
	(i) 50 H.P. – 150 H.P.	Each		
	(ii) 180 H.P. – 400 H.P.	Each		
16	O.C.B. handle lock of MEI / Kilburn make starter.			
	(i) 50 H.P. – 150 H.P.	Each		
	(ii) 180 H.P. – 400 H.P.	Each		

17	Main switch of English electric / GEC / Heavels 500 volts T.P.N. type of H.R.C. fuse linking.				
	i) 32 Amp	Each			
	ii) 63 Amp	Each			
	iii) 100 Amp	Each			
	iv) 200 Amp	Each			
	v) 300 Amp	Each			
	vi) 400 Amp	Each			
18	H.R.C. fuse GEC / English electric make.				
	i. 32 Amp	Each			
	ii. 63 Amp	Each			
	iii. 100 Amp	Each			
	iv. 200 Amp	Each			
	v. 300 Amp	Each			
	vi. 400 Amp	Each			
19	Backlight insulator for starter drum male and female with copper bolt	Per set			
	20 Oil immersed star delta starter of MEI / Kilburn make manually Operated 3 PH – 440 volt 50 HZ.				
	i) 20 H.P. – 30 H.P.	Each			
	ii) 40 H.P. – 60 H.P.	Each			
	21	A.T.S. starter of MEI / Kilburn make manually operated 3 phase. 440 volt 50 HZ			
		i) 25 H.P. – 40 H.P.	Each		
		ii) 50 H.P. – 90 H.P.	Each		
22	D.O.L. starter L & T / Siemens make 3 phase, 440 volts 50 HZ				
	i) 5 H.P. – 10 H.P.	Each			
	ii) 12 H.P. – 20 H.P.	Each			
23	Automatic star delta starter of L & T / Siemens / Compton / make, 3 phase 440 volts, 50 HZ				
	i) 5 H.P. – 10 H.P.	Each			
	ii) 12.5 H.P. – 25 H.P.	Each			
24	O.S.R. type starter of MEI / Kilburn make manually operated 3 phase, 440 volt 50 HZ for slip ring type motor				
	i) 150 H.P.	Each			
	ii) 200 H.P.	Each			

	iii) 240 H.P.	Each		
	iv) 400 H.P.	Each		
25	Carbon holder for slip ring motor of Kirloskar / Compton GEC make.			
	i) 150 H.P. – 200 H.P.	Each		
	ii) 220 H.P. – 400 H.P.	Each		
26	Slip ring for Kirloskar / Compton GEC make motor.			
	i) 150 H.P. – 200 H.P.	Each		
	ii) 220 H.P. – 400 H.P.	Each		
27	Aluminium conductor P.V.C. insulated armoured cable for working voltage 660 volts to 1100 volt and maximum conductor temperature 72° C (ISI marked).			
	A. 3 Core			
	i. 60 mm ²	Mtr		
	ii. 95 mm ²	Mtr.		
	iii. 185 mm ²	Mtr.		
	B. 3½Core			
	i. 60 mm ²	Mtr		
	ii. 95 mm ²	Mtr.		
	iii. 185 mm ²	Mtr.		
28	Aluminium conductor P.V.C. insulated XLPE armoured cable for working voltage 11 KV and maximum conductor temperature 72° C (ISI marked).			
	A. 3 Core			
	i. 95 mm ²	Mtr		
	ii. 185 mm ²	Mtr		
29	P.V.C. wire single core of copper multi strand			
	i. 1.5 mm ²	Mtr		
	ii. 4.0 mm ²	Mtr.		
	iii. 6 mm ²	Mtr.		
30	Flexible wire (P.V.C.)			
	i. 10 Amp	Mtr		
	ii. 5 Amp	Mtr.		
31	Submersible cable of Copper multi strand for submersible pump set.			
	a) 4.00 sq. mm.	Mtr.		
	b) 6.00 sq. mm.	Mtr.		
	c) 10.00 sq. mm.	Mtr.		
	d) 16.00 sq. mm.	Mtr.		

32	Copper cable single core multi strand			
	a) 10 sq. mm.	Mtr.		
	b) 25 sq. mm.	Mtr.		
	c) 35 sq. mm.	Mtr.		
	d) 50 sq. mm.	Mtr.		
	e) 65 sq. mm.	Mtr.		
	f) 95 sq. mm.	Mtr.		
	g) 120 sq. mm.	Mtr.		
h) 240 sq. mm.	Mtr.			
33	P.V.C. Tape (Big Size)	Each		
34	Black Tape	Each		
35	Ampere tape	Each		
36	M.C.B. of L & T make / Havels make 3 phase -			
	i. 32 Amp	Each		
	ii. 63 Amp	Each		
	iii. 100 Amp	Each		
	iv. 200 Amp	Each		
	v. 300 Amp	Each		
	vi. 400 Amp	Each		
	vii. 600 Amp	Each		
37	C.T. Coil for ammeter			
	i) C.T.R. - 100/5 Amp	Each		
	ii) C.T.R. - 200/5 Amp	Each		
	iii) C.T.R. - 300/5 Amp	Each		
	iv) C.T.R. - 400/5 Amp	Each		
	v) C.T.R. - 600/5 Amp	Each		
38	Ammeter C.T.R. type			
	i) 0 - 400 Amp	Each		
	ii) 0 - 250 Amp	Each		
	iii) 0 - 100 Amp	Each		
39	Volt meter 0-440 volt 3 phase	Each		
40	Rotary Switch.			
	i) For Voltmeter.	Each		
	ii) For Ammeter	Each		
41	Resistance coil of MEI / Kilburn make starter drum suitable for			

	150 H.P. – 400 H.P. starter	Each		
42	Cut-out bridge with complete male / female set.			
	i. 16 Amp	Each		
	ii. 32 Amp	Each		
	iii. 63 Amp	Each		
	iv. 100 Amp	Each		
	v. 200 Amp	Each		
43	Supply of Electric lamp of Philips / Bajaj make 230 volt.			
	A. Florescent – 40 watt (tube light)	Each		
	B. General Bulb			
	i) 100 watt	Each		
	ii) 200 watt	Each		
	iii) 500 watt	Each		
44	Tube light frame of make Bajaj / Philips with starter, choke & tube	Each		
45	Choke for tube light	Each		
46	Starter for tube light	Each		
47	Holder for tube / bulb (any type)	Each		
48	Welding Rod	packet		
49	Transformer oil Gulf / Indian Oil Barrel (210 litre)	Barrel		
50	Supply of bearing for pump / meter of S.K.F. or equivalent make as per following specification.			
	a) Ball Bearing			
	Model no.	Base no.		
	i. 6305	As mentioned	Each	
	ii. 6306	As mentioned	Each	
	iii. 6307	As mentioned	Each	
	iv. 6308	As mentioned	Each	
	v. 6309	As mentioned	Each	
	vi. 6310	As mentioned	Each	
	vii. 6311	As mentioned	Each	
	viii. 6312	C3/ As mentioned	Each	
	ix. 6313	C3/ As mentioned	Each	
	x. 6314	C3/ As mentioned	Each	
	xi. 6315	C3/ As mentioned	Each	
xii. 6316	C3/ As mentioned	Each		
xiii. 6317	As mentioned	Each		

	xiv. 6318	As mentioned	Each		
	xv. 6319	As mentioned	Each		
	xvi. 6322	C3/As mentioned	Each		
	xvii. 3305	As mentioned	Each		
	xviii. 3306	As mentioned	Each		
	xix. 7308	BG/As mentioned	Each		
	xx. 7309	BG/As mentioned	Each		
	xxi. 7310	BECBM/ As mentioned	Each		
	xxii. 7311	BG/ As mentioned	Each		
	xxiii. 7312	BG/As mentioned	Each		
	xxiv. 7313	BG/ As mentioned	Each		
	xxv. 6218	As mentioned	Each		
	b) Roller Bearing				
	i) NU/N-308	As mentioned	Each		
	ii) NU/N-309	C3/As mentioned	Each		
	iii) NU/N-311	As mentioned	Each		
	iv) NU/N-315	As mentioned	Each		
	v) NU/N-318	C3/As mentioned	Each		
	vi) NU/N-319	C3/As mentioned	Each		
	vii) NU/N-412	C3/As mentioned	Each		
	viii) NU/N 413	As mentioned	Each		
	ix) NU/N-321	As mentioned	Each		
	x) NU/N-322	C3/As mentioned	Each		
51	C.I. coupling for pump & motor of Bolt & bushing type				
	a.	Up to 6 inch dia (150 mm)	Each pair		
	b.	8 inch dia (200 mm)	Each pair		
	c.	10 inch dia (250 mm)	Each pair		
	d.	12 inch dia (300 mm)	Each pair		
52	Coupling nuts & bolt for pump and motor.				
	a.	5 - 15 H.P.	Each		
	b.	20 - 50 H.P.	Each		
	c.	60 - 180 H.P.	Each		
	d.	200 - 400 H.P.	Each		
53	Supply of steel coupling of star (love joy) type complete set with steel ring bushing etc. including boring as per size of pump motor shaft, key slot				

	etc.			
	a. Up to 6 inch dia (150 mm)	Each pair		
	b. 8 inch dia (200 mm)	Each pair		
	c. 10 inch dia (250 mm)	Each pair		
	d.12 inch dia (300 mm)	Each pair		
54	Rubber bushing pad for star type coupling.			
	i. 6" dia coupling (150 mm)	Per piece		
	ii. 8" dia coupling (200 mm)	Per piece		
	iii. 10" dia coupling (250 mm)	Per piece		
	iv. 12" dia coupling (300 mm)	Per piece		
55	Rubber bushing pad of star type for star coupling			
	10 – 60 H.P. (upto 6" dia)	Each		
56	Rubber belt for coupling of pump & motor			
	i. 50 mm width, 10 mm thick	Per mtr.		
	ii. 80 mm width, 10 mm thick	Per mtr.		
	iii. 100 mm width, 10 mm thick	Per mtr.		
57	G.M. gland bushing for pumps			
	a. 5 – 10 H.P.	Each		
	b. 15 – 40 H.P.	Each		
	c. 50 – 180 H.P.	Each		
	d. 200 - 400 H.P.	Each		
58	C.I. bushing for pump			
	a. 5 – 10 H.P.	Each		
	b. 15 – 40 H.P.	Each		
	c. 50 – 180 H.P.	Each		
	d. 200 - 400 H.P.	Each		
59	S. S Bushing for pump			
	a. 5 – 10 H.P.	Each		
	b. 15 – 40 H.P.	Each		
	c. 50 – 180 H.P.	Each		
	d. 200 - 400 H.P.	Each		
60	Bronze impeller for pumps			
	i. 5 to 10 H.P.	Each		

	ii.	15 to 30 H.P.	Each		
	iii.	40 to 60 H.P.	Each		
61	M.S. Pumps shaft for-				
	i.	1 H.P. to 5 H.P.	Each		
	ii.	7.5 H.P. to 20 H.P.	Each		
	iii.	30 H.P. to 60 H.P.	Each		
	iv.	75 H.P. to 110 H.P.	Each		
	v.	150 H.P. to 220 H.P.	Each		
	vi.	240 H.P. to 400 H.P.	Each		
62	S.S. Pumps shaft for-				
	i.	1 H.P. to 5 H.P.	Each		
	ii.	7.5 H.P. to 20 H.P.	Each		
	iii.	30 H.P. to 60 H.P.	Each		
	iv.	75 H.P. to 110 H.P.	Each		
	v.	150 H.P. to 220 H.P.	Each		
	vi.	240 H.P. to 400 H.P.	Each		
63	M.S. gland plate for pumps				
	a.	5 to 10 H.P.	Each		
	b.	15 to 30 H.P.	Each		
	c.	40 to 60 H.P.	Each		
	d.	75 to 150 H.P.	Each		
	e.	180 to 240 H.P.	Each		
	f.	250 to 400 H.P.	Each		
64	C.I. bearing casing of pump				
	a.	5 to 10 H.P.	Each		
	b.	15 to 30 H.P.	Each		
	c.	40 to 60 H.P.	Each		
	d.	75 to 150 H.P.	Each		
	e.	180 H.P. – 240 H.P.	Each		
	f.	250 H.P. – 400 H.P.	Each		
65	M.S. impeller nuts for				
	a.	5 to 10 H.P.	Each		
	b.	15 to 30 H.P.	Each		
	c.	40 to 60 H.P.	Each		
	d.	75 to 150 H.P.	Each		

	e. 180 H.P. – 240 H.P.	Each		
	f. 250 H.P. – 400 H.P.	Each		
66	Impeller for pump (Brass)			
	a. 5 to 10 H.P.	Each		
	b. 15 to 30 H.P.	Each		
	c. 40 to 60 H.P.	Each		
	d. 75 to 150 H.P.	Each		
	e. 180 H.P. – 240 H.P.	Each		
	f. 250 H.P. – 400 H.P.	Each		
67	Impeller for pump (S.S.)			
	a. 5 to 10 H.P.	Each		
	b. 15 to 30 H.P.	Each		
	c. 40 to 60 H.P.	Each		
	d. 75 to 150 H.P.	Each		
	e. 180 H.P. – 240 H.P.	Each		
	f. 250 H.P. – 400 H.P.	Each		
68	Impeller for pump (C.I.)			
	a. 5 to 10 H.P.	Each		
	b. 15 to 30 H.P.	Each		
	c. 40 to 60 H.P.	Each		
	d. 75 to 150 H.P.	Each		
	e. 180 H.P. – 240 H.P.	Each		
	f. 250 H.P. – 400 H.P.	Each		
69	M.S. stud for Pump body			
	a. 5 to 10 H.P.	Each		
	b. 15 to 30 H.P.	Each		
	c. 40 to 60 H.P.	Each		
	d. 75 to 150 H.P.	Each		
	e. 180 H.P. – 240 H.P.	Each		
	f. 250 H.P. – 400 H.P.	Each		
70	M.S. stud for Gland packing plate			
	a. 5 to 10 H.P.	Each		
	b. 15 to 30 H.P.	Each		
	c. 40 to 60 H.P.	Each		

	d. 75 to 150 H.P.	Each		
	e. 180 H.P. – 240 H.P.	Each		
	f. 250 H.P. – 400 H.P.	Each		
71	Rubber bushing for coupling nuts of size			
	a. 1¾ X 1" X ½"	Each		
	b. 1½ X 1¾ X ⅞"	Each		
72	Bearing cover for motor & pumps -			
	a. 5 to 20 H.P.	Each		
	b. 30 to 60 H.P.	Each		
	c. 75 to 150 H.P.	Each		
	d. 180 to 400 H.P.	Each		
73	Check nut for pump & motor			
	a. 5 to 20 H.P.	Each		
	b. 30 to 60 H.P.	Each		
	c. 75 to 150 H.P.	Each		
	d. 180 to 400 H.P.	Each		
74	Supply of M.S. plate thickness			
	a. 6 mm	Kg.		
	b. 4 mm	Kg.		
75	Supply of angle iron of size			
	a. 6 mm X 37 mm X 37mm	Kg.		
	b. 6 mm X 50 mm X 50mm	Kg.		
76	Supply of M.S. channel of size			
	a. 6 mm X 37 mm X 63 mm	Kg.		
	b. 6 mm X 50 mm X 100 mm	Kg.		
	c. 6 mm X 80 mm X 150 mm	Kg.		
77	Making & supply of M.S. spindle for valve of size			
	a. 3" – 5"	Each		
	b. 6" – 8"	Each		
	c. 10" – 12"	Each		
	d. 14" – 18"	Each		
	e. 20" – 24"	Each		
78	Making & supply of different size of Brass Spindle			
	a. 3" – 5"	Each		
	b. 6" – 8"	Each		

	c. 10" - 12"	Each		
	d. 14" - 18"	Each		
	e. 20" - 24"	Each		
79	Making and supply of S.S. spindle			
	a. 3" - 5"	Each		
	b. 6" - 8"	Each		
	c. 10" - 12"	Each		
	d. 14" - 18"	Each		
	e. 20" - 24"	Each		
80	Making and supply of C.I. nut for spindle			
	a. 3" - 5"	Each		
	b. 6" - 8"	Each		
	c. 10" - 12"	Each		
	d. 14" - 18"	Each		
	e. 20" - 24"	Each		
81	Making and supply of Brass nut for spindle			
	a. 3" - 5"	Each		
	b. 6" - 8"	Each		
	c. 10" - 12"	Each		
	d. 14" - 18"	Each		
	e. 20" - 24"	Each		
82	Making and supply of S.S. nut for spindle			
	a. 3" - 5"	Each		
	b. 6" - 8"	Each		
	c. 10" - 12"	Each		
	d. 14" - 18"	Each		
	e. 20" - 24"	Each		
83	M.S. gland packing plate for sluice valve			
	a. 3" - 5"	Each		
	b. 6" - 8"	Each		
	c. 10" - 12"	Each		
	d. 14" - 18"	Each		
	e. 20" - 24"	Each		
84	M.S. / C.I. Van guide for pump -			
	a. 60 H.P. - 100 H.P.	Each		
	b. 110 H.P. - 200 H.P.	Each		

	c. 220 H.P. – 300 H.P.	Each		
85	Supply of gland packing for Pump / Valves (Champion 3316 Make)			
	a. 1"	Kg		
	b. ¾"	Kg		
	c. ⅝"	Kg		
	d. ½"	Kg		
86	Supply of gland packing for Pump / Valves (S.K.R. Make)			
	a. 1"	Kg		
	b. ¾"	Kg		
	c. ⅝"	Kg		
	d. ½"	Kg		
87	Power contactor 400 (Schneider/ Equivalent Brand)			
88	Power contactor 150/160 (Schneider/ Equivalent Brand)			
89	MNX 225 coil contactor (L&T Make/ Equivalent Brand)			
90	Power relay contactor (L&T Make/ Equivalent Brand)			
	i. for 180 H.P. to 220 H.P. starter			

Signature of the Bidder,

Date: -

Name of the Firm :-

Name of the Proprietor: -

Address :-

Address :-

Phone No :-

Phone No :-

Seal :-

CHECK LIST

(Documents to be provided for the bid)

Please tick <input checked="" type="checkbox"/> in appropriate box	<u>Yes</u>	<u>No</u>
1. Duly filled up rate sheet & detail tender notice	<input type="checkbox"/>	<input type="checkbox"/>
2. Money receipt of Rs.1,000.00 as document fees	<input type="checkbox"/>	<input type="checkbox"/>
3. Earnest money of Rs.20,000.00 only	<input type="checkbox"/>	<input type="checkbox"/>
4. Photocopy of PAN Card	<input type="checkbox"/>	<input type="checkbox"/>
5. Valid trade license from GMC	<input type="checkbox"/>	<input type="checkbox"/>
6. Photocopy of GST registration certificate	<input type="checkbox"/>	<input type="checkbox"/>
7. Solvency certificate from the Banker	<input type="checkbox"/>	<input type="checkbox"/>
8. Annual turnover / balance sheet of last 3 (three) years 2013-2014, 2014-2015, 2015-2016	<input type="checkbox"/>	<input type="checkbox"/>
9. Full postal address with contact No.	<input type="checkbox"/>	<input type="checkbox"/>
10. Any extra ordinary clause from Govt. in case of manufacture / SSI Units, to be considered in this bid.	<input type="checkbox"/>	<input type="checkbox"/>
11. Every page / documents of the bid signed by the bidder	<input type="checkbox"/>	<input type="checkbox"/>

Information About Tenderers (To be furnished with Tender)

1. In case of Individual:

- 1.1. Name of business :
- 1.2. Whether his business is registered. :
- 1.3. Date of commencement of business. :
- 1.4. Whether he pays Income Tax :
- 1.5. Age of the tenderer :

2. In case of Partnership firm:

- 2.1. Names & ages of Partners :
- 2.2. Whether the Partnership is registered. :
- 2.3. Date of establishment of firm :
- 2.4. If each of the partners of the firm pays income tax or not, who of them pays the same. :

3. In case of Limited Liability Company: Company or Company Limited by Guarantees

- 3.1. Amount of paid up capital :
- 3.2. Name of Directors :
- 3.3. Date of Registration of Company. :
- Annual Reports /Copies of audited Balance Sheets of the Company of the last three years. :

4. PAN of Tenderer :

Signature of Tenderer
Name and Address of the tenderer.