

**GUWAHATI MUNICIPAL CORPORATION  
WATER WORKS :: PANBAZAR  
GUWAHATI-781001**



**DETAILED QUOTATION NOTICE & DOCUMENT**

**NAME OF WORK:-** Annual quotation for repairing of machineries for the year 2017-2018.

**Issued against document fee payment receipt no. ....**

**Name of Quotationer :**

---

**Issue Date:** .....

**Issued To:** .....

**Full Postal Address:** .....  
.....  
.....

**Fax No.** : ..... **Tel No.** : .....

**Mobile No.** : ..... **E-mail** : .....

**Reference of cost of Tender Document:**

**Receipt no--** ..... **Date-**.....

**OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION**  
**Water Works ::: Panbazar ::: Guwahati-1.**

---

**NATIONAL COMPETITIVE QUOTATION**

**NAME OF WORK:-**            **Annual quotation for repairing of machineries for the year 2017-2018.**

<b><u>SCHEDULE FOR QUOTATION PROCEDURE</u></b>	
SALE OF QUOTATION DOCUMENTS	FROM 09.10.2017 TO 23.10.2017
SUBMISSION OF QUOTATION	UP TO 2.00 P.M. OF 24.10.2017
OPENING OF QUOTATION	24.10.2017 AT 3:00 P.M.
PLACE OF OPENING OF QUOTATION	CONFERRANCE HALL, GUWAHATI MUNICIPAL CORPORATION, PANBAZAR, GUWAHATI-01, UNDER CHIEF ENGINEER, GMC.
EVALUATION OF QUOTATION	FROM 25.10.2017
OFFICER INVITING QUOTATION	COMMISSIONER, GUWAHATI MUNICIPAL CORPORATION, PANBAZAR, GUWAHATI-01

OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION  
Water Works ::: Panbazar ::: Guwahati - 01.

No.GWS/167/2017/315-A.

Date: 06/10/17


**NOTICE INVITING RE-QUOTATION**

Separate sealed quotations are invited from manufacturer / authorized dealer / firms / reputed supplier/ contractor for the following works under Water Works, Guwahati Municipal Corporation for the year 2017-2018. Quotation will be received up to 2:00 P.M. on 24.10.2017 and will be opened on the same date after one hour of closing time in the Conference Hall, Guwahati Municipal Corporation, Panbazar, Guwahati-01, under Chief Engineer, GMC, in presence of the quotationer or their authorized representative who would like to be present.

Detailed quotation documents and other terms & conditions etc. may be obtained from the office of Water Works, Guwahati Municipal Corporation, against payment of Rs.1,000.00 (Rupees One Thousand) only as non-refundable documents fee in cash during the office hours in all working days w.e.f. 09.10.2017 to 23.10.2017 and can also be seen and downloaded from Guwahati Municipal Corporation's website <http://gmcportal.in>. For downloaded quotation document, document fee of Rs.1,000/- (Rupees One Thousand) only is to be deposited to the Cashier, G.M.C., during submission of quotation.

As per earlier tender dated-22.09.2017, the valid tenders may be kept remain same by the party or the party may an option to submit fresh tender if desired. The valid earnest money deposited with the earlier tender will be considered. Other terms and condition will remain the same.


Sl. No.	Name of work	Approximate annual requirement	Earnest money (in Rs.)
1.	Supply of spare parts for machineries for the year 2017-2018.	As per necessity	20,000.00
2.	Supply of G.I. / G.M & Hardware materials for the year 2017-2018	As per necessity	20,000.00
3.	Repairing of machineries for the year 2017-2018	As per necessity	20,000.00
4.	Supply of Rubber Hose Pipe, M.S. PIPE & D.I. pipes for the year 2017-2018	As per necessity	20,000.00
5.	For providing a Country Boat for Kamakhya Water Supply Scheme for the year 2017-2018.	As per necessity	20,000.00

  
Commissioner,  
Guwahati Municipal Corporation,  
Guwahati.

Date: - 06/10/17

Memo No. GWS/167/2017/315-A.  
Copy to: -

1. The Municipal Secretary G.M.C. for appraisal of Hon'ble Mayor, GMC & member's mayor in Council
2. The Addl. Commissioner, GMC, for information.
3. The Joint Commissioner, GMC, for information.
4. The Chief Engineer- I & II, GMC, for information.
5. The C.A. & A.O. G.M.C. for information.
6. M.S. Specialist, PMC. He is requested to upload the above NIQ with detail quotation document on the G.M.C.'s web site [www.gmcportal.in](http://www.gmcportal.in) immediately.
7. The Director of Information & Public Relation, Assam, Dispur Last Gate, Guwahati, for publication of the above NIQ in one English & one Assamese daily news paper preferably on the following daily news paper. (a) The Assam Tribune, (b) The Sentinel & (c) Amar Asom.
8. The Director of Information & Public Relation, Kamrup (M), Guwahati-01, for publication of the above NIQ in one English & one Assamese daily news paper preferably on the following daily news paper. (a) The Assam Tribune, (b) The Sentinel & (c) Amar Asom.
9. Notice Board Head office/ Water Works/ Uzanbazar Office.
10. Head Cashier, G.M.C. for information.
11. File.

  
Commissioner,  
Guwahati Municipal Corporation,  
Guwahati.

# OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION

## Water Works ::: Panbazar ::: Guwahati-1.

---

### **DETAILED QUOTATION NOTICE**

Sealed quotation is invited from authorized dealer/ reputed electrical/mechanical repairing firms/contractor etc. for **Repairing of machineries** under Water Works, Guwahati Municipal Corporation for the year 2017-2018. Quotation will be received up to **2:00 P:M on 24.10.2017** and will be opened on the same date after one hour of closing time in **the** Conference Hall, Guwahati Municipal Corporation, Panbazar, Guwahati-01, under Chief Engineer, GMC, in presence of the tenderer or their authorized representative who would like to be present.

**Name of the Work:** Annual quotation for repairing of machineries for the year 2017-2018.

**Earnest Money:** Rs.20,000.00 (*Rupees Twenty Thousand*) Only.

#### **Terms & conditions:**

- (1) Quotation must be accompanied with an Earnest Money of **Rs.20,000.00 (Rupees Twenty Thousand) Only** in the form of **Demand Draft / Banker's Cheque / Call Deposit Receipt** of any recognized bank only, duly pledged in the name of **the Commissioner, Guwahati Municipal Corporation, valid for one year. Without earnest money bid will be invalid.**
- (2) The name of the work must be subscribed on the cover containing the quotation.
- (3) quotation once submitted cannot be withdrawn.
- (4) The rate quoted will be valid **up to one year. The approved supplier must supply the material at approved rate** within this period. If the supplier fails to supply the ordered item, the Earnest Money will be forfeited and he shall be blacklisted for all future quotationing process under G.M.C.
- (5) Every page of the quotation must be signed by the quotioner with seal and any correction must be initiated.
- (6) The rate should be quoted both in words and figures clearly and any correction must be initiated.
- (7) Rate must be quoted including GST as per latest rule 2017 and GST already paid should be shown separately showing the proper code no. of item/items. No any other extra cost will be accepted on the quoted rate.
- (8) The quoted rate should be inclusive of the cost for carriage, loading, unloading and staking of the materials at the site as directed by the Engineer in-charge.
- (9) The tenderer or his workman must have electrical license, Supervisor license from electrical licensing authority (Chief Electrical Advisor, Govt. of Assam) for undertaking different types of electrical works related to water supply machineries and installations. Certificate in this regard must be submitted with the quotation.

- (10) Quotationer must have a valid trade license (up-to date) from GMC.
- (11) Any incorrect information and false document will lead to disqualification and cancellation of quotation.
- (12) The GMC authority reserves the right to reject all or any quotation without assigning any reason thereof and does not bind itself to accept the lowest rate.
- (13) Materials must be supplied as per the specification or sample and repairing must be done as per standard specification and as directed by Engineer in-charge.
- (14) Any materials rejected by the Engineer in-charge due to bad quality or other reason, must be replaced by the supplier at his own cost.
- (15) The approved contractor will be bound to take up the works at any time as and when intimated by Engineer concerned. The formal order may be issued later on and the contractor cannot demand for formal work order for taking up the work.
- (16) After rewinding of motor a guarantee certificate will have to be given for a period of 6 (six) months. Any defect arises during that period must be rectified by the firm free of cost.
- (17) After repairing the pump, like changing of bushing, check nut, impeller & shaft repairing etc. etc., a guarantee certificate will have to be given for a period of 6 month.
- (18) The quotationer must furnish their full postal / contact numbers with the quotation. All correspondence onwards will be made by G.M.C. through ordinary post / special messenger. Change of address should be intimated immediately.
- (19) GST/ Income Tax at the applicable rate will be deducted from the bill as per Govt. latest circular issued from the Commissioner of Taxes time to time, at source.
- (20) Quotationer must have a PAN Card, photocopy of which to be submitted with the quotation.
- (21) Quotationer must have a GST registration certificate, photocopy of which must be enclosed with the quotation.
- (22) The Quotationer must submit the Annual turnover / balance sheet of last 3 (three) years 2014-2015, 2015-2016, 2016-2017 along with the quotation.
- (23) A solvency certificate from the bankers should be submitted with quotation.
- (24) The lowest quoted price amongst the qualified quotationer shall be considered as the preferred quotationer subject to the price quote of the quotationer being nearest to the minimum benchmark price fixed by the evolution committee formed for evaluating the tenders. Any price quote lower than the minimum benchmark price fixed by the evaluation committee shall not be considered for selection. This minimum benchmark price shall not be disclosed. This minimum benchmark price shall be fixed by the evaluation committee after submission of the quotation by the last date of submission but before opening of quotation to maintain transparency.

Though preference will be given to experienced and financially sound contractors, timely executing of work will be examined and on the basis of his earlier performance preference will be given.

- (25) The Corporation shall have the right to accept the bid in whole or in part.
- (26) The supplier will be bound to supply the materials within stipulated time as and when intimated by the Engineer concerned or getting written requisition by the G.M.C.
- (27) If the opening date of the quotation falls on holiday or the office remains closed on the opening date, due to any reason, the quotation will be opened on the next working day at the same time.
- (28) Canvassing directly or indirectly in any form in connection with the quotation strictly prohibited and offers submitted by anyone who resort canvassing are liable for rejection.
- (29) In case of any dispute, decision of the Commissioner GMC will be final.

Sd/-  
**Commissioner,  
Guwahati Municipal Corporation,  
Guwahati.**  
*Date: -*

***Memo No. GWS/***

***Copy to: -***

1. The Joint Commissioner, G.M.C., for information.
2. The Chief Engineer- I & II, GMC, for information.
3. The In-Charge, Water Works, GMC, for information.
4. The C.A. & A.O., G.M.C., for information.
5. Concerned File / Notice Board.

Sd/-  
**Commissioner,  
Guwahati Municipal Corporation,  
Guwahati.**

**RATE SHEET**  
**REPAIRING OF MACHINERIES**

Sl. No.	Specification	Unit	Rate (Rs.)	Rate in words
1.	<b>Labour charge for opening out of squirrel cage /Slip ring type &amp; size of induction motor including dismantling the coupling joints where necessary and refitting the same after cleaning, greasing all complete with testing.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
2.	<b>Repairing the rotor of slip ring type induction motor with all necessary materials and fitting fixing &amp; testing after complete of job.</b>			
	a. 40 H.P. to 100 H.P.	Each		
	b. 150 H.P. to 220 H.P.	Each		
	c. 240 H.P. to 400 H.P.	Each		
3.	<b>Rewinding the rotor of slip ring type induction motor with all necessary materials &amp; fitting fixing &amp; testing after completion of job.</b>			
	a. 40 H.P. to 100 H.P.	Each		
	b. 150 H.P. to 220 H.P.	Each		
	c. 240 H.P. to 400 H.P.	Each		
4.	<b>Repairing the stator of slip ring type induction motor with all necessary materials &amp; fitting fixing &amp; testing after completion of job.</b>			
	a. 40 H.P. - 100 H.P.			
	b. 150 H.P. to 220 H.P.	Each		
	c. 240 H.P. to 400 H.P.	Each		
5.	<b>Rewinding the stator of slip ring type induction motor with all necessary materials &amp; fitting fixing and testing after completion of job.</b>			
	a. 40 H.P. to 100 H.P.	Each		
	b. 150 H.P. to 220 H.P.			
	c. 240 H.P. to 400 H.P.	Each		

6.	<b>Repairing the stator of squirrel cage type induction motor with all necessary materials &amp; fitting fixing &amp; testing after completion of job.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
7.	<b>Rewinding the stator of squirrel cage type induction motor with all necessary materials &amp; fitting fixing and testing after completion of job.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
8.	<b>Labour charge for repairing of A.T.S./ Automatic Star- delta type starter in different places, resemble after proper checking &amp; changing of necessary defective parts including load testing at site (<i>spare parts supply by department.</i>)</b>			
	a. 5 H.P. to 20 H.P.	Each		
	b. 30 H.P. to 60 H.P.	Each		
	c. 75 H.P. to 150 H.P.	Each		
	d. 180 H.P. to 220 H.P.	Each		
9.	<b>Rewinding of transformer coil of A.T.S. type starter with all necessary materials fitting, fixing and testing all complete as directed</b>			
	a. 5 H.P. to 20 H.P.	Each		
	b. 30 H.P. to 60 H.P.	Each		
	c. 75 H.P. to 150 H.P.	Each		
	d. 180 H.P. to 220 H.P.	Each		
10.	<b>Labour charge for opening out of oil immersed starter drum of slip ring motor reassembling the same after proper checking and changing of necessary parts. (<i>Spare parts supply by department.</i>)</b>			
	a. 100 H.P. to 200 H.P.	Each		

	b. 220 H.P. to 400 H.P.	Each		
11.	<b>Opening out of O.C.B. at site and reassemble after changing and rectification of defective materials O.C.B. testing (spare parts supply by department)</b>			
	c. 100 H.P. to 200 H.P.	Each		
	d. 220 H.P. to 400 H.P.	Each		
12.	<b>Labour charge for changing of no volt coil of starter and O.C.B.</b>			
	a. 5 H.P. to 50 H.P.	Each		
	b. 60 H.P. to 110 H.P.	Each		
	c. 120 H.P. to 220 H.P.	Each		
	d. 240 H.P. to 400 H.P.	Each		
13.	<b>Labour charge for changing of over load relay coil of starter</b>			
	a. 5 H.P. to 50 H.P.	Each		
	b. 60 H.P. to 110 H.P.	Each		
	c. 120 H.P. to 220 H.P.	Each		
	d. 240 H.P. to 400 H.P.			
14.	<b>Cable socket soldering or clamping with cutting of cable &amp; supply of required size and type of socket (lug) including providing of all required materials like acid rang etc. or clamping machine whatever necessary and connecting to the machineries.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
15.	<b>Labour charge for changing fitting fixing of new main switch / M.C.B. of different sizes (switch supply by department)</b>			
	a. 16 to 63 Amp	Each		
	b. 100 to 200 Amp	Each		
	c. 220 to 400 Amp	Each		
	d. 600 Amps and above	Each		
16.	<b>Labour charge for changing fitting fixing of starter of different size including making the connection (starter supply by department)</b>			

	a. 1 H.P. to 5 H.P.	Each		
	b. 7.5 H.P. to 30 H.P.	Each		
	c. 40 H.P. to 100 H.P.	Each		
	d. 110 H.P. to 220 H.P.	Each		
	e. 240 H.P. to 400 H.P.	Each		
<b>17.</b>	<b>Labour charge for repairing of MCCB/MCB/Main switch at different site with necessary materials.</b>			
	a. 16 - 63 Amp	Each		
	b. 100 – 200 Amp	Each		
	c. 220 – 400 Amp	Each		
	d. 600 Amps and above	Each		
<b>18.</b>	<b>Labour charge for fitting fixing of coupling including boring, key slots cutting after sleeve fitting as per motor &amp; pump shafts.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
<b>19.</b>	<b>Motor slip ring repairing for -</b>			
	a. 110 to 220 H.P.	Each		
	b. 240 to 400 H.P.	Each		
<b>20.</b>	<b>Copper cable laying fitting fixing including supplying and soldering of cable socket as required for different size of motor &amp; making the connection (cable supply by department)</b>			
	a. Main switch to starter 3 (line)	R.Mtr.		
	b. Starter to motor (3 line)	R.Mtr.		
<b>21.</b>	<b>Rotor shafts welding turning as per size of bearing &amp; also threading for check nut.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		

	f. 240 H.P. to 400 H.P.	Each		
22.	<b>Motor cover repairing including sleeve fitting in bearing place as per the size of bearing.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
23.	<b>Labour charge for opening out of pump of different size including dismantling suction delivery pipe coupling joints where necessary and checking the complete pump, providing necessary gasket, grease &amp; refitting the same.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
24.	<b>Labour charge for changing of impeller for pump after opening out the damage impeller.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
25.	<b>Labour charge for changing van guide for the following pump of different size.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		

26.	<b>Labour charge for changing of bushing with greasing for pump the following size.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
27.	<b>Labour charge for fitting fixing of M.S./ S.S. pump shafts with greasing as per sample for the following.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
28.	<b>Labour charge for pump shafts welding turning making and sizing complete including carrying of shaft from worksite to factory and refitting the same</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
29.	<b>Labour charge for pump bearing cover welding, turning or sleeve fitting etc. complete.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
30.	<b>Labour charge for fitting fixing of bearing with grease etc. including opening out of pump/ motor different site and refitting the same complete with testing.</b>			

	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
<b>31.</b>	<b>Heating &amp; varnishing of stator / rotor including supply of required varnish all complete with testing.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
<b>32.</b>	<b>Making &amp; fitting of wooden base plate on the deck of barge with supplying necessary plank of Sal wood of required size including welding, cutting &amp; fitting fixing of base plate, pump motor etc. as directed.</b>			
	a. 5 H.P. to 10 H.P.	Each		
	b. 15 H.P. to 30 H.P.	Each		
	c. 40 H.P. to 100 H.P.	Each		
	d. 150 H.P. to 220 H.P.	Each		
	e. 240 H.P. to 400 H.P.	Each		
<b>33</b>	<b>Base plate modification as required for proper fitting of pump, motor including providing all the materials, welding cutting complete as directed.</b>			
	a. 1 H.P. to 3 H.P.	Each		
	b. 5 H.P. to 10 H.P.	Each		
	c. 15 H.P. to 30 H.P.	Each		
	d. 40 H.P. to 100 H.P.	Each		
	e. 150 H.P. to 220 H.P.	Each		
	f. 240 H.P. to 400 H.P.	Each		
<b>33.</b>	<b>Making of R.C.C. foundation over the floor of treatment plant for fitting, fixing of M.S. Base Plate for pump &amp; motor</b>			
	a. 10 H.P. to 60 H.P.	Each		
	b. 100 H.P. to 220 H.P.	Each		

	c. 240 H.P. to 400 H.P.	Each		
34.	<b>Carrying of motor from the Intake Barge to workshop for the purpose of rewinding/repairing.</b>			
	a. 100 H.P. to 220 H.P.	Each		
	b. 240 H.P. to 400 H.P.	Each		
35.	<b>Labour charge for drilling and rethreading of gland plate hole of pump, valve, non return valve etc. including providing of new bolt as per threading size, fitting fixing complete.</b>			
	a. Hole up to 15 mm dia	Each		
	b. Hole between 15 to 20 mm dia	Each		
	c. Hole between 20 to 25 mm dia	Each		
36.	<b>Dismantling of submersible pump including cleaning greasing refitting &amp; testing.</b>			
	a. 5 - 20 H.P.	Each		
	b. 21 - 50 H.P.	Each		
37.	<b>Dismantling of submersible motor including cleaning greasing refitting &amp; testing.</b>			
	a. 5 - 20 H.P.	Each		
	b. 21 - 50 H.P.	Each		
38.	<b>Rewinding submersible motor including supplying all necessary materials complete with testing.</b>			
	a. 5 H.P.	Each		
	b. 7.5 - 20 HP	Each		
	c. 21 - 30 H.P.	Each		
	d. 31 - 50 H.P.	Each		
39.	<b>Supply fitting fixing of G.M. bushing for submersible motor.</b>			
	a. 5 H.P.	Each		
	b. 7.5 - 20 HP	Each		
	c. 21 - 30 H.P.	Each		
	d. 31 - 50 H.P.	Each		
40.	<b>Supply fitting fixing of S.S. shafts for submersible pump.</b>			
	a. 5 H.P.	Each		
	b. 7.5 - 20 HP	Each		
	c. 21 - 30 H.P.	Each		
	d. 31 - 50 H.P.	Each		

41.	<b>Supply fitting fixing of thrust plate &amp; bearing for submersible motor.</b>			
	a. 5 H.P.	Each		
	b. 7.5 – 20 HP	Each		
	c. 21 – 30 H.P.	Each		
	d. 31 – 50 H.P.	Each		
42.	<b>Supply &amp; fitting of impeller for submersible pump - A) C.I.</b>			
	a. 5 H.P.	Each		
	b. 7.5 – 20 HP	Each		
	c. 21 – 30 H.P.	Each		
	d. 31 – 50 H.P.	Each		
	<b>B) G.M.</b>	Each		
	a. 5 H.P.	Each		
	b. 7.5 – 20 HP	Each		
	c. 21 – 30 H.P.	Each		
	d. 31 – 50 H.P.	Each		
	43.	<b>12mm thickness fillet welding with all required materials</b>		
a. By electric		cm.		
b. By Gas		cm.		
44.	<b>Cutting of pipe or plate by gas or electric welding</b>	cm.		
45.	<b>Joining of submersible cable with straight through socket joint with water proof tap</b>	Per joint		
46.	<b>Supplying fitting fixing cable joint box</b>			
	<b>Outdoor:</b>			
	a. 120- 240 Sq mm	Each		
	b. 300- 400 Sq mm	Each		
	<b>Indoor:</b>			
	a. 120- 240 Sq mm	Each		
	b. 300- 400 Sq mm	Each		
	<b>Straight through:</b>			
	a. 120- 240 Sq mm	Each		
	b. 300- 400 Sq mm	Each		

47.	<b>Supplying fitting, fixing of heat Shrinkable type kits for transformer 11 KV(E) - XLPE</b>			
	<b>Outdoor:-</b>			
	a. 120- 240 Sq mm	Each		
	b. 300- 400 Sq mm	Each		
	<b>Indoor:-</b>			
	a. 120- 240 Sq mm	Each		
	b. 300- 400 Sq mm	Each		

**Date: - .....**

**Signature of the bidder,**

**Name of the Firm :-** .....

**Name of the Proprietor: -** .....

**Address :-** .....

**Address: -** .....

**Phone No:-** .....

**Phone No** .....

**Seal:-**

**Seal:-**

## **CHECK LIST**

### **(Documents to be provided for the bid)**

<b>Please tick <input checked="" type="checkbox"/> in appropriate box</b>	<b><u>Yes</u></b>	<b><u>No</u></b>
1. Duly filled up rate sheet & detail tender notice	<input type="checkbox"/>	<input type="checkbox"/>
2. Money receipt of Rs.1,000.00 as document fees	<input type="checkbox"/>	<input type="checkbox"/>
3. Earnest money of Rs.20,000.00 only	<input type="checkbox"/>	<input type="checkbox"/>
4. Photocopy of PAN Card	<input type="checkbox"/>	<input type="checkbox"/>
5. Valid trade license from GMC	<input type="checkbox"/>	<input type="checkbox"/>
6. Photocopy of electrical license, Supervisor license from electrical licensing authority (Chief Electrical Advisor, Govt. of Assam)	<input type="checkbox"/>	<input type="checkbox"/>
7. Photocopy of GST registration certificate	<input type="checkbox"/>	<input type="checkbox"/>
8. Solvency certificate from the Banker	<input type="checkbox"/>	<input type="checkbox"/>
9. Annual turnover / balance sheet of last 3 (three) years 2014-2015, 2015-2016, 2016-2017	<input type="checkbox"/>	<input type="checkbox"/>
10. Full postal address with contact No.	<input type="checkbox"/>	<input type="checkbox"/>
11. Any extra ordinary clause from Govt. in case of manufacture / SSI Units, to be considered in this tender.	<input type="checkbox"/>	<input type="checkbox"/>
12. Every page / documents of the tender signed by the tenderer	<input type="checkbox"/>	<input type="checkbox"/>

## Information About Tenderers (To be furnished with Tender)

### **1. In case of Individual:**

- 1.1. Name of business :
- 1.2. Whether his business is registered. :
- 1.3. Date of commencement of business. :
- 1.4. Whether he pays Income Tax :
- 1.5. Age of the tenderer :

### **2. In case of Partnership firm:**

- 2.1. Names & ages of Partners :
- 2.2. Whether the Partnership is registered. :
- 2.3. Date of establishment of firm :
- 2.4. If each of the partners of the firm pays income tax or not, who of them pays the same. :

### **3. In case of Limited Liability Company:**

Company or Company Limited by Guarantees

- 3.1. Amount of paid up capital :
- 3.2. Name of Directors :
- 3.3. Date of Registration of Company. :
- Annual Reports /Copies of audited Balance Sheets of the Company of the last three years. :

4. PAN of Tenderer :

*Signature of Tenderer*  
*Name and Address of the tenderer.*