

**GUWAHATI MUNICIPAL CORPORATION
WATER WORKS :: PANBAZAR
GUWAHATI-781001**



DETAILED QUOTATION NOTICE & DOCUMENTS

NAME OF WORK:- Annual quotation for supply of spare parts for machineries for the year 2017-2018.

Issued against document fee payment receipt no.

Name of quotationer:

Issue Date:

Issued To:

Full Postal Address:
.....
.....

Fax No. : **Tel No.** :

Mobile No. : **E-mail** :

Reference of cost of Tender Document:

Receipt no-- **Date-**

OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION
Water Works ::: Panbazar ::: Guwahati-1.

NATIONAL COMPETITIVE QUOTATION

NAME OF WORK:- **Annual quotation for supply of spare parts for machineries for the year 2017-2018.**

| <u>SCHEDULE FOR QUOTATION PROCEDURE</u> | |
|--|---|
| SALE OF QUOTATION DOCUMENTS | FROM 09.10.2017 TO 23.10.2017 |
| SUBMISSION OF QUOTATION | UP TO 2.00 P.M. OF 24.10.2017 |
| OPENING OF QUOTATION | 24.10.2017 AT 3:00 P.M. |
| PLACE OF OPENING OF QUOTATION | CONFERRANCE HALL, GUWAHATI MUNICIPAL CORPORATION, PANBAZAR, GUWAHATI-01, UNDER CHIEF ENGINEER, GMC. |
| EVALUATION OF QUOTATION | FROM 25.10.2017 |

OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION
Water Works ::: Panbazar ::: Guwahati - 01.

No.GWS/167/2017/315-A.

Date: 06/10/17


NOTICE INVITING RE-QUOTATION

Separate sealed quotations are invited from manufacturer / authorized dealer / firms / reputed supplier/ contractor for the following works under Water Works, Guwahati Municipal Corporation for the year 2017-2018. Quotation will be received up to 2:00 P.M. on 24.10.2017 and will be opened on the same date after one hour of closing time in the Conference Hall, Guwahati Municipal Corporation, Panbazar, Guwahati-01, under Chief Engineer, GMC, in presence of the quotationer or their authorized representative who would like to be present.

Detailed quotation documents and other terms & conditions etc. may be obtained from the office of Water Works, Guwahati Municipal Corporation, against payment of Rs.1,000.00 (Rupees One Thousand) only as non-refundable documents fee in cash during the office hours in all working days w.e.f. 09.10.2017 to 23.10.2017 and can also be seen and downloaded from Guwahati Municipal Corporation's website <http://gmcportal.in>. For downloaded quotation document, document fee of Rs.1,000/- (Rupees One Thousand) only is to be deposited to the Cashier, G.M.C., during submission of quotation.

As per earlier tender dated-22.09.2017, the valid tenders may be kept remain same by the party or the party may an option to submit fresh tender if desired. The valid earnest money deposited with the earlier tender will be considered. Other terms and condition will remain the same.


| Sl. No. | Name of work | Approximate annual requirement | Earnest money (in Rs.) |
|---------|---|--------------------------------|------------------------|
| 1. | Supply of spare parts for machineries for the year 2017-2018. | As per necessity | 20,000.00 |
| 2. | Supply of G.I. / G.M & Hardware materials for the year 2017-2018 | As per necessity | 20,000.00 |
| 3. | Repairing of machineries for the year 2017-2018 | As per necessity | 20,000.00 |
| 4. | Supply of Rubber Hose Pipe, M.S. PIPE & D.I. pipes for the year 2017-2018 | As per necessity | 20,000.00 |
| 5. | For providing a Country Boat for Kamakhya Water Supply Scheme for the year 2017-2018. | As per necessity | 20,000.00 |


Commissioner,
Guwahati Municipal Corporation,
Guwahati.

Date:- 06/10/17

Memo No. GWS/167/2017/315-A.
Copy to: -

1. The Municipal Secretary G.M.C. for appraisal of Hon'ble Mayor, GMC & member's mayor in Council
2. The Addl. Commissioner, GMC, for information.
3. The Joint Commissioner, GMC, for information.
4. The Chief Engineer- I & II, GMC, for information.
5. The C.A. & A.O. G.M.C. for information.
6. M.S. Specialist, PMC. He is requested to upload the above NIQ with detail quotation document on the G.M.C.'s web site www.gmcportal.in immediately.
7. The Director of Information & Public Relation, Assam, Dispur Last Gate, Guwahati, for publication of the above NIQ in one English & one Assamese daily news paper preferably on the following daily news paper. (a) The Assam Tribune, (b) The Sentinel & (c) Amar Asom.
8. The Director of Information & Public Relation, Kamrup (M), Guwahati-01, for publication of the above NIQ in one English & one Assamese daily news paper preferably on the following daily news paper. (a) The Assam Tribune, (b) The Sentinel & (c) Amar Asom.
9. Notice Board Head office/ Water Works/ Uzanbazar Office.
10. Head Cashier, G.M.C. for information.
11. File.


Commissioner,
Guwahati Municipal Corporation,
Guwahati.

OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION
Water Works ::: Panbazar ::: Guwahati-01.

DETAILED QUOTATION NOTICE

Sealed quotation is invited from manufacturer / authorized dealer / firms / reputed supplier etc. for **supply of spare parts for machineries** for use under Water Works, Guwahati Municipal Corporation for the year 2017-2018. Quotation will be received up to **2:00 P:M on 24.10.2017** and will be opened on the same date after one hour of closing time in **the** Conference Hall, Guwahati Municipal Corporation, Panbazar, Guwahati-01, under Chief Engineer, GMC, in presence of the quotationer or their authorized representative who would like to be present.

Name of the Work: **Annual bid for supply of spare parts for machineries for the year 2017-2018.**

Earnest Money: **Rs.20,000.00 (Rupees Twenty Thousand) Only.**

Terms & conditions:

- (1) Quotation must be accompanied with an Earnest Money of **Rs.20,000.00 (Rupees Twenty Thousand) Only** in the form of **Demand Draft / Banker's Cheque / Call Deposit Receipt** of any recognized bank only, duly pledged in the name of **the Commissioner, Guwahati Municipal Corporation, valid for one year. Without earnest money quotation will be invalid.**
- (2) The name of the work must be subscribed on the cover containing the quotation.
- (3) quotation once submitted cannot be withdrawn.
- (4) The rate quoted will be valid **up to one year. The approved supplier must supply the material at approved rate** within this period. If the supplier fails to supply the ordered item, the Earnest Money will be forfeited and he shall be blacklisted for all future quotation process under G.M.C.
- (5) Every page of the quotation must be signed by the quotationer with seal and any correction must be initiated.
- (6) The rate should be quoted both in words and figures clearly and any correction must be initiated.
- (7) Rate must be quoted including GST as per latest rule 2017 and GST already paid should be shown separately showing the proper code no. of item/items. No any other extra cost will be accepted on the quoted rate.
- (8) The quoted rate should be inclusive of the cost for carriage, loading, unloading and staking of the materials at the site as directed by the Engineer in-charge.
- (9) The GMC authority reserves the right to reject all or any quotation without assigning any reason thereof and does not bind itself to accept the lowest rate.
- (10) Quotationer must have a valid trade license (up-to date) from GMC.
- (11) Materials must be supplied as per the specification or sample.
- (12) Any materials rejected by the Engineer in-charge due to bad quality or other reason, must be replaced by the supplier at his own cost.
- (13) The quotationer must furnish their full postal address / contact numbers with the quotation. All correspondence onwards will be made by G.M.C. through ordinary post / special messenger. Change of address should be intimated immediately.

- (14) GST/ Income Tax at the applicable rate will be deducted from the bill as per Govt. latest circular issued from the Commissioner of Taxes time to time, at source.
- (15) Quotationer must have a PAN Card, photocopy of which to be submitted with the quotation.
- (16) Quotationer must have a GST registration certificate, photocopy of which must be enclosed with the quotation.
- (17) The Quotationer must submit the Annual turnover / balance sheet of last 3 (three) years 2014-2015, 2015-2016, 2016-2017 along with the quotation.
- (18) A solvency certificate from the bankers should be submitted with quotation.
- (19) The lowest quoted price amongst the qualified quotationers shall be considered as the preferred quotationers subject to the price quote of the quotationers being nearest to the minimum benchmark price fixed by the evolution committee formed for evaluating the quotation. Any price quote lower than the minimum benchmark price fixed by the evaluation committee shall not be considered for selection. This minimum benchmark price shall not be disclosed. This minimum benchmark price shall be fixed by the evaluation committee after submission of the quotations by the last date of submission but before opening of tender to maintain transparency.
Though preference will be given to experienced and financially sound contractors, timely executing of work will be examined and on the basis of his earlier performance preference will be given.
- (20) The GMC authority reserves the right to reject all or any bid without assigning any reason thereof and does not bind itself to accept the lowest rate.
- (21) The Corporation shall have the right to accept the quotation in whole or in part.
- (22) The supplier will be bound to supply the materials within stipulated time as and when intimated by the Engineer concerned or getting written requisition by the G.M.C.
- (23) If the opening date of the quotation falls on holiday or the office remains closed on the opening date, due to any reason, the quotation will be opened on the next working day at the same time.
- (24) Canvassing directly or indirectly in any form in connection with the quotation strictly prohibited and offers submitted by anyone who resort canvassing are liable for rejection.
- (25) In case of any dispute, decision of the Commissioner GMC will be final.

Sd/-

**Commissioner,
Guwahati Municipal Corporation,
Guwahati.**

Date: -

Memo No. GWS/

Copy to: -

1. The Joint Commissioner, G.M.C., for information.
2. The Chief Engineer- I & II, GMC, for information.
3. The In-Charge, Water Works, GMC, for information.
4. The C.A. & A.O., G.M.C., for information.
5. Concerned File / Notice Board.

Sd/-

**Commissioner,
Guwahati Municipal Corporation,
Guwahati.**

RATE SHEET
Supply of Spare Parts for Machineries

| Sl. No. | Item & Specification | Unit | Rate (In Rs.) | Rate (In words) |
|---------|--|------|---------------|-----------------|
| 1. | V-Contact bar for O.C.B. of MEI / Kilburn make starter | | | |
| | (i) 150 H.P. – 200 H.P. | Each | | |
| | (ii) 210 H.P. – 250 H.P. | Each | | |
| | (iii) 275 H.P. – 400 H.P. | Each | | |
| 2 | Carbon Brass for slip ring motor of Kirloskar / Compton / GEC motor. | | | |
| | (i) 150 H.P. – 200 H.P. | Each | | |
| | (ii) 210 H.P. – 250 H.P. | Each | | |
| | (iii) 275 H.P. – 400 H.P. | Each | | |
| 3 | Moving contact roller for starter drum of MEI / Kilburn make starter. | Each | | |
| 4 | Contact finger for MEI/Kilburn type O.C.B. (M.C./V.C.) | | | |
| | (i) 40 H.P. – 100 H.P. | Each | | |
| | (ii) 110 H.P. – 220 H.P. | Each | | |
| | (iii) 250 H.P. – 400 H.P. | Each | | |
| 5 | Moving contact point for MEI / Kilburn type O.C.B. | | | |
| | (i) 40 H.P. – 100 H.P. | Each | | |
| | (ii) 110 H.P. – 220 H.P. | Each | | |
| | (iii) 250 H.P. – 400 H.P. | Each | | |
| 6 | Relay contact or for star delta starter – | | | |
| | A. For line connection. | | | |
| | (i) 5 H.P. – 10 H.P. | Each | | |
| | (ii) 15 H.P. – 30 H.P. | Each | | |
| | (iii) 40 H.P.- 60 H.P. | Each | | |
| | B. For Star Connection. | | | |
| | (i) 5 H.P. – 10 H.P. | Each | | |
| | (ii) 15 H.P. – 30 H.P. | Each | | |
| | (iii) 40 H.P.- 60 H.P. | Each | | |
| | C. For delta connection with overload system. | | | |
| | (i) 5 H.P. – 10 H.P. | Each | | |
| | (ii) 15 H.P. – 30 H.P. | Each | | |
| | (iii) 40 H.P.- 60 H.P. | Each | | |

| | | | | |
|--------------------------|---|-----------------|--|--|
| 7 | Timer switch for star delta starter. | | | |
| | (i) 5 H.P. – 10 H.P. | Each | | |
| | (ii) 15 H.P. – 30 H.P. | Each | | |
| | (iii) 40 H.P.- 60 H.P. | Each | | |
| 8 | No volt coil | | | |
| | a) For star delta starter | Each | | |
| | i. 5 H.P. – 20 H.P. | | | |
| | ii. 25 H.P. – 50 H.P. | Each | | |
| | b) For O.S.R. type starter (O.C.B.) | Each | | |
| | i. 60 H.P. – 100 H.P. | | | |
| ii. 110 H.P. – 220 H.P. | Each | | | |
| iii. 240 H.P. – 400 H.P. | Each | | | |
| 9 | H.T. Barrel with metal parts. | Each | | |
| 10 | H.T. Fuse | | | |
| | i) 15 Amp – 20 Amp | Each | | |
| | ii) 25 Amp – 40 Amp | Each | | |
| 11 | H.T. Metal parts skipper for hooking the barrel of heavy duty | | | |
| | i) Lower parts. | Each | | |
| | ii) Upper parts | Each | | |
| 12 | Over load coil for MEI / Kilburn type O.C.B. | | | |
| | i) 40 H.P. – 100 H.P. | Set of 3 pieces | | |
| | ii) 110 H.P. – 200 H.P. | Set of 3 pieces | | |
| | iii) 220 H.P. – 400 H.P. | Set of 3 pieces | | |
| 13 | No volt coil assembly for MEI / Kilburn type O.C.B. | | | |
| | i) 40 H.P. – 100 H.P. | Each | | |
| | ii.) 110 H.P. – 200 H.P. | Each | | |
| | iii.) 220 H.P. – 400 H.P. | Each | | |
| 14 | L / V contact point for O.C.B. of MEI / Kilburn make starter. | | | |
| | (i) 50 H.P. – 150 H.P. | Each | | |
| | (ii) 180 H.P. – 400 H.P. | Each | | |
| 15 | Flat contact point for starter drum of MEI / Kilburn make starter. | | | |
| | (i) 50 H.P. – 150 H.P. | Each | | |
| | (ii) 180 H.P. – 400 H.P. | Each | | |
| 16 | O.C.B. handle lock of MEI / Kilburn make starter. | | | |
| | (i) 50 H.P. – 150 H.P. | Each | | |
| | (ii) 180 H.P. – 400 H.P. | Each | | |

| | | | | |
|----|---|---------|--|--|
| 17 | Main switch of English electric / GEC / Heavels 500 volts T.P.N. type of H.R.C. fuse linking. | | | |
| | i) 32 Amp | Each | | |
| | ii) 63 Amp | Each | | |
| | iii) 100 Amp | Each | | |
| | iv) 200 Amp | Each | | |
| | v) 300 Amp | Each | | |
| | vi) 400 Amp | Each | | |
| 18 | H.R.C. fuse GEC / English electric make. | | | |
| | i. 32 Amp | Each | | |
| | ii. 63 Amp | Each | | |
| | iii. 100 Amp | Each | | |
| | iv. 200 Amp | Each | | |
| | v. 300 Amp | Each | | |
| | vi. 400 Amp | Each | | |
| 19 | Backlight insulator for starter drum male and female with copper bolt | Per set | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 20 | Oil immersed star delta starter of MEI / Kilburn make manually Operated 3 PH – 440 volt 50 HZ. | | | |
| | i) 20 H.P. – 30 H.P. | Each | | |
| | ii) 40 H.P. – 60 H.P. | Each | | |
| 21 | A.T.S. starter of MEI / Kilburn make manually operated 3 phase. 440 volt 50 HZ | | | |
| | i) 25 H.P. – 40 H.P. | Each | | |
| | ii) 50 H.P. – 90 H.P. | Each | | |
| 22 | D.O.L. starter L & T / Siemens make 3 phase, 440 volts 50 HZ | | | |
| | i) 5 H.P. – 10 H.P. | Each | | |
| | ii) 12 H.P. – 20 H.P. | Each | | |
| 23 | Automatic star delta starter of L & T / Siemens / Compton / make, 3 phase 440 volts, 50 HZ | | | |
| | i) 5 H.P. – 10 H.P. | Each | | |
| | ii) 12.5 H.P. – 25 H.P. | Each | | |
| 24 | O.S.R. type starter of MEI / Kilburn make manually operated 3 phase, 440 volt 50 HZ for slip ring type motor | | | |
| | i) 150 H.P. | Each | | |
| | ii) 200 H.P. | Each | | |

| | | | | |
|-----------|---|------|--|--|
| | iii) 240 H.P. | Each | | |
| | iv) 400 H.P. | Each | | |
| 25 | Carbon holder for slip ring motor of Kirloskar / Compton GEC make. | | | |
| | i) 150 H.P. – 200 H.P. | Each | | |
| | ii) 220 H.P. – 400 H.P. | Each | | |
| 26 | Slip ring for Kirloskar / Compton GEC make motor. | | | |
| | i) 150 H.P. – 200 H.P. | Each | | |
| | ii) 220 H.P. – 400 H.P. | Each | | |
| 27 | Aluminium conductor P.V.C. insulated armoured cable for working voltage 660 volts to 1100 volt and maximum conductor temperature 72° C (ISI marked). | | | |
| | A. 3 Core | | | |
| | i. 60 mm ² | Mtr | | |
| | ii. 95 mm ² | Mtr. | | |
| | iii. 185 mm ² | Mtr. | | |
| | B. 3½Core | | | |
| | i. 60 mm ² | Mtr | | |
| | ii. 95 mm ² | Mtr. | | |
| | iii. 185 mm ² | Mtr. | | |
| 28 | Aluminium conductor P.V.C. insulated XLPE armoured cable for working voltage 11 KV and maximum conductor temperature 72° C (ISI marked). | | | |
| | A. 3 Core | | | |
| | i. 95 mm ² | Mtr | | |
| | ii. 185 mm ² | Mtr | | |
| 29 | P.V.C. wire single core of copper multi strand | | | |
| | i. 1.5 mm ² | Mtr | | |
| | ii. 4.0 mm ² | Mtr. | | |
| | iii. 6 mm ² | Mtr. | | |
| 30 | Flexible wire (P.V.C.) | | | |
| | i. 10 Amp | Mtr | | |
| | ii. 5 Amp | Mtr. | | |
| 31 | Submersible cable of Copper multi strand for submersible pump set. | | | |
| | a) 4.00 sq. mm. | Mtr. | | |
| | b) 6.00 sq. mm. | Mtr. | | |
| | c) 10.00 sq. mm. | Mtr. | | |
| | d) 16.00 sq. mm. | Mtr. | | |

| | | | | |
|----------------|--|------|--|--|
| 32 | Copper cable single core multi strand | | | |
| | a) 10 sq. mm. | Mtr. | | |
| | b) 25 sq. mm. | Mtr. | | |
| | c) 35 sq. mm. | Mtr. | | |
| | d) 50 sq. mm. | Mtr. | | |
| | e) 65 sq. mm. | Mtr. | | |
| | f) 95 sq. mm. | Mtr. | | |
| | g) 120 sq. mm. | Mtr. | | |
| h) 240 sq. mm. | Mtr. | | | |
| 33 | P.V.C. Tape (Big Size) | Each | | |
| 34 | Black Tape | Each | | |
| 35 | Ampere tape | Each | | |
| 36 | M.C.B. of L & T make / Havels make 3 phase - | | | |
| | i. 32 Amp | Each | | |
| | ii. 63 Amp | Each | | |
| | iii. 100 Amp | Each | | |
| | iv. 200 Amp | Each | | |
| | v. 300 Amp | Each | | |
| | vi. 400 Amp | Each | | |
| | vii. 600 Amp | Each | | |
| 37 | C.T. Coil for ammeter | | | |
| | i) C.T.R. - 100/5 Amp | Each | | |
| | ii) C.T.R. - 200/5 Amp | Each | | |
| | iii) C.T.R. - 300/5 Amp | Each | | |
| | iv) C.T.R. - 400/5 Amp | Each | | |
| | v) C.T.R. - 600/5 Amp | Each | | |
| 38 | Ammeter C.T.R. type | | | |
| | i) 0 - 400 Amp | Each | | |
| | ii) 0 - 250 Amp | Each | | |
| | iii) 0 - 100 Amp | Each | | |
| 39 | Volt meter 0-440 volt 3 phase | Each | | |
| 40 | Rotary Switch. | | | |
| | i) For Voltmeter. | Each | | |
| | ii) For Ammeter | Each | | |
| 41 | Resistance coil of MEI / Kilburn make starter drum suitable for | | | |

| | | | | |
|------------|--|------------------|------|--|
| | 150 H.P. – 400 H.P. starter | Each | | |
| 42 | Cut-out bridge with complete male / female set. | | | |
| | i. 16 Amp | Each | | |
| | ii. 32 Amp | Each | | |
| | iii. 63 Amp | Each | | |
| | iv. 100 Amp | Each | | |
| | v. 200 Amp | Each | | |
| 43 | Supply of Electric lamp of Philips / Bajaj make 230 volt. | | | |
| | A. Florescent – 40 watt (tube light) | Each | | |
| | B. General Bulb | | | |
| | i) 100 watt | Each | | |
| | ii) 200 watt | Each | | |
| | iii) 500 watt | Each | | |
| 44 | Tube light frame of make Bajaj / Philips with starter, choke & tube | Each | | |
| 45 | Choke for tube light | Each | | |
| 46 | Starter for tube light | Each | | |
| 47 | Holder for tube / bulb (any type) | Each | | |
| 48 | Welding Rod | packet | | |
| 49 | Transformer oil Gulf / Indian Oil Barrel (210 litre) | Barrel | | |
| 50 | Supply of bearing for pump / meter of S.K.F. or equivalent make as per following specification. | | | |
| | a) Ball Bearing | | | |
| | Model no. | Base no. | | |
| | i. 6305 | As mentioned | Each | |
| | ii. 6306 | As mentioned | Each | |
| | iii. 6307 | As mentioned | Each | |
| | iv. 6308 | As mentioned | Each | |
| | v. 6309 | As mentioned | Each | |
| | vi. 6310 | As mentioned | Each | |
| | vii. 6311 | As mentioned | Each | |
| | viii. 6312 | C3/ As mentioned | Each | |
| | ix. 6313 | C3/ As mentioned | Each | |
| | x. 6314 | C3/ As mentioned | Each | |
| | xi. 6315 | C3/ As mentioned | Each | |
| xii. 6316 | C3/ As mentioned | Each | | |
| xiii. 6317 | As mentioned | Each | | |

| | | | | | |
|-----------|--|---------------------------|-----------|--|--|
| | xiv. 6318 | As mentioned | Each | | |
| | xv. 6319 | As mentioned | Each | | |
| | xvi. 6322 | C3/As mentioned | Each | | |
| | xvii. 3305 | As mentioned | Each | | |
| | xviii. 3306 | As mentioned | Each | | |
| | xix. 7308 | BG/As mentioned | Each | | |
| | xx. 7309 | BG/As mentioned | Each | | |
| | xxi. 7310 | BECBM/ As mentioned | Each | | |
| | xxii. 7311 | BG/ As mentioned | Each | | |
| | xxiii. 7312 | BG/As mentioned | Each | | |
| | xxiv. 7313 | BG/ As mentioned | Each | | |
| | xxv. 6218 | As mentioned | Each | | |
| | b) Roller Bearing | | | | |
| | i) NU/N-308 | As mentioned | Each | | |
| | ii) NU/N-309 | C3/As mentioned | Each | | |
| | iii) NU/N-311 | As mentioned | Each | | |
| | iv) NU/N-315 | As mentioned | Each | | |
| | v) NU/N-318 | C3/As mentioned | Each | | |
| | vi) NU/N-319 | C3/As mentioned | Each | | |
| | vii) NU/N-412 | C3/As mentioned | Each | | |
| | viii) NU/N 413 | As mentioned | Each | | |
| | ix) NU/N-321 | As mentioned | Each | | |
| | x) NU/N-322 | C3/As mentioned | Each | | |
| 51 | C.I. coupling for pump & motor of Bolt & bushing type | | | | |
| | a. | Up to 6 inch dia (150 mm) | Each pair | | |
| | b. | 8 inch dia (200 mm) | Each pair | | |
| | c. | 10 inch dia (250 mm) | Each pair | | |
| | d. | 12 inch dia (300 mm) | Each pair | | |
| 52 | Coupling nuts & bolt for pump and motor. | | | | |
| | a. | 5 - 15 H.P. | Each | | |
| | b. | 20 - 50 H.P. | Each | | |
| | c. | 60 - 180 H.P. | Each | | |
| | d. | 200 - 400 H.P. | Each | | |
| 53 | Supply of steel coupling of star (love joy) type complete set with steel ring bushing etc. including boring as per size of pump motor shaft, key slot | | | | |

| | | | | |
|-----------|--|-----------|--|--|
| | etc. | | | |
| | a. Up to 6 inch dia (150 mm) | Each pair | | |
| | b. 8 inch dia (200 mm) | Each pair | | |
| | c. 10 inch dia (250 mm) | Each pair | | |
| | d.12 inch dia (300 mm) | Each pair | | |
| 54 | Rubber bushing pad for star type coupling. | | | |
| | i. 6" dia coupling (150 mm) | Per piece | | |
| | ii. 8" dia coupling (200 mm) | Per piece | | |
| | iii. 10" dia coupling (250 mm) | Per piece | | |
| | iv. 12" dia coupling (300 mm) | Per piece | | |
| 55 | Rubber bushing pad of star type for star coupling | | | |
| | 10 – 60 H.P. (upto 6" dia) | Each | | |
| 56 | Rubber belt for coupling of pump & motor | | | |
| | i. 50 mm width, 10 mm thick | Per mtr. | | |
| | ii. 80 mm width, 10 mm thick | Per mtr. | | |
| | iii. 100 mm width, 10 mm thick | Per mtr. | | |
| 57 | G.M. gland bushing for pumps | | | |
| | a. 5 – 10 H.P. | Each | | |
| | b. 15 – 40 H.P. | Each | | |
| | c. 50 – 180 H.P. | Each | | |
| | d. 200 - 400 H.P. | Each | | |
| 58 | C.I. bushing for pump | | | |
| | a. 5 – 10 H.P. | Each | | |
| | b. 15 – 40 H.P. | Each | | |
| | c. 50 – 180 H.P. | Each | | |
| | d. 200 - 400 H.P. | Each | | |
| 59 | S. S Bushing for pump | | | |
| | a. 5 – 10 H.P. | Each | | |
| | b. 15 – 40 H.P. | Each | | |
| | c. 50 – 180 H.P. | Each | | |
| | d. 200 - 400 H.P. | Each | | |
| 60 | Bronze impeller for pumps | | | |
| | i. 5 to 10 H.P. | Each | | |

| | | | | | |
|-----------|------------------------------------|----------------------|------|--|--|
| | ii. | 15 to 30 H.P. | Each | | |
| | iii. | 40 to 60 H.P. | Each | | |
| 61 | M.S. Pumps shaft for- | | | | |
| | i. | 1 H.P. to 5 H.P. | Each | | |
| | ii. | 7.5 H.P. to 20 H.P. | Each | | |
| | iii. | 30 H.P. to 60 H.P. | Each | | |
| | iv. | 75 H.P. to 110 H.P. | Each | | |
| | v. | 150 H.P. to 220 H.P. | Each | | |
| | vi. | 240 H.P. to 400 H.P. | Each | | |
| 62 | S.S. Pumps shaft for- | | | | |
| | i. | 1 H.P. to 5 H.P. | Each | | |
| | ii. | 7.5 H.P. to 20 H.P. | Each | | |
| | iii. | 30 H.P. to 60 H.P. | Each | | |
| | iv. | 75 H.P. to 110 H.P. | Each | | |
| | v. | 150 H.P. to 220 H.P. | Each | | |
| | vi. | 240 H.P. to 400 H.P. | Each | | |
| 63 | M.S. gland plate for pumps | | | | |
| | a. | 5 to 10 H.P. | Each | | |
| | b. | 15 to 30 H.P. | Each | | |
| | c. | 40 to 60 H.P. | Each | | |
| | d. | 75 to 150 H.P. | Each | | |
| | e. | 180 to 240 H.P. | Each | | |
| | f. | 250 to 400 H.P. | Each | | |
| 64 | C.I. bearing casing of pump | | | | |
| | a. | 5 to 10 H.P. | Each | | |
| | b. | 15 to 30 H.P. | Each | | |
| | c. | 40 to 60 H.P. | Each | | |
| | d. | 75 to 150 H.P. | Each | | |
| | e. | 180 H.P. – 240 H.P. | Each | | |
| | f. | 250 H.P. – 400 H.P. | Each | | |
| 65 | M.S. impeller nuts for | | | | |
| | a. | 5 to 10 H.P. | Each | | |
| | b. | 15 to 30 H.P. | Each | | |
| | c. | 40 to 60 H.P. | Each | | |
| | d. | 75 to 150 H.P. | Each | | |

| | | | | |
|-----------|--|------|--|--|
| | e. 180 H.P. – 240 H.P. | Each | | |
| | f. 250 H.P. – 400 H.P. | Each | | |
| 66 | Impeller for pump (Brass) | | | |
| | a. 5 to 10 H.P. | Each | | |
| | b. 15 to 30 H.P. | Each | | |
| | c. 40 to 60 H.P. | Each | | |
| | d. 75 to 150 H.P. | Each | | |
| | e. 180 H.P. – 240 H.P. | Each | | |
| | f. 250 H.P. – 400 H.P. | Each | | |
| 67 | Impeller for pump (S.S.) | | | |
| | a. 5 to 10 H.P. | Each | | |
| | b. 15 to 30 H.P. | Each | | |
| | c. 40 to 60 H.P. | Each | | |
| | d. 75 to 150 H.P. | Each | | |
| | e. 180 H.P. – 240 H.P. | Each | | |
| | f. 250 H.P. – 400 H.P. | Each | | |
| 68 | Impeller for pump (C.I.) | | | |
| | a. 5 to 10 H.P. | Each | | |
| | b. 15 to 30 H.P. | Each | | |
| | c. 40 to 60 H.P. | Each | | |
| | d. 75 to 150 H.P. | Each | | |
| | e. 180 H.P. – 240 H.P. | Each | | |
| | f. 250 H.P. – 400 H.P. | Each | | |
| 69 | M.S. stud for Pump body | | | |
| | a. 5 to 10 H.P. | Each | | |
| | b. 15 to 30 H.P. | Each | | |
| | c. 40 to 60 H.P. | Each | | |
| | d. 75 to 150 H.P. | Each | | |
| | e. 180 H.P. – 240 H.P. | Each | | |
| | f. 250 H.P. – 400 H.P. | Each | | |
| 70 | M.S. stud for Gland packing plate | | | |
| | a. 5 to 10 H.P. | Each | | |
| | b. 15 to 30 H.P. | Each | | |
| | c. 40 to 60 H.P. | Each | | |

| | | | | |
|-----------|---|------|--|--|
| | d. 75 to 150 H.P. | Each | | |
| | e. 180 H.P. – 240 H.P. | Each | | |
| | f. 250 H.P. – 400 H.P. | Each | | |
| 71 | Rubber bushing for coupling nuts of size | | | |
| | a. 1¾ X 1" X ½" | Each | | |
| | b. 1½ X 1¾ X ⅞" | Each | | |
| 72 | Bearing cover for motor & pumps - | | | |
| | a. 5 to 20 H.P. | Each | | |
| | b. 30 to 60 H.P. | Each | | |
| | c. 75 to 150 H.P. | Each | | |
| | d. 180 to 400 H.P. | Each | | |
| 73 | Check nut for pump & motor | | | |
| | a. 5 to 20 H.P. | Each | | |
| | b. 30 to 60 H.P. | Each | | |
| | c. 75 to 150 H.P. | Each | | |
| | d. 180 to 400 H.P. | Each | | |
| 74 | Supply of M.S. plate thickness | | | |
| | a. 6 mm | Kg. | | |
| | b. 4 mm | Kg. | | |
| 75 | Supply of angle iron of size | | | |
| | a. 6 mm X 37 mm X 37mm | Kg. | | |
| | b. 6 mm X 50 mm X 50mm | Kg. | | |
| 76 | Supply of M.S. channel of size | | | |
| | a. 6 mm X 37 mm X 63 mm | Kg. | | |
| | b. 6 mm X 50 mm X 100 mm | Kg. | | |
| | c. 6 mm X 80 mm X 150 mm | Kg. | | |
| 77 | Making & supply of M.S. spindle for valve of size | | | |
| | a. 3" – 5" | Each | | |
| | b. 6" – 8" | Each | | |
| | c. 10" – 12" | Each | | |
| | d. 14" – 18" | Each | | |
| | e. 20" – 24" | Each | | |
| 78 | Making & supply of different size of Brass Spindle | | | |
| | a. 3" – 5" | Each | | |
| | b. 6" – 8" | Each | | |

| | | | | |
|-----------|---|------|--|--|
| | c. 10" - 12" | Each | | |
| | d. 14" - 18" | Each | | |
| | e. 20" - 24" | Each | | |
| 79 | Making and supply of S.S. spindle | | | |
| | a. 3" - 5" | Each | | |
| | b. 6" - 8" | Each | | |
| | c. 10" - 12" | Each | | |
| | d. 14" - 18" | Each | | |
| | e. 20" - 24" | Each | | |
| 80 | Making and supply of C.I. nut for spindle | | | |
| | a. 3" - 5" | Each | | |
| | b. 6" - 8" | Each | | |
| | c. 10" - 12" | Each | | |
| | d. 14" - 18" | Each | | |
| | e. 20" - 24" | Each | | |
| 81 | Making and supply of Brass nut for spindle | | | |
| | a. 3" - 5" | Each | | |
| | b. 6" - 8" | Each | | |
| | c. 10" - 12" | Each | | |
| | d. 14" - 18" | Each | | |
| | e. 20" - 24" | Each | | |
| 82 | Making and supply of S.S. nut for spindle | | | |
| | a. 3" - 5" | Each | | |
| | b. 6" - 8" | Each | | |
| | c. 10" - 12" | Each | | |
| | d. 14" - 18" | Each | | |
| | e. 20" - 24" | Each | | |
| 83 | M.S. gland packing plate for sluice valve | | | |
| | a. 3" - 5" | Each | | |
| | b. 6" - 8" | Each | | |
| | c. 10" - 12" | Each | | |
| | d. 14" - 18" | Each | | |
| | e. 20" - 24" | Each | | |
| 84 | M.S. / C.I. Van guide for pump - | | | |
| | a. 60 H.P. - 100 H.P. | Each | | |
| | b. 110 H.P. - 200 H.P. | Each | | |

| | | | | |
|-----------|---|------|--|--|
| | c. 220 H.P. – 300 H.P. | Each | | |
| 85 | Supply of gland packing for Pump / Valves (Champion 3316 Make) | | | |
| | a. 1" | Kg | | |
| | b. ¾" | Kg | | |
| | c. ⅝" | Kg | | |
| | d. ½" | Kg | | |
| 86 | Supply of gland packing for Pump / Valves (S.K.R. Make) | | | |
| | a. 1" | Kg | | |
| | b. ¾" | Kg | | |
| | c. ⅝" | Kg | | |
| | d. ½" | Kg | | |
| 87 | Power contactor 400 (Schneider/ Equivalent Brand) | | | |
| 88 | Power contactor 150/160 (Schneider/ Equivalent Brand) | | | |
| 89 | MNX 225 coil contactor (L&T Make/ Equivalent Brand) | | | |
| 90 | Power relay contactor (L&T Make/ Equivalent Brand) | | | |
| | i. for 180 H.P. to 220 H.P. starter | | | |

Signature of the Bidder,

Date: -

Name of the Firm :-

Name of the Proprietor: -

Address :-

Address :-

Phone No :-

Phone No :-

Seal :-

CHECK LIST

(Documents to be provided for the bid)

| Please tick <input checked="" type="checkbox"/> in appropriate box | <u>Yes</u> | <u>No</u> |
|--|--------------------------|--------------------------|
| 1. Duly filled up rate sheet & detail tender notice | <input type="checkbox"/> | <input type="checkbox"/> |
| 2. Money receipt of Rs.1,000.00 as document fees | <input type="checkbox"/> | <input type="checkbox"/> |
| 3. Earnest money of Rs.20,000.00 only | <input type="checkbox"/> | <input type="checkbox"/> |
| 4. Photocopy of PAN Card | <input type="checkbox"/> | <input type="checkbox"/> |
| 5. Valid trade license from GMC | <input type="checkbox"/> | <input type="checkbox"/> |
| 6. Photocopy of GST registration certificate | <input type="checkbox"/> | <input type="checkbox"/> |
| 7. Solvency certificate from the Banker | <input type="checkbox"/> | <input type="checkbox"/> |
| 8. Annual turnover / balance sheet of last 3 (three) years 2013-2014, 2014-2015, 2015-2016 | <input type="checkbox"/> | <input type="checkbox"/> |
| 9. Full postal address with contact No. | <input type="checkbox"/> | <input type="checkbox"/> |
| 10. Any extra ordinary clause from Govt. in case of manufacture / SSI Units, to be considered in this bid. | <input type="checkbox"/> | <input type="checkbox"/> |
| 11. Every page / documents of the bid signed by the bidder | <input type="checkbox"/> | <input type="checkbox"/> |

Information About Tenderers (To be furnished with Tender)

1. In case of Individual:

- 1.1. Name of business :
- 1.2. Whether his business is registered. :
- 1.3. Date of commencement of business. :
- 1.4. Whether he pays Income Tax :
- 1.5. Age of the tenderer :

2. In case of Partnership firm:

- 2.1. Names & ages of Partners :
- 2.2. Whether the Partnership is registered. :
- 2.3. Date of establishment of firm :
- 2.4. If each of the partners of the firm pays income tax or not, who of them pays the same. :

3. In case of Limited Liability Company: Company or Company Limited by Guarantees

- 3.1. Amount of paid up capital :
- 3.2. Name of Directors :
- 3.3. Date of Registration of Company. :
- Annual Reports /Copies of audited Balance Sheets of the Company of the last three years. :

4. PAN of Tenderer :

Signature of Tenderer
Name and Address of the tenderer.