

# GUWAHATI MUNICIPAL CORPORATION WATER WORKS WING :: PANBAZAR GUWAHATI-781001

# **Detailed Quotation Notice & Documents**

Name of work: -	Annual quotation for supply of G.I. / G.M & Hardware materials
	for the year 2017-2018.

Issued against document fee payment receipt no.

Name of Quotationer:	
Issue Date:	
Issued to:	
Full Postal Address:	
Fax No:	Telephone No:
Mobile No	E-mail:
Reference of cost of Quo	otation Document:
Receipt no:	Date:



### OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION

Water Works Wing :: Panbazar :: Guwahati.

No. GWS/169/2017/1350 Date: - 27/12/2017

## National Competitive Quotation

Name of work: - Annual quotation for supply of G.I. / G.M & Hardware materials for the year 2017-2018.

SCHEDULE FOR QUOTATION PROCEDURE									
SALE OF QUOTATION DOCUMENTS	FROM 29.12.2017 TO 08.01.2018								
SUBMISSION OF QUOTATION	UP TO 2.00 P.M. OF 09.01.2018								
OPENING OF QUOTATION	09.01.2018 AT 3:00 P.M.								
PLACE OF OPENING OF QUOTATION	CONFERRANCE HALL, GUWAHATI MUNICIPAL CORPORATION, PANBAZAR, GUWAHATI-01, UNDER CHIEF ENGINEER, GMC.								
EVALUATION OF QUOTATION	FROM 10.01.2018								

OFFICER INVITING BID	COMMISSIONER,	GUWAHATI	MUNICIPAL
	CORPORATION, PAN	BAZAR, GUWAHA	ATI-01

Page 4 of 38



### OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION

Water Works Wing :: Panbazar :: Guwahati.

No. GWS/169/2017/1350

Date: - 27 / 12 / 2017

### **DETAILED QUOTATION NOTICE**

Sealed quotation is invited from manufacturer / authorized dealer / firms / reputed supplier etc. for **Supply of G.I.** / **G.M & Hardware materials** for use under Water Works Wing, Guwahati Municipal Corporation for the year 2017-2018. Quotation will be received up to 2: to P:M on 09 / 01 / 2018 and will be opened on the same date after one hour of closing time in the Conference Hall, Guwahati Municipal Corporation, Panbazar, Guwahati-01, under Chief Engineer, GMC, in presence of the Quotationer or their authorized representative who would like to be present.

Name of work: -

Annual quotation for supply of G.I. / G.M & Hardware materials for the year

2017-2018.

Earnest Money:

Rs. 20,000.00 (Rupees Twenty Thousand) Only.

#### Terms & conditions:

- 1. Quotation must be accompanied with an Earnest Money of Rs.20,000.00 (Rupees Twenty Thousand) Only in the form of Demand Draft / Banker's Cheque / Call Deposit Receipt of any recognized bank only, duly pledged in the name of the Commissioner, Guwahati Municipal Corporation, valid for one year. Without earnest money quotation will be invalid.
- 2. The name of the work must be subscribed on the cover containing the quotation.
- 3. Quotation once submitted cannot be withdrawn.
- 4. The rate quoted will be valid up to one year. *The approved supplier must supply the material at approved rate* within this period. If the supplier fails to supply the ordered item, the Earnest Money will be forfeited and he shall be blacklisted for all future quotation process under G.M.C.
- Every page of the quotation must be signed by the quotationer with seal and any correction must be initiated.
- The rate should be quoted both in words and figures clearly and any correction must be initiated.
- Rate must be quoted including GST as per latest rule 2017 and GST already paid should be shown separately showing the proper code no. of item/items. No any other extra cost will be accepted on the quoted rate.
- The quoted rate should be inclusive of the cost for carriage, loading, unloading and staking of the materials at the site as directed by the Engineer in-charge.
- The GMC authority reserves the right to reject all or any quotation without assigning any reason thereof and does not bind itself to accept the lowest rate.
- 10. Quotationer must have a valid trade license (up-to date) from GMC.
- 11. Materials must be supplied as per the specification or sample.
- 12. Any materials rejected by the Engineer in-charge due to bad quality or other reason, must be replaced by the supplier at his own cost.
- 13. The quotationer must furnish their full postal address / contact numbers with the quotation.

  All correspondence onwards will be made by G.M.C. through ordinary post / special messenger. Change of address should be intimated immediately.

#### Page 5 of 38

- 14. GST/ Income Tax at the applicable rate will be deducted from the bill as per Govt. latest circular issued from the Commissioner of Taxes time to time, at source.
- 15. Quotationer must have a PAN Card, photocopy of which to be submitted with the quotation.
- 16. Quotationer must have a GST registration certificate, photocopy of which must be enclosed with the quotation.
- 17. The Quotationer must submit the Annual turnover / balance sheet of last 3 (three) years 2014-2015, 2015-2016, 2016-2017 along with the quotation.
- 18. A solvency certificate from the bankers should be submitted with quotation.
- 19. The lowest quoted price amongst the qualified quotationers shall be considered as the preferred quotationers subject to the price quote of the quotationers being nearest to the minimum benchmark price fixed by the evolution committee formed for evaluating the quotation. Any price quote lower than the minimum benchmark price fixed by the evaluation committee shall not be considered for selection. This minimum benchmark price shall not be disclosed. This minimum benchmark price shall be fixed by the evaluation committee after submission of the quotations by the last date of submission but before opening of tender to maintain transparency.

Though preference will be given to experienced and financially sound contractors, timely executing of work will be examined and on the basis of his earlier performance preference will be given.

- 20. The GMC authority reserves the right to reject all or any bid without assigning any reason thereof and does not bind itself to accept the lowest rate.
- 21. The Corporation shall have the right to accept the quotation in whole or in part.
- 22. The supplier will be bound to supply the materials within stipulated time as and when intimated by the Engineer concerned or getting written requisition by the G.M.C.
- 23. If the opening date of the quotation falls on holiday or the office remains closed on the opening date, due to any reason, the quotation will be opened on the next working day at the same time.
- 24. Canvassing directly or indirectly in any form in connection with the quotation strictly prohibited and offers submitted by anyone who resort canvassing are liable for rejection.

25. In case of any dispute, decision of the Commissioner GMC will be final.

Commissioner Guwahati Municipal Corporation

Guwahati Date: - 27 /

Memo No. GWS/169/2017/\_1350 -A Copy to:-

1. The Joint Commissioner, G.M.C., for information.

2. The Chief Engineer, GMC, for information.

3. The In-Charge, Water Works Wing, GMC, for information.

4. The C.A. & A.O., G.M.C., for information.

5. Concerned File / Notice Board.

Commissioner

Guwahati Municipal Corporation

Guwahati

GI GM Hardware 2017 to 2018\_New/ch

# Rate Sheet

# Supply of Hardware Materials

				Rate (INR)		Amount	Amount in words (INR) (A+B+C)
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	
1.	Rubber Hose Pipe -						
	1) 80 mm dia	Mtr.					
	2) 50 mm dia	Mtr.					
	3) 40 mm dia	Mtr.					
2.	Plastic Pipe / Nylon pipe of ISI mark						
	1) 1" size	Mtr.					
	2) <sup>3</sup> / <sub>4</sub> " size	Mtr.					
3.	G.I. Bucket (TATA)						
	1) 12" size	Each					
	2) 10" size	Each					
4.	Rashid wrench with drill & bit.						
	1) 1" size	Each					

Specification  2) <sup>3</sup> / <sub>4</sub> " size	Unit	Basic	SGST	CGST	Amount	A 1 (DID)
2) <sup>3</sup> / <sub>4</sub> " size		(A)	In % (B)	In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	Each					
3) ½ " size	Each					
and deice with cutter						
1) 1 ½ " to 2" size	Each					
2) ½" to 1" size	Each					
pe wrench (Gedore Make)						
1) 48" size	Each					
2) 36" size	Each					
3) 18" size	Each					
4) 12" size	Each					
5) 8" size	Each					
F spanner (Gedore Make) pcs. (size as specified)	Set					
ng spanner (Gedore Make) pcs. (size as specified)	Set					
ain tong 8" size Premier	Each					
odali with handle (TATA)	Each					
	nd deice with cutter  1) 1 ¼ " to 2" size  2) ½" to 1" size  be wrench (Gedore Make)  1) 48" size  2) 36" size  3) 18" size  4) 12" size  5) 8" size  F spanner (Gedore Make) pcs. (size as specified)  ng spanner (Gedore Make) pcs. (size as specified)  ain tong 8" size Premier	nd deice with cutter  1) 1 ½ " to 2" size	nd deice with cutter  1) 1 ½ " to 2" size	nd deice with cutter  1) 1 ½ " to 2" size	1) 1 ½ " to 2" size Each 2) ½ " to 1" size Each be wrench (Gedore Make) 1) 48" size Each 2) 36" size Each 3) 18" size Each 4) 12" size Each 5) 8" size Each F spanner (Gedore Make) Set pcs. (size as specified) ain tong 8" size Premier Each	nd deice with cutter  1) 1 ½ " to 2" size

				Rate (INR)		Amount	
Sl. No		Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
11.	Shovel TATA						
	1) 1" size	Each					
	2) <sup>3</sup> / <sub>4</sub> " size	Each					
12.	Hammer with handle						
	1) 2 Kg. weight	Each					
	2) 5 Kg. weight	Each					
13.	Hack Shaw frame	Each					
14.	Hack Shaw blade (D.S.)	Doze n					
15.	M.S. wire rope						
	1) 25 mm	Mtr.					
	2) 19 mm	Mtr.					
	3) 12 mm	Mtr.					
16.	Coir rope 1/4" to 1" size	Kg.					
17.	Nylon rope ½" to 1" size	Kg					

				Rate (INR)		Amount	
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
18.	i) Rubber Gasket 6 mm / 8 mm thickness	Kg.					
	ii)Leather Gasket 6 mm / 8 mm thick	Kg.					
19.	Nut & Bolt full thread with washer (As per required size)	Kg.					
20.	Cotton Waste (jute)	Kg.					
21.	Bhaluka Bamboo	Each					
22.	Jati Bamboo	Each					
23.	Bearing Grease AP – 3, Waxpol /H.P.	Kg.					
24.	Bearing Grease Black Waxpol / H.P.	Kg.					
25.	Brass / Bi metallic Nut & Bolt full threaded	Kg.					
26.	Chain pulley block 5 M.T. capacity load king make	Each					
27.	i) Torch light (Eveready) 3 Cell	Each					
	ii) Torch light (Eveready) 2 Cell	Each					
28.	Torch Cell (Battery) Eveready special	Each					
29.	i) Measuring tape (Freemen) 30 Mtr.	Each					
	ii) Measuring tape (Freemen) 15 Mtr.	Each					

				Rate (INR)		Amount	
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
30.	Pure pig lead of 99% purity as per I.S.S. 27 of 1965	Kg.					
31.	Hemp	Kg.					
32.	Kerahi (C.I. / M.S.)	Each					
33.	Sal pile of 10" dia at top and 6" dia at Bottom minimum length 9 Mtr. upto 14 Mtr.						
34.	1) Wooden plank (Sal)	Per Cum.					
	2) Wooden plank (Non Sal)	Per Cum.					
35	P.V.C. pipe of 'SUPREME" brand of 6 Kg. pressure –						
	1) 100 mm	Mtr.					
	2) 80 mm	Mtr.					
	3) 50 mm.	Mtr.					
36.	P.V.C. specials (fittings) of 'SUPREME" brand of 6 Kg. pressure (i) 100 mm size –						
	4) Coupler / Socket	Each					
	5) Elbow	Each					

				Rate (INR)		Amount	
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	(ii) 80mm size – Coupler / Socket	Each					
	Elbow	Each					
	(iii) 50 mm size – Coupler / Socket	Each					
	Elbow	Each					
37.	G.I. Bend ISI Marked						
	1) 150 mm X 90 <sup>0</sup>	Each					
	2) 100 mm X 90 <sup>0</sup>	Each					
	3) 80 mm X 90 <sup>0</sup>	Each					
	4) 50 mm X 90 <sup>0</sup>	Each					
	5) 40 mm X 90 <sup>0</sup>	Each					
	6) 25 mm X 90 <sup>0</sup>	Each					
	7) 15 mm X 90 <sup>0</sup>	Each					
	8) 150 mm X 45 <sup>0</sup>	Each					
	9) 100 mm X 45 <sup>0</sup>	Each					
	10) 80 mm X 45 <sup>0</sup>	Each					

				Rate (INR)		Amount	
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	11) 50 mm X 45 <sup>0</sup>	Each					
38.	G.I. Socket						
	1) 150 mm dia	Each					
	2) 100 mm dia	Each					
	3) 80 mm dia	Each					
	4) 50 mm dia	Each					
	5) 40 mm dia	Each					
	6) 25 mm dia	Each					
	7) 20 mm dia	Each					
	8) 15 mm dia	Each					
39.	Flange (Table – 'D')						
	1) 150 mm dia	Each					
	2) 100 mm dia	Each					
	3) 80 mm dia	Each					
40.	M.S. Blank Flange of Table "D"						

	Specification			Rate (INR)		- Amount	
Sl. No		Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	1) 500 mm - 400 mm dia	Each					
	2) 300 mm - 200 mm dia	Each					
	3) 150 mm - 100 mm dia	Each					
41.	G.I. Elbow AA/BB Brand						
	1) 150 mm dia	Each					
	2) 100 mm dia	Each					
	3) 80 mm dia	Each					
	4) 50 mm dia	Each					
	5) 25 mm dia	Each					
	6) 20 mm dia	Each					
	7) 15 mm dia	Each					
42.	Union Socket AA/BB Brand						
	1) 100 mm dia	Each					
	2) 80 mm dia	Each					

				Rate (INR)		Amount	
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	3) 50 mm dia	Each					
	4) 40 mm dia	Each					
	5) 25 mm dia	Each					
	6) 20 mm dia	Each					
	7) 15 mm dia	Each					
43.	G.I. Nipple						
	1) 150 mm X 100 mm long	Each					
	2) 150 mm X 200 mm long	Each					
	3) 150 mm X 300 mm long	Each					
	4) 100 mm X 100 mm long	Each					
	5) 100 mm X 200 mm long	Each					
	6) 100 mm X 300 mm long	Each					
	7) 80 mm X 100 mm long	Each					
	8) 80 mm X 200 mm long	Each					
	9) 80 mm X 300 mm long	Each					
	10) 50 mm X 100 mm long	Each					

			Rate (INR)			Amount	
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	11) 50 mm X 200 mm long	Each					
	12) 50 mm X 300 mm long	Each					
	13) 40 mm X 100 mm long	Each					
	14) 40 mm X 200 mm long	Each					
	15) 40 mm X 300 mm long	Each					
	16) 25 mm X 100 mm long	Each					
	17) 25 mm X 200 mm long	Each					
	18) 25 mm X 300 mm long	Each					
	19) 20 mm X 100 mm long	Each					
	20) 20 mm X 200 mm long	Each					
	21) 20 mm X 300 mm long	Each					
	22) 15 mm X 100 mm long	Each					
	23) 15 mm X 200 mm long	Each					
	24) 15 mm X 300 mm long	Each					
44.	G.I. Equal Tee						

				Rate (INR)		Amount	
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	1) 150 mm X 150 mm	Each					
	2) 100 mm X 100 mm	Each					
	3) 80 mm X 80 mm	Each					
	4) 50 mm X 50 mm	Each					
	5) 40 mm X 40 mm	Each					
	6) 25 mm X 25 mm	Each					
	7) 20 mm X 20 mm	Each					
	8) 15 mm X 15 mm	Each					
45.	G.I. Unequal Tee (Reducing Tee)						
	1) 150 X 125 mm	Each					
	2) 150 X 100 mm	Each					
	3) 150 X 80 mm	Each					
	4) 150 X 50 mm	Each					
	5) 150 X 40 mm	Each					
	6) 150 X 25 mm	Each					

				Rate (INR)		Amount	
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	7) 100 X 80 mm	Each					
	8) 100 X 50 mm	Each					
	9) 100 X 40 mm	Each					
	10) 100 X 25 mm	Each					
	11) 80 X 50 mm	Each					
	12) 80 X 40 mm	Each					
	13) 80 X 25 mm	Each					
	14) 80 X 20 mm	Each					
	15) 50 X 40 mm	Each					
	16) 50 X 25 mm	Each					
	17) 50 X 20 mm	Each					
	18) 50 X 15 mm	Each					
	19) 40 X 25 mm	Each					
	20) 40 X 20 mm	Each					
	21) 40 X 15 mm	Each					

CGST (INR) Amount in wo (A+B+C)	ords (INR) +C)

				Rate (INR)		- Amount	
Sl. No	-	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	12) 80 mm X 25 mm	Each					
	13) 50 mm X 40 mm	Each					
	14) 50 mm X 25 mm	Each					
	15) 50 mm X 20 mm	Each					
	16) 50 mm X 15 mm	Each					
	17) 40 mm X 25 mm	Each					
	18) 40 X 20 mm	Each					
	19) 40 mm X 15 mm	Each					
	20) 25 mm X 20 mm	Each					
	21) 25 mm X 15 mm	Each					
	22) 20 mm X 15 mm	Each					
47.	Brass full way valve						
	1) 150 ZOLOTO MAKE	Each					
	SCUB MAKE	Each					

Specification 100 mm size	ZOLOTO MAKE	Unit	Basic (A)	SGST	CGST	Amount (INR)	Amount in words (INR)
mm	ZOLOTO MAKE	Each	(1.2)	In % (B)	In % (C)	(A+B+C)	(A+B+C)
	SCUB MAKE	Each					
80 mm size	ZOLOTO MAKE	Each					
	SCUB MAKE	Each					
50 mm	ZOLOTO MAKE	Each					
size	SCUB MAKE	Each					
40 mm	ZOLOTO MAKE	Each					
size	SCUB MAKE	Each					
25 mm	ZOLOTO MAKE	Each					
size	SCUB MAKE	Each					
20 mm	ZOLOTO MAKE	Each			<del>'</del> ,	1	
size	SCUB MAKE	Each				1	
15 mm	ZOLOTO MAKE	Each				1	
size	SCUB MAKE	Each					
ss ferrule	cock				<del></del>		
1) 151	nm size	Each				+	
2) 201	nm size	Each		+			
SSSS	50 mm size  40 mm size  25 mm size  20 mm size  15 mm size  11 15m	80 mm         MAKE           size         SCUB           MAKE         ZOLOTO           50 mm         MAKE           SCUB         SCUB           MAKE         SCUB	80 mm size         MAKE         Each MAKE           50 mm size         ZOLOTO MAKE         Each MAKE           50 mm size         SCUB MAKE         Each MAKE           40 mm size         ZOLOTO MAKE         Each MAKE           25 mm size         ZOLOTO MAKE         Each MAKE           20 mm size         SCUB MAKE         Each MAKE           20 mm size         SCUB MAKE         Each MAKE           15 mm size         SCUB MAKE         Each MAKE           s ferrule cock         Each MAKE         Each MAKE	80 mm size   SCUB	80 mm size	MAKE   SCUB   Each   MAKE   SCUB   Each   MAKE   SCUB   MAKE   SCUB	MAKE   SCUB   Each   MAKE   SCUB   Each   MAKE   SCUB   Each   MAKE   SCUB   SCUB   Each   MAKE   SCUB   MAKE   SCUB   SCUB   Each   MAKE   SCUB   Each   MAKE   SCUB   SCUB   Each   MAKE   SCUB   SCUB   Each   MAKE   SCUB   Each

				Rate (INR)		Amount	
Sl. No		Unit	Basic (A)	SGST In % (B)	CGST In % (C)	Amount (INR) (A+B+C)	Amount in words (INR) (A+B+C)
49.	Plastic Bib cock						
	1) 15mm size	Each					
	2) 20mm size	Each					
50.	Brass Bib Cock						
	1) 15mm size	Each					
	2) 20mm size	Each					
51.	Self Closing Steel / C.I. Bib Cock						
	1) 15mm size	Each					
	2) 20mm size	Each					
52.	Brass Check Valve						
	1) 50 mm dia	Each					
	2) 80 mm dia	Each					
	3) 100 mm dia	Each					
53.	C.I. Foot Valve						

		Rate (INR)					
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	Amount (INR) (A+B+C)	Amount in words (INR) (A+B+C)
	1) 80 mm dia	Each					
	2) 100 mm dia	Each					
	3) 150 mm dia	Each					
54.	Galvanised mild steel tubes of nominal bore as specified screwed both end to I.S.S.554, one end fitted with a socket, in random length of 4 to 7 mtr. (a) TATA Medium						
	1) 150mm	Mtr.					
	2) 100mm	Mtr.					
	3) 80mm	Mtr.					
	4) 50mm	Mtr.					
	5) 40mm	Mtr.					
	6) 25mm	Mtr.					
	7) 20mm	Mtr.					
	8) 15 mm	Mtr.					
	(b) Nezone / Zindal (heavy duty)–						

				Rate (INR)			
Sl. No	-	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	Amount (INR) (A+B+C)	Amount in words (INR) (A+B+C)
	1) 150mm	Mtr.					
	2) 100mm	Mtr.					
	3) 80mm	Mtr.					
	4) 50mm	Mtr.					
	5) 40mm	Mtr.					
	6) 25mm	Mtr.					
	7) 20mm	Mtr.					
	8) 15mm	Mtr.					
55	ISI marked K- 9 centrifugally cast (spun) Ductile Iron pipe with socket & spigot ends having standard length of 4.5 mtr. to 6 mtr. suitable for push on joints with tyton ring, cement mortar lining inside & Zink coating outside the pipe						
	1) 500 mm	Mtr.					
	2) 450 mm	Mtr.					
	3) 400 mm	Mtr.					

			Rate (INR)		∆ mount	
Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
4) 350 mm	Mtr.					
5) 300 mm	Mtr.					
6) 250 mm	Mtr.					
7) 200 mm	Mtr.					
8) 150 mm	Mtr.					
9) 100 mm	Mtr.					
10) 80 mm	Mtr.					
M.S clamp fabricated with 5mm thick & 40mm width M.S. plate with nut & bolt complete.						
1) 500 mm- 400 mm	Each pair					
2) 350 mm- 300 mm	Each pair					
3) 250 mm- 150 mm	Each pair					
C.I. sluice valve of ISI marked PN 1.6						
1) 300 mm	Each					
2) 250 mm.	Each					
	4) 350 mm  5) 300 mm  6) 250 mm  7) 200 mm  8) 150 mm  9) 100 mm  10) 80 mm  M.S clamp fabricated with 5mm thick & 40mm width M.S. plate with nut & bolt complete.  1) 500 mm  2) 350 mm- 400 mm  2) 350 mm- 150 mm  C.I. sluice valve of ISI marked PN 1.6  1) 300 mm	4) 350 mm Mtr.  5) 300 mm Mtr.  6) 250 mm Mtr.  7) 200 mm Mtr.  8) 150 mm Mtr.  9) 100 mm Mtr.  10) 80 mm Mtr.  M.S clamp fabricated with 5mm thick & 40mm width M.S. plate with nut & bolt complete.  1) 500 mm 400 Each pair  2) 350 mm 300 Each pair  3) 250 mm 150 Each pair  C.I. sluice valve of ISI marked PN 1.6  1) 300 mm Each	4) 350 mm Mtr.  5) 300 mm Mtr.  6) 250 mm Mtr.  7) 200 mm Mtr.  8) 150 mm Mtr.  9) 100 mm Mtr.  10) 80 mm Mtr.  M.S clamp fabricated with 5mm thick & 40mm width M.S. plate with nut & bolt complete.  1) 500 mm 400 Each pair  2) 350 mm 300 Each pair  3) 250 mm 150 Each pair  C.I. sluice valve of ISI marked PN 1.6  1) 300 mm Each	Specification	Specification   Unit   Basic   In %   In %	Specification

				Rate (INR)		Amount	
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	3) 200 mm.	Each					
	4) 150 mm.	Each					
	5) 100 mm.	Each					
58.	C.I. sluice valve of ISI marked PN 2.5						
	1) 250 mm.	Each					
	2) 200 mm.	Each					
59.	C.I. non return valve of swing gate type ISI marked PN 1.6						
	1) 300 mm	Each					
	2) 250 mm.	Each					
	3) 200 mm.	Each					
	4) 150 mm.	Each					
60.	C.I. non return valve of swing gate type ISI marked PN 2.5.						
	1) 250 mm	Each					
	2) 200 mm	Each					
61.	D.I. / C.I. flange socket of ISI marked.						

		Rate (INR)		Amount		
Specification	Unit	Basic (A)	SGST In %	In %	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
1) 500 mm	Each					
2) 400 mm.	Each					
3) 350 mm.	Each					
4) 300 mm.	Each					
5) 250 mm.	Each					
6) 200 mm.	Each					
7) 150 mm.	Each					
8) 100 mm.	Each					
D.I. / C.I. Spigot of ISI marked.						
1) 500 mm	Each					
2) 400 mm.	Each					
3) 350 mm.	Each					
4) 300 mm.	Each					
5) 250 mm.	Each					
6) 200 mm.	Each					
	1) 500 mm  2) 400 mm.  3) 350 mm.  4) 300 mm.  5) 250 mm.  6) 200 mm.  7) 150 mm.  8) 100 mm.  D.I. / C.I. Spigot of ISI marked.  1) 500 mm  2) 400 mm.  3) 350 mm.  4) 300 mm.	1) 500 mm Each 2) 400 mm. Each 3) 350 mm. Each 4) 300 mm. Each 5) 250 mm. Each 6) 200 mm. Each 7) 150 mm. Each 8) 100 mm. Each BLI. / C.I. Spigot of ISI marked. 1) 500 mm Each 2) 400 mm. Each 2) 400 mm. Each 3) 350 mm. Each 4) 300 mm. Each 5) 250 mm. Each	(A)  1) 500 mm Each  2) 400 mm. Each  3) 350 mm. Each  4) 300 mm. Each  5) 250 mm. Each  6) 200 mm. Each  7) 150 mm. Each  8) 100 mm. Each  D.I. / C.I. Spigot of ISI marked.  1) 500 mm Each  2) 400 mm. Each  3) 350 mm. Each  4) 300 mm. Each  5) 250 mm. Each	Specification         Unit         Basic (A)         SGST In % (B)           1) 500 mm         Each         (B)           2) 400 mm.         Each         (B)           3) 350 mm.         Each           4) 300 mm.         Each           5) 250 mm.         Each           6) 200 mm.         Each           7) 150 mm.         Each           8) 100 mm.         Each           D.I. / C.I. Spigot of ISI marked.         D.I. / C.I. Spigot of ISI marked.           1) 500 mm         Each           2) 400 mm.         Each           4) 300 mm.         Each           5) 250 mm.         Each	Specification   Unit   Basic   In %   In %   In %   (B)	Specification

				Rate (INR)		Amount	
Sl. No	·	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	7) 150 mm.	Each					
	8) 100 mm.	Each					
63.	C.I. / M.S. leak repairing coupling with o-ring and nut bolt etc. complete set.						
	1) 500 mm	Each					
	2) 400 mm.	Each					
	3) 350 mm.	Each					
	4) 300 mm.	Each					
	5) 250 mm.	Each					
	6) 200 mm.	Each					
	7) 150 mm.	Each					
	8) 100 mm.	Each					
64.	C.I. / D.I. coupling joint (jiffy joint) with rubber ring, nut bolt etc. couple						
	1) 500 mm	Each					
	2) 400 mm.	Each					

				Rate (INR)		- Amount	
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	3) 350 mm.	Each					
	4) 300 mm.	Each					
	5) 250 mm.	Each					
	6) 200 mm.	Each					
	7) 150 mm.	Each					
	8) 100 mm.	Each					
	9) 80 mm.	Each					
65.	C.I./D.I. mechanical (M.J.) collar with rubber ring, nut bolt etc. couple						
	1) 500 mm	Each					
	2) 400 mm.	Each					
	3) 350 mm.	Each					
	4) 300 mm.	Each					
	5) 250 mm.	Each					
	6) 200 mm.	Each					
	7) 150 mm.	Each					

				Rate (INR)		Amount	Amount in words (INR) (A+B+C)
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	
	8) 100 mm.	Each					
	9) 80 mm	Each					
66.	C.I. / D.I. mechanical Split collar with rubber ring , nut bolt etc. couple						
	1) 500 mm	Each					
	2) 400 mm.	Each					
	3) 350 mm.	Each					
	4) 300 mm.	Each					
	5) 250 mm.	Each					
	6) 200 mm.	Each					
	7) 150 mm.	Each					
	8) 100 mm.	Each					
	9) 80 mm	Each					
67.	G.I. plug						
	1) 50 mm	Each					

						Rate (INR)		Amount	
Sl. No			cation	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	2)	40 r	nm	Each					
	3)	25 r	nm	Each					
	4)	20 r	nm	Each					
	5)	15 r	nm	Each					
68.	Water meter) specifica	Met with ation	following						
			150 mm	Each					
	5 kg / cm <sup>2</sup>		100 mm	Each					
	pressu re		80 mm	Each					
		Brand	50 mm	Each					
		Precemag Brand	40 mm	Each					
		Pr	25 mm	Each					
			20 mm	Each					
	5 kg / cm <sup>2</sup> pressu re								

					Rate (INR)			
Sl. No	Spec	cification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	Amount (INR) (A+B+C)	Amount in words (INR) (A+B+C)
		150 mm	Each					
		100 mm	Each					
	-	80 mm	Each					
	7	50 mm	Each					
		50 mm  40 mm	Each					
		25 mm	Each					
		20 mm	Each					
		150 mm	Each					
	-	100 mm	Each					
	,	100 mm 80 mm	Each					
		50 mm	Each					
		40 mm	Each					
		25 mm	Each					
		20 mm	Each					

						Rate (INR)		Amount	
Sl. No	Spe	cificatio		Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
		100	) mm	Each					
		80 1	mm	Each					
	2.5	50 1	mm	Each					
	kg/cm <sup>2</sup> pressu		mm	Each					
I	re	Drecemag Brand 25 20 1	mm	Each					
		20 ı	mm	Each					
		100	) mm	Each					
2	2.5 kg/cm <sup>2</sup> bressu	arked	mm	Each					
I	re g/cm²	50 1	mm	Each					
		40	mm	Each					
		25	mm	Each					
		Prand 20 i	mm	Each					
		20 1 20 1 20 1 20 1 20 1 20 1 20 1 20 1	) mm	Each					
		100	) mm	Each					
		80 1	mm	Each					

				Rate (INR)		Amount	
Sl. No	Specification	Unit Basic (A)		SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	50 mm	Each					
	40 mm	Each					
	25 mm	Each					
	20 mm	Each					
Spare	e parts of the India M-III Dee	ep Tube Well	Hand Pump				
69.	1) 1. Plunger Rod 500 mm (S.S.)	Each					
	2) 2. Push rod (S.S.) WITH m-6 NUT	Each					
	3) "O" Ring Nitrile Rubber	Each					
	4) Upper cap for Cylinder	Each					
	5) Bottom Cap for Cylinder	Each					
	- 3		i de la companya de				
	6) Cylinder body with Brass liner	Set					
	6) Cylinder body with	Set Set					
	Cylinder body with Brass liner      Plunger Yoke						

				Rate (INR)		Amount	
Sl. No	Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
	10) Cage (G.M.)	Each					
	11) Check Valve Seat (G.M.)	Each					
	12) Nut M-6	Each					
	13) Washer M-12 x 4 mm	Each					
	14) Washer M-12 x 4 mm	Each					
	15) Socket 65 mm dia	Each					
	16) Socket 40 mm dia	Each					
	17) Upper Valve Assembly of Yoke Body, Spacer, Upper Valve Guide and Follower with Nit rile Rubber Bucket for M-II Cylinder						
	18) Lower Valve Assembly of G.M. Cage, Push Rod, Push Nut, Check Valve seat, lower Check Valve with Nit rile Rubber "O" Ring & Check Valve Seating for M-II-HP						

			Rate (INR)		Amount	
Specification	Unit	Basic (A)	SGST In % (B)	CGST In % (C)	(INR) (A+B+C)	Amount in words (INR) (A+B+C)
19) Check Valve (G.M.)	Each					
20) Head with side bush	Set					
21) Head Assembly with Handle, Baring, Chain, Coupling, spacer, Housing.	Set					
22) Pump bucket	Each					
23) Rubber Deat Retainer	Each					
24) Pedestal (Normal)	Each					
25) Ball bearing 62042	Each					
26) Rubber seating for Upper Valve	Each					
27) Rubber seating for Check Valve	Each					
28) Handle Axle (S.S.)	Each					
29) Connection rod	Each					
30) Pipe centralizer	Each					
31) Clone plate assembly	Set					
32) Rubber cone	Each					

Date:	Signature of the bidder,		
Name of the Firm :-	Name of the Proprietor: -		
Address : -	Address: -		
Phone No:- Seal:-	Phone No		

### CHECK LIST

## $(\underline{\textbf{Documents to be provided for the bid}})$

Please tick ☑ in appropriate box	Yes	No
Duly filled up rate sheet & detail quotation notice		
2. Money receipt of Rs.1,000.00 as document fees		
3. Earnest Money of Rs. 20,000.00 only		
4. Photocopy of PAN Card		
5. Valid Trade License from GMC		
6. Photocopy of GST Registration Certificate		
7. Solvency certificate from the Banker		
8. Annual turnover / balance sheet of last 3 (three) years 2014-2015, 2015-2016, 2016-2017		
9. Full postal address with contact No.		
10. Any extra ordinary clause from Govt. in case of manufacture / SSI Units, to be considered in this bid.		
11. Every page / documents of the bid signed by the bidder		

# Information about Quotationer

(To be furnished with quotation)

	1.1.	Name of business	:
	1.2.	Whether his business is registered	:
	1.3.	Date of commencement of business	:
	1.4.	Whether he pays Income Tax	:
	1.5.	Age of the Quotationer	:
2.	In case of Partnership firm:		
	2.1.	Names & ages of Partners	:
	2.2.	Whether the Partnership is registered	:
	2.3.	Date of establishment of firm	:
	2.4.	If each of the partners of the firm pays income tax or not, who of them pays the same	:
3.	In case of Limited Liability Company: Company or Company Limited by Guaran		
	3.1.	Amount of paid up capital	:
	3.2.	Name of Directors	:
	3.3.	Date of Registration of Company	:
	3.4.	Annual Reports /Copies of audited Balance Sheets of the Company of the last three years	:
4.	PAN of Quotationer		

1. <u>In case of Individual</u>:

Signature of Quotationer