

GUWAHATI MUNICIPAL CORPORATION



**TENDER DOCUMENT FOR THE SUPPLY OF 3 nos. of 750 ltr
and 1 no. 3 KL Cesspool Gully Pit Emptier**



OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION
Garage Branch :: Dr. B. Baruah Road :: Ulubari :: Guwahati-7

NATIONAL COMPETATIVE BID

Name of Work: Bid for supply of 3 Nos. of 750 ltr. and 1 no. 3 KL Cesspool Gully Pit Emptier

Sl. No.	Name of the work	Bid Security (in Rs.)	Cost of bid documents	period of Contract
1	Supply of 3 Nos. of 750 ltr. and 1 no. 3 KL Cesspool Gully Pit Emptier	1.00 Lakhs	5,000.00	1 year

SCHEDULE FOR BID PROCEDURE

Sale of Bid Document	From 25.01.2019 to 01.02.2019
Submission of Bid	Up to 2.00 PM of 04.02.2019
Opening of Technical Bid	04.02.2019 at 3.00 PM
Place of Opening of Bid	Office of the Guwahati Municipal Corporation, Panbazar, Guwahati.
Officer inviting Bid	The Commissioner, Guwahati Municipal Corporation, Panbazar, Guwahati-1

Name of Bidder:

Issue Date:

.....

Issued To:

.....

Full Postal Address:

.....

.....

.....

Fax No. :.....

Tel no.:

Mobile No. :

E-mail:

Reference of cost of Bid Document:

Receipt No. : **Date:**

INVITATION FOR BID

The Commissioner, Guwahati Municipal Corporation, Guwahati invites sealed Competitive Bids in 2 cover system (Techno Commercial & Price bids) for the purchase of goods/machinery/equipment as detailed in the table.

Table 1

Sl. No.	Details	Eligibility
1	Supply of 3 Nos. of 750 ltr. and 1 no. 3 KL Cesspool Gully Pit Emptier	Manufacturers or Authorized Dealer.

Table 2

Terms & Condition:

1. The bidders must be enrolled in www.assamtenders.gov.in .
2. Interested Bidders must pay the Bid documents fee as non refundable fee as outlined in the table above; in the form of Demand draft drawn in any Nationalised/Scheduled Bank in favour of the Commissioner, Guwahati Municipal Corporation, payable at Guwahati, from the Garage Branch, Guwahati Municipal Corporation, Guwahati, on or before the date specified above. Bid Documents can also be downloaded from the web site of Guwahati Municipal Corporation www.gmcportal.in.
3. The Bidder shall furnish, as part of the Bid, a Bid Security mentioned in table above. The Bid Security shall be either in the form of TDR or FDR, drawn from any Nationalised/Scheduled Bank in favour of the Commissioner, Guwahati Municipal Corporation, payable at Guwahati. The bid securities of unsuccessful bidders will be returned within 45 days of the end of the bid validity period or after the signing of the contractual agreement with the successful bidder whichever is earlier.
4. The downloaded Bid documents shall be submitted without modification or insertion in the Bid documents, otherwise Bid will be liable for rejection. Such bidder shall submit the bid document fee with the bid in techno commercial envelope.
5. Bidders are advised to scan their Papers at 100dpi (in black & white mode) in 'PDF' format for multiple pages with maximum file size of 25MB. If numbers of pages exceed, the bidders are advised to create multiple files and upload the same in "Upload additional document" stage in www.assamtenders.gov.in.
6. In case of Technical bid, the Bidder have to submit the hard copy of filled up Bid documents along with the Original copy of Bid Document fee and Earnest Money in the tender box at the Head office, Panbazar, Guwahati-1 up to the last date and time of submission as outlined in the table above. The filled up Bid documents can also be sent by post or courier to the above mentioned office. The Guwahati municipal Corporation shall not be responsible for any delay in transit. Whereas for the Financial Bid, The bidder has to quote the rate by online only, no need to submit rate sheer along with the technical bid.
7. The Bid will be opened at the time and date outlined in the table above, at the office of the Commissioner, Guwahati Municipal Corporation, Guwahati-1.
8. The Bids received after the due date and time as outlined in the shown above will not be considered under any circumstances.
9. All other details can be had from the Garage Branch of the Guwahati Municipal Corporation.

COVER 'A' – TECHNO-COMMERCIAL BID

COVER 'B' - FINANCIAL BID

**Commissioner
Guwahati Municipal Corporation
Guwahati**

INSTRUCTIONS TO BIDDERS (ITB)

A. General

1. **Supply of 3 Nos. of 750 ltr. and 1 no. 3 KL Cesspool Gully Pit Emptyier.** The supplier should ensure uninterrupted, trouble-free maintenance (if required) of the Make & Model, quoted in the tender document. They should also ensure availability of quality spares and prompt service throughout the period of comprehensive maintenance contract period.
2. The successful Bidder will be expected to complete the Contract within the period stipulated in the Contract Data.
3. Bidders shall not be under a declaration of ineligibility for corrupt and fraudulent practice.
4. The Bidder shall be the manufacturer or authorized dealer of the proposed vehicle for more than 5 years and should show proof for the same.
5. The Bidder shall have achieved total turnover of not less than Rs. 5 Crores every year during last 3 years. The certificate to that effect duly certified by Chartered Accountant shall be attached.
6. The performance certificate for vehicle supplied earlier as well as for the after sales service to that effect (for 25 nos) from the clients shall be attached along with the tender.
7. The Bidder should produce solvency certificate for Rs. 1.00 Crores from a Nationalised bank. Bank guarantee can be accepted.
8. The Bidder or their local representative shall have their own workshops to accommodate at least three vehicles at a time in and around Guwahati.
9. Bidder should submit the list of major components and assemblies which will be indigenously manufactured and the list of major components and assemblies which will be imported.

B. Documents Comprising the Bid

1. The Technical Bid (Cover-A) submitted by the Bidder shall comprise the following:
 - a) The Bid
 - b) Bid Security (Earnest Money) and Bid Document Fee.
 - c) Registration Certificate of the company;
 - d) GST Registration certificate
 - e) Latest Bank solvency certificate for **Rs 1 Crores**.
 - f) Latest registered partnership deed, in case of partnership firm.
 - g) Details of manufacturer's country of origin.
 - h) Manufacturers or their authorised dealers' documentary evidence for establishing the Supply of minimum 15 nos. of proposed vehicles during last 3 years.
 - i) Copy of PAN card with photo duly notarised.
 - j) All the literature & drawing in support of the product.
 - k) Income Tax clearance certificate for the current year obtained from appropriate authority.
 - l) Layout dimensional drawings, literature and brand name, ISO Certification number (if available)
 - m) Certificate for having achieved Turn-over of not less than 5 Crores every year during last 3 years.
2. The Financial Bid (Cover-B) should be submitted in Online mode only by the Bidder as per the guidance of website mentioned above.

Conditions of Contract- General Conditions:

1. **Delivery:** The delivery period indicated in the tender, or in our order, or separately in the form of a letter, from time to time, is to be strictly adhered to. In case of delay in supplying, the Employer reserves the right to ask for compensation for such late deliveries at its sole discretion. Such compensation will be payable on demand or shall be recovered from the EMD or Security Deposit or from any other payment due to the bidders from the Employer.
2. The Employer at its sole discretion also reserves the right to purchase the goods from other sources at the cost and risk of the bidder in case of failure to effect supplies within the stipulated delivery period.
3. No exemption under any circumstances shall be given for waiver of EMD or Security Deposit.
4. **Delivery period:** The shortest delivery period is the essence of this tender. The delivery period is **60 days** from the receipt of this purchase order. Delivery of the equipment prior to registration shall be considered as delivery time. However, the equipment shall be registered within 10 days of delivery.
5. **Warranty:** The goods supplied should be covered under warranty for a period of not less than 12 months, from the date of handing over /supply of vehicle whichever is earlier for manufacturing process or assembly or material defect on a combination of any or all of the above
6. **Payment:** 100% payment will be made after delivery of the vehicles.

Technical Specification

A. 750 Ltr Cesspool Gully Pit Emptier:

1. Cesspool Emptier mounted on suitable chassis of 4 nos. wheel
2. Built from finest quality of material with rigorous quality control at all stages of assembly. The emptier tank must be fabricated with steel plate of thickness 45 mm or more.
3. Capacity of Fuel Tank of vehicle : - minimum 35 Liters.
4. Dimension of vehicle: - Mounting and fitting of the cesspool emptier machine of required tank capacity maintaining along with the space for apparatus i.e pipe etc. on the vehicle, should be sufficient & easy access for smooth operation.
5. Vehicle Engine: - Minimum 1300 CC (As require as per actual load considering factor of safety)
6. Discharge of contents: - The contents have to be discharged pneumatically, discharge has to be affected through the discharge valve and hose by pressuring the tank. All the compressor, cutout, sludge trap, hoses, riser pipe for loading and fluidization, coupling etc. must be compatibale with the Engine and Cesspool Emptier.
7. Safety of Driving unit:
 - a. Exhauster/Compressor have to driven by power take off unit of the vehicle through coupling and belt drive. Sufficient safety measures have to provide for easy application.
 - b. Exhauster/Compressor: Van type, forced – air colled and with lubrication arrangement Exhauster/Compressor capable of generating vacuum up to 90% vacuum. During bblow back pressure should be up to 1.5 Bar under pressure mode.
 - c. Hoses with couplings: 3// bore PVC flexible suction hoses or 200 ft. Length – with male/female camlock couplings of Aluminium – length.
8. Side platform with pipe railing: - Both side platform adjuscent to tank unit for standing of labour and maintenance, space for PVC suction hoses with pipe railings.
9. Tank finish: - For Bituminius paint over anticorrosive paint inside the tank. Synthetic paint of approved shade outside the tank with writing “Guwahati Munisipal Corporation”.

10. Specification of vehicles:-

Engine Details:-

- Mounted on suitable chassis of 4 nos. wheel
- Output-min. 30 hp @ 4000 rpm
- Torque capacity – 140 Nm @ 1800-3000 rpm
- M.S tank of 750 ltr. Cylinder shape full body painted
- Engine capacity – 1300 CC or more
- 5 gear with reverse gear
- Tyre – 8PR Radial Tubeless Tyre
- Steering – power Steering

Machine:-

- Vacuum capacity – 700mm Hg. Of 90% max
- Exhaust/Compressor capacity 8200 LPM,
- Alternate pressure – 1.5 bar
- Tank made of steel plate of 6mm thick or more
- Tank inlet and outlet fittings must be of heavy duty quality
- Suction hose of PVC 80mm/100mm of total 30.0 mtr long in 3.0 mtr. Length with joining device ready for use.

B. 3 KL Cesspool Gully Pit Emptier:

1. Cesspool emptier which can be easily mounted on GVW 9 t. to 11 t. truck chassis
2. Built from finest quality of materials with rigorous quality control at all stages of assembly.
3. Capacity of fuel tank of vehicle - Minimum 80 Ltrs made of stainless steel
4. Dimension of vehicle:- Mounting and fitting of the cesspool emptier machine of required tank capacity along maintaining the with space for apparatus i.e. pipe etc. on the vehicle, should be sufficient & easy access for smooth operation.
5. Vehicle Engine:- Minimum 2700 CC (as required as per actual load considering factor of safety)
6. Cesspool Emptier Tank capacity: - 3000 ltr.
7. Discharge of contents:- The contents have to be discharges pneumatically, discharge have to be effected through the discharge valve and hose by pressuring the tank. All the compressor, cut out, sludge trap, hoses, riser pipe for loading and fluidization, couplings etc. must be compatible with the engine and Cesspool Emptier.
8. Safety and Driving unit:- Exhauster/Compressor have to driven by power take off unit of the vehicle through coupling and belt drive. Sufficient safety measures have to be provide for easy application.
9. Exhauster/Compressor:- Van type, forced – air cooled and with lubrication arrangement exhauster/compressor capable of generating vacuum up to 90% vacuum. During blow back pressure should be up to 1.5 Bar under pressure mode.
10. Hoses with couplings:- 80mm /100 mm bore PVC flexible suction hoses of 3.0 mtr/6.0 mtr length with couplings (Total 30.0 mtr.)
11. Side platform with pipe railings:- Both side platform adjacent to tank unit for standing of labour and maintenance, space for PVC suction hoses with pipe railings.
12. Tank finish :- Bituminous paint over anticorrosive paint inside the tank. Synthetic paint of approved shade outside the tank with writing “Guwahai Municipal Corporato”. The emptier tank must be fabricated with steel plate of thickness 5 mm or more

N.B: *Corrigendum will be issued further for any other specification and any chages or alternaton on tender clause if required*

FINANCIAL BID

Address of the Tender Inviting Authority:

Commissioner

Guwahati Municipal Corporation

Panbazar, Guwahati-1

(THIS TENDER DOCUMENT IS NOT TRANSFERABLE)

Bill of Quantities

Sl. No.	Description	Capacity	Quantity	Rate/each (Rs)	Total Amount (Rs)
1	Supply of Cesspool Gully Pit Emptier	750 Ltr.	3 nos.		
		3000 ltr	1 no.		
In Words					

NB: *Quantity may vary at the time of issue of supply order.*

The rates should be quoted in both words and figures. In case of difference between these two, the lower of the two shall be taken into consideration.

The rates mentioned above should clearly include GST and any other Local Taxes, Customs Duties, Excise Duties, any mandatory levies etc., including Entry tax. Terms such as "Local Taxes extra" should not be mentioned.

Bidder's Signature & Stamp / Seal

Address

#####