



# OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION

**Garage Branch :: Dr. B. Baruah Road :: Ulubari :: Guwahati-7**

No: GGR/140/2020/

Date: 19/11/2020

## Corrigendum

In partial modification of the tender published vide no. GGR/140/2020/3361 dated 13.11.2020 regarding procurement of Auto Tipper and Auto Van of 2.0 cum capacity the following has been modified for technical specification as shown below:

### A. Supply of 2.0 cum capacity Auto Tipper/Auto Van (Diesel run)

Type of tipper	Garbage Tipper	Auto van
Category of vehicle for which chassis to be used	Light capacity commercial vehicles	Light capacity commercial vehicles
Type of fuel	Diesel	Diesel
Vehicle emission compliance	BS – VI	BS – VI
Max Engine Power BHP (BHP@rpm)	More than 25 HP	15-20 HP
Max Engine Torque (N-M@rpm)	More than 55	40-50
Main Engine Aspiration	Natural Aspiration/Turbo Charged inter cooled	Natural Aspiration /Turbo Charged inter cooled
Gross vehicle Weight (Kg)	More than 1900 Kilogram	1400 -1615 Kilogram
Chassis Transmission system	Manual	Manual
Turning Radius, Min (mm)	4300 mm (approx)	4300 mm (approx)
Minimum Tipper Container capacity/volume (cum)	2.0	2.0
Tipper container material	Mild Steel	Mild Steel
Warranty Time (Month)	12 month	12 month
Battery warranty (month)	12 month	12 month
Chassis certification	ARAI	ARAI
At the time of supply of the equipment, the chassis should not be	More than 6 month old	More than 6 month old
Make of Chassis	Reputed make	Reputed make
Fuel consumption (KMPL)	Minimum 20 ltr.	Minimum 20 ltr.
Speed, Max (Km/Hr)	70	70
Maximum Engine Power BHP (BHP@rpm)	30	30
Rate RPM at Max Engine Power	3750	3750
Max Engine Torque (N-M@rpm)	55	55
Rate RPM at Max Engine Torque	2500	2500
No. of Cylinder in main	2	2

engine (nos.)		
Fuel tank capacity (ltrs)	26 (approx)	26 (approx)
Grade ability of vehicle with load (%)	23.09 (min)	23.09 (min)
Ground clearance (mm)	160 mm	160 mm
Wheel base (mm)	2100 mm	2100 mm
Kerb weight (Kg)	865 Kg	865 Kg
Gross vehicle weight (Ks)	1615 Kg	1615 Kg
Type of BIS MARKED vehicle Tyre	Radial	Radial
Chassis transmission System	Manual	Manual
Number of speed/Forward gears	5	5
Type of steering	Manual	Manual
Speed Governors (ECU)	Yes/No	Yes/No
ABS Fitted	Yes/No	Yes/No
Front vehicle Brake	Hydraulic Disc Brake	Hydraulic Disc Brake
Rear vehicle Brake	Hydraulic Drum Brake	Hydraulic Drum Brake
Type of clutch	Single Plate dry	Single Plate dry
Tipping Angle (Degree)	40-45	
Tipper Container capacity/volume (Cum)	2	2
Size of tyre mm	145R12-8PR Radial	145R12-8PR Radial
Size of wheel (mm)	304.8	304.8
Tipper body pivot length (mm)	1541	1541
Tipper body length (mm)	2098	2098
Tipper body height (mm)	670	670
Overall height of body from ground (mm)	1840	1840
Body plate thickness (mm)	1.6	1.6
Main frame thickness (mm)	3	3
Hydraulic system	Yes/No	Yes/No
Tipping hydraulic cylinders (make)	Reputed make	Reputed make
Hydraulic system given by	Main Engine	Main Engine
Thickness of sheet for container made (mm)	1.6	1.6
Dumping height (mm)	620	
Operating hour meter	Yes/No	Yes/No
Locking / Unlocking of tipper discharge container	Yes/No	Yes/No
Paint	Automotive paint	Automotive paint
No. of free service (nos.)	3	3

**B:- The point no 2 of NB of the Financial bid is deleted**  
All other terms and condition shall remain same.

Sd/-  
Commissioner  
Guwahati Municipal Corporation  
Guwahati

**Memo No: GGR/140/2020/**

**-A-**

**Date: 19/11/20020**

**Copy to:**

1. The Software Developer, GMC for information. He is directed to upload the corrigendum on GMC official website
2. Notice Board.
3. File.

**Sd/-**

**Commissioner  
Guwahati Municipal Corporation  
Guwahati**