



OFFICE OF THE GUWAHATI MUNICIPAL CORPORATION
Electrical Branch :: Dr. B. Baruah Road :: Ulubari :: Guwahati-7

No: GER/Elect/1350/2020/3458

Date: 26/11/2020

Notice Inviting Quotation

Sealed quotations in a prescribed format for item as shown in '**Annexure-I**' are invited for the supply of Street Light repairing materials / Office electrical items for Guwahati Municipal Corporation.

The quotations have to be submitted at the Electrical Branch, GMC, Dr. B. Baruah Road, Ulubari, Guwahati – 781007 on or before 2.00 PM of **03.12.2020**. The quotationer must furnish GST registration certificate, PAN Card, up to date Trade License along with the quotation. The quoted rate should be inclusive of all taxes & duties. Quotation submitted after the date of submission will be considered as invalid quotation. The undersigned reserve the right to alter the date of submission. The quotation must accompany with a non-refundable tender documents fee amounting to Rs. 1000.00 (Rupees One Thousand) only in the form of Demand Draft in favour of Commissioner, Guwahati Municipal Corporation.

Terms and condition:

1. Quotationer has to submit Rs. 10,000.00 (Rupees Ten Thousand) only as Earnest Money deposit in form of DD/TDR/FDR in favour of Commissioner, Guwahati Municipal Corporation.
2. The rate quoted should be valid for 12 months from the date of submission of the quotation.
3. Once selected the bidder shall have to supply the material within the allotted time in full, otherwise EMD of the quotation shall be forfeited and the quotation shall not be allowed to participate in any future tender.
4. Tender copy and format should be downloaded from GMC official website i.e. www.gmc.assam.gov.in and no hard copy shall be issued.

Sd/-

Commissioner
Guwahati Municipal Corporation
Guwahati

Date: 26/11/2020

Memo No: GER/Elect/1350/2020/ 3458

-A-

Copy to:

1. The Directorate of Information and Public Relation Office, Assam, Dispur with a request for publishing the above notice in one issue at a local English and Assamese daily.
2. The Software Developer, GMC for information. He is directed to upload the NIT on GMC official website i.e www.gmc.assam.gov.in
3. File.

Sd/-

Commissioner
Guwahati Municipal Corporation
Guwahati

ANNEXURE-I

QUAOTATION OF STREET LIGHT / OTHER ACCESSORIES			
Name of Work :- Supply of Electrical Materials with Street Light Accessories			
(ALL MATERIALS SHOULD BE APWD/ISI APPROVED MARKED WHERE NECESSARY)			
Sl.No	Description	Rate	
		In Figure	In Word
WIRES			
1	1.5Sqmm Copper Wire (Finolex,RR Kabel,Anchor,Havells,Polycab)		
2	1Sqmm Copper Wire (Finolex,RR Kabel,Anchor,Havells,Polycab)		
3	2.5Sqmm Copper Wire (Finolex,RR Kabel,Anchor,Havells,Polycab)		
4	4Sqmm Copper Wire (Finolex,RR Kabel,Anchor,Havells,Polycab)		
5	6Sqmm Copper Wire (Finolex,RR Kabel,Anchor,Havells,Polycab)		
6	10 Sqmm Copper Wire (Finolex,RR Kabel,Anchor,Havells,Polycab)		
7	16 Sqmm Copper Wire (Finolex,RR Kabel,Anchor,Havells,Polycab)		
Office accessories			
8	PVC Pipe 1" (Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
9	PVC Pipe 2" (Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
10	PVC Casing 1"(Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
11	2 Way Band (Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
12	3 Way Band (Anchor penta /Gold medal /Kolor kany.Kom/Havells)		

13	4 Way Band (Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
14	1"PVC Gutka		
15	1"Screw		
16	Double 11Watt CFL fitting (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
17	Single 15Watt CFL Fitting (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
18	11watts 4Pin CFL Bulb (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
19	PVC Board 8"x10"(Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
20	PVC Board 8"x6"(Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
21	PVC Board 7"x4"(Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
22	PVC Board 4"x4"(Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
23	Ceiling Fan 48"(Havals,Bajaj,Cromton Greaves)		
24	Ceiling Fan 56"(Havals,Bajaj,Cromton Greaves)		
25	Wall Fan (Havals,Bajaj,Cromton Greaves)		
26	Stand Fan(Havals,Bajaj,Cromton Greaves)		
27	Fan Regulator Mudular		
28	Fan Regulator General		
29	Ciling Rose		
30	L & T		
31	Extranal		

32	Internal		
33	Circular Box		
35	100APS Change Over		
36	Elbow		
37	Flexible Pipe		
38	Shadle		
39	6Amps Switch(Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
40	6Amps Socket(Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
41	16Amps Switch(Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
42	16Amps Socket(Anchor penta /Gold medal /Kolor kany.Kom/Havells)		
43	Power Contactor 18 Amps (ABB,SIEMENS,L&T,SCHNEIDER)		
44	Power Contactor 32 Amps (ABB,SIEMENS,L&T,SCHNEIDER)		
45	Power Contactor 40 Amps(ABB,SIEMENS,L&T,SCHNEIDER)		
46	Power Contactor 25Amps (ABB,SIEMENS,L&T,SCHNEIDER)		
47	Timer Switch (HAGAR,ABB)		
LED Street Light Set			
48	10 watt.(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
49	18 Watt (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
50	20 Watt (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
52	25 Watt (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		

53	30 Watt (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
54	36 Watt(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
55	45 Watt (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
56	60 Watt (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
57	90 Watt (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
58	100 Watt (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
59	120 Watt (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
60	150 Watt (Havals,Bajaj,Cromton)		
61	60 Watt LED M/H Light Set (Havals,Bajaj,Cromton)		
62	80 Watt LED M/H Light Set (Havals,Bajaj,Cromton)		
63	100 Watt LED M/H Light Set (Havals,Bajaj,Cromton)		
64	150 Watt LED M/H Light Set (Havals,Bajaj,Cromton)		
65	250 Watt LED M/H Light Set(Havals,Bajaj,Cromton)		
66	400 Watt LED M/H Light Set		
67	CAT.NO: BGD 36240-5Y (90 Watt LED Driver,Bajaj)		
Other misc accesories			
68	SPD 10 KV (Surge Protector,Bajaj)		
69	90Watt LED Driver,Cromton		
70	90Watt LED Driver,Havals,Bajaj,Cromton		
71	100Watt LED Driver,Havals		
72	120Watt LED Driver,Havals		
73	SODMES-33-700-25W.Voltage Range 140-270V(25W.LED Driver,Cromton)		
74	25 Watt LED Driver (Bajaj)		

75	40 mm dia hot dip galvanised pipe for street light bracket (APDCL Existing Pole)		
76	Single arm bracket 1000mm long for 3m to 10 metre. Poles.(Nezon)		
77	Double arm bracket1000mm long for 3m to 10 metre. Poles.(Nezon)		
78	Three Phase Smart pack Junction box (Sintax)		
79	Single Phase Smart pack Junction box (Sintax)		
81	1.5 Sq.mm B.T.C (Aajnta,Richa)		
82	4 Sqmm B.T.C (Aajnta,Richa)		
83	6 Sqmm B.T.C (Aajnta,Richa)		
84	10 Sqmm B.T.C (Aajnta,Richa)		
85	4.00 Sq.mm 2 Core Armoured U.G. cable (Havells,Polycab Gloster,)		
86	6.00 Sq.mm 2 Core Armoured U.G. cable (Havells,Polycab Gloster,)		
87	6.00 Sq.mm 4 Core Armoured U.G. cable(Havells,Polycab Gloster,)		
88	10.00 Sq.mm 4 Core Armoured U.G. cable(Havells,Polycab Gloster,)		
89	16.00 Sq.mm 4 Core Armoured U.G. cable(Havells,Polycab Gloster,)		
90	25.00 Sq.mm 3 & 1/2 Core Armoured U.G. cable(Havells,Polycab Gloster,)		
91	35.00 Sq.mm 3 & 1/2 Core Armoured U.G. cable(Havells,Polycab Gloster,)		
92	50.00 Sq.mm 3&1/2 Core Armoured U.G. cable (Havells,Polycab Gloster,)		
93	70.00 Sq.mm 3&1/2 Core Armoured U.G. cable (Havells,Polycab Gloster,)		
94	95.00 Sq.mm 3&1/2 Core Armoured U.G. cable (Havells,Polycab Gloster,)		
95	120.00 Sq.mm 3&1/2 Core Armoured U.G. cable (Havells,Polycab Gloster,)		

96	150 Sq.mm 3 and 1/2 core armoured cable (Havells,Polycab Gloster,)		
97	185 Sq.mm 3 and 1/2 core armoured cable (Havells,Polycab Gloster,)		
98	240 Sq.mm 3 and 1/2 core armoured cable (Havells,Polycab Gloster,)		
99	300 Sq.mm 3 and 1/2 core armoured cable (Havells,Polycab Gloster,)		
100	400.00 Sq.mm 3 and 1/2 core armoured cable (Havells,Polycab Gloster,)		
101	500 Sq.mm 3 and 1/2 core armoured cable (Havells,Polycab Gloster,)		
102	4.00 Sq.mm size Aluminium Cable lug		
103	6.00 Sq.mm size Aluminium Cable lug		
104	10.00 Sq.mm size Aluminium Cable lug		
105	16.00 Sq.mm size Aluminium Cable lug		
106	25.00 Sq.mm size Aluminium Cable lug		
107	35.00 Sq.mm size Aluminium Cable lug		
108	50.00 Sq.mm size Aluminium Cable lug		
109	70.00 Sq.mm size Aluminium Cable lug		
110	95.00 Sq.mm size Aluminium Cable lug		
111	120.00 Sq.mm size Aluminium Cable lug		
112	150.00 Sq.mm size Aluminium Cable lug		
113	185 Sq.mm size Aluminium Cable lug		
114	240.00 Sq.mm size Aluminium Cable lug		
115	300 Sq.mmsize Aluminium Cable lug		
116	400.00 Sq.mm size Aluminium Cable lug		
117	500 Sq.mm size Aluminium Cable lug		
118	25mm dia medium duty G.I. pipe		
119	32mm dia medium duty G.I. pipe		
120	32mm dia medium duty G.I. pipe		
121	40mm dia medium duty G.I. pipe		
122	50mm dia medium duty hot dip galvanised pipe		
123	50mm dia medium duty G.I. pipe		
124	65mm dia medium duty hot dip galvanised pipe		

125	16 KVA 11/0.433 KV out door type Aluminium wound Transformer.		
126	25 KVA 11/0.433 KV out door type Aluminium wound Transformer.		
127	63 KVA 11/0.433 KV out door type Aluminium wound Transformer.		
128	16 KVA 11/0.433 KV out door type Copper wound Transformer.		
129	25 KVA 11/0.433 KV out door type Copper wound Transformer.		
130	63 KVA 11/0.433 KV out door type Copper wound Transformer.		
131	40 mm dia heavy duty G.I. pipe (Earth Pipe)		
132	100 mm dia. C.I. Earth Pipe		
133	8 SWG G.I. wire		
134	Galvanised L.T. Cross Arm		
135	Galvanised H.T. Cross Arm		
136	Galvanised Channel of size : 100 mm x 50 mm x 6mm, 2200 mm long		
137	Galvanised Angle of size : 50 mm x 50 mm x 60mm, 5000 mm long		
138	L.T. Pin insulators		
139	L.T. Shackle insulators		
140	H.T. Polymer Pin insulator		
141	H.T. Polymer Disc insulator		
142	11 KV Gang Switch		
143	11 KV Lightning Arrestor		
144	11 KV D.O. Set		
146	AAAC Rabbit conductor		
147	AAAC Raccon conductor		
148	ABC Cable (LT Line) (Havals, HPL, Polycab)		
	Pole Mounting Panel Board (Sintax)		
149	Danger Plate		

150	410 SP 43 Length of pole = 10.00 metre., Length of sections, Bottom = 5.20 M, Middle = 2.40 M, Top = 2.40 M, Out side dia. & Thickness Bottom = 165.10 x 4.50 mm, Middle =138.70 x 4.50 mm, Top =114.3 x 3.65 mm (Bajaj,Philips,Valmont, Nizone)		
151	410 SP 66 Length of pole = 12.00 metre., Length of sections, Bottom = 5.80 M, Middle = 3.10 M, Top = 3.10 M, Out side dia. & Thickness Bottom = 219.10 x 5.60 mm, Middle =193.7 x 4.85 mm, Top =165.10 x 4.50 mm(Bajaj,Philips,Valmont, Nizone)		
152	Galvanized Octagonal Pole of following specification : Type BOP or equivalent-6030 Height 6.00m Dia.70 Bottom & Dia.130, Sheet Thickness 3mm, Base Plate Dimensions (L x B x T) 220 x 220 x 12, Foundation Bolt, Bolt Size :- (no. x dia.) 4 x 20 Dia, Pitch Circle Dia. PC 205, Bolt Length 600, Projected Bolt Length 100, Anchor plate thickness :- 4 mm ,(Bajaj,Philips,Valmont, Nizone)		
153	Galvani Octagonal Pole of followong specification : Pole Type BOP or equivalent-7030 Height 7.00 m Top Dia. 70mm Bottom Dia. 130mm , Sheet Thickness 3mm , Base Plate dimensions :- (L x B x T) 220 x 220 x 12, Foundation Bolt , Bolt Size :- (no. x dia.) 4 x 20 Dia, Pitch Circle Dia. PC 205 Bolt Length 750, Projected Bolt Length 100mm, Anchor plate thickness:- 4 mm ,(Bajaj,Philips,Valmont, Nizone)		

154	<p>Octagonal pole of following specification : Pole Type BOP or equivalent-8030 Height 8.00 m Top Dia. 70, Bottom Dia. 135, Sheet Thickness:- 3mm, Base Plate Dimensions:- (L x B x T) 225 x 225 x 16, Foundation Bolt Size :- (no. x dia.) 4 x 20 Dia, Pitch Circle Dia. PC 210, Bolt Length:- 750 Projected Bolt Length:- 100, Anchor plate thickness:- 4 mm , (Bajaj,Philips,Valmont, Nizone)</p>		
155	<p>Octagonal pole of following specification : Pole Type BOP or equivalent-9030 Height 8.00m Top Dia. :-70, Bottom Dia.:- 155 , Sheet Thickness :- 3mm , Base Plate Dimensions :- (L x B x T) 260 x 260 x 16, Foundation Bolt Size :- (no. x dia.) 4 x 24 Dia, Pitch Circle Dia.:- PC 250 Bolt Length:- 750, Projected Bolt Length :-125 Anchor plate thickness :- 4 mm (Bajaj,Philips,Valmont, Nizone)</p>		
156	<p>Octagonal pole of following specification : Pole Type BOP or equivalent-1030 Height 10.00 m Top Dia. :- 70, Bottom Dia.:- 175, Sheet Thickness :- 3mm, Base Plate Dimensions :- (L x B x T) 275 x 275 x 16, Foundation Bolt Size:- (no. x dia.) 4 x 24 Dia, Pitch Circle Dia. PC :- 270, Bolt Length:- 750, Projected Bolt Length :-125, Anchor plate thickness :- 4 mm, (Bajaj,Philips,Valmont, Nizone)</p>		
157	<p>Hot Dip galvanised arm bracket for installation of luminaries of followong specification.</p>		
158	<p>18 Watt. LED Tube Set (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)</p>		
159	<p>36 Watt.LED Tube Set (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)</p>		

160	15 Watt LED Bulb (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
161	12 Watt LED Bulb (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
162	9 Watt LED Bulb(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
163	18 Watt LED Bulb (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
164	8 Watt. Recessed mounting Sleek rsquare LED downlight (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
165	15 Watt. Recessed mounting Sleek rsquare LED downlight (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
166	T5 LED Tube Light with Set(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
167	36 Watt. Tube Light(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
168	36 Watt. Tube Chocke(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
169	Startar(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
170	36 Watt. Holder(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
171	36 Watt. Street Light Tube Set(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
172	1x11 Watt. CFL Lamp (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
173	1x11 Watt. CFL Chocke (Havals,Bajaj,Cromton Greaves)		

174	1x11 Watt. CFL Holder (Havals,Bajaj,Cromton Greaves)		
175	1x36 Watt. CFL Street Light Set (Havals,Bajaj,Cromton Greaves HPL)		
176	1x36 Watt. CFL Lamp (Havals,Bajaj,Cromton Greaves HPL,)		
177	1X36 Watt. CFL Chocke (Havals,Bajaj,Cromton Greaves HPL,)		
178	1X36 Watt. CFL Holder (Havals,Bajaj,Cromton Greaves HPL)		
179	150 Watt. Sodium Vapur Set (Havals,Bajaj,Cromton Greaves HPL)		
180	150 Watt.Sadium Vapur Lamp (Havals,Bajaj,Cromton Greaves HPL)		
181	150 Watt. Sodium Vapur Chocke (Havals,Bajaj,Cromton Greaves HPL)		
182	Sodium.Vapur. Holder(Havals,Bajaj,Cromton Greaves HPL)		
183	250 Watt. Sodium Vapur Set (Havals,Bajaj,Cromton Greaves HPL)		
184	250 Watt.Sadium Vapur Lamp (Havals,Bajaj,Cromton Greaves HPL)		
185	250 Watt. Sodium Vapur Chocke (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
186	400 Watt.Matel Hide Light Complet Set (Havals,Bajaj,Cromton Greaves HPL)		
187	400 Watt.Matel Hide Light Chocke (Havals,Bajaj,Cromton Greaves HPL)		
188	400 Watt.Matel Hide Light Lamp(Havals,Bajaj,Cromton Greaves HPL)		
189	Ignitor (Havals,Bajaj,Cromton Greaves)		
190	33mfd Condenser (Havals,Bajaj,Cromton Greaves HPL)		

191	42mfd Condenser (Havals,Bajaj,Cromton Greaves HPL)		
192	Black Tap		
193	2.5 Sqmm VIR Wire (Ajanta,Polycab)		
194	4 Sqmm VIR Wire (Ajanta,Polycab)		
195	6 Sqmm VIR Wire (Ajanta,Polycab)		
196	6Amps MCB (Schneider,Legrand,Hager,Havells)		
197	6Amps MCB With Box (Schneider,Legrand,Hager,Havells)		
198	20Ams DP MCB (Schneider,Legrand,Hager,Havells)		
199	20 Amps MCB With Box (Schneider,Legrand,Hager,Havells)		
200	40 Amps 4 Pole Isolator(Schneider,Legrand,Hager,Havells)		
201	40 Amps DP Isolator(Schneider,Legrand,Hager,Havells)		
202	40 Amps 4 Pole RCCB (Schneider,Legrand,Hager,Havells)		
203	40 Amps DP RCCB (Schneider,Legrand,Hager,Havells)		
204	40 Amps 4 Pole MCCB (Schneider,Legrand,Hager,Havells)		
205	63 Amps 4 Pole MCCB (Schneider,Legrand,Hager,Havells)		
206	40 Amps DP MCCB (Schneider,Legrand,Hager,Havells)		
207	100 Amps 4 Pole MCCB (Schneider,Legrand,Hager,Havells)		
208	Flexible Wire		
209	4 Core Copper Flexible Cable (Finolex,RR Kabel,Anchor,HavellsPolycab)		
210	IP20 LED Strip (24W.5Meter Roll)		

211	IP20 LED Driver 12V,2A (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
212	IP65 W. LED Strip (72W.5Meter Roll)		
213	IP20 LED Driver 24V,4A(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
214	IP65 W LED Strip (72W.Strip Driver)		
215	LED Tuni Light 5 Meter		
216	LED Tuni Light 10 Meter		
217	Bamboo		
218	Bamboo Lader		
219	80mm x 10mm 4 strip copper Bus - Bar 1.30 M length each (Havals,Deco,HPL)		
220	30mm x 5mm 4 strip copper Bus-Bar 0.5 M each 12 sets (Havals,Deco,HPL)		
221	<p>Supplying including installation, commissioning of vermin and dust proof totally enclosed, Phosphatised Powder Painted cubical outdoor type double door, floor mounting compartmentalize panel board of size 1.0M X0.8MX 0.40M made of 16 SWG (1.66 mm thick) C.R. sheet and 35mm X 35mm X 5mm size angle having 4 no legs at the bottom and C.R. sheet roofing on the top. The panel board is to be erected in 1 : 3 : 6 PCC foundation including excavation of trench and brick soling etc. complete neatly wiring done with provision for one no 630/800 A 4pole MCCB or Switch Fuse Unit as incomer and out going as specified and directed by the deptt. confirming to IP 65 protection comprising of the following electrical items:</p> <ol style="list-style-type: none"> 1. 50mm X 10mm (4X2) strip copper Bus-Bar 0.20M length each 2. Digital 3 Phase Voltmeter Accuracy class 0.5 - 1 no 3. Digital 3 Phase Ammeter Accuracy class 0.5 - 1 no 4. Pilot Lamp with integral ckt LED 110- 230 V (Red, Yellow,& Blue) - 3 nos 5. Voltmeter & Ammeter Selector Switch - 2 nos 		

	6. 2 A Slide fuse unit - 3nos (Incoming & Outgoing Switch Gear of reqd. rating will be measured and paid separately)		
222	4 Way PVC Modelur Boxes,(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
223	6 Way PVC Modelur Boxes(Havals,Bajaj,Cromton Greaves HPL,PHILIPS),		
224	8 Way PVC Modelur Boxes, (Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
225	12 Way PVC Modelur Boxes,(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
226	PVC Modelur Blank Plat(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
227	6 Amps Modelur Switch(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
228	6 Amps Modelur Socket(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
229	16 Amps Modelur Switch(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
230	16 Amps Modelur Socket		
231	6 Amps Modelur Bell push (Havals,Bajaj,Cromton Greaves HPL,PHILIPS).		
232	Coling Bell(Havals,Bajaj,Cromton Greaves HPL,PHILIPS)		
	A) Name of Bidder :		
	B) Address of the Bidder :		
	C) Pan No :		
	D) GST No :		